

Литература к разделу:
Бифидобактерии и их роль как представителей кишечной микробиоты
человека

1. Amaretti A., Bernardi T., Leonardi A., Raimondi S., Zanoni S., Rossi M. (2013). Fermentation of xylo-oligosaccharides by *Bifidobacterium adolescentis* DSMZ 18350: kinetics, metabolism, and beta-xylosidase activities. *Appl. Microbiol. Biotechnol.* 97, 3109–3117. 10.1007/s00253-012-4509-y [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
2. Arigoni F., Delley M. (2013). Genetic Remodeling in Bifidobacterium. Vevey: Google Patents. [[Google Scholar](#)]
3. Backhed F., Ley R. E., Sonnenburg J. L., Peterson D. A., Gordon J. I. (2005). Host-bacterial mutualism in the human intestine. *Science*, 307, 1915–1920. 10.1126/science.1104816 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
4. Bae E.-A., Han M. J., Song M.-J., Kim D.-H. (2002). Purification of Rotavirus Infection-Inhibitory Protein from Bifidobacterium Breve K-110. Seoul: COREE, REPUBLIQUE DE, Korean Society for Applied Microbiology. [[Google Scholar](#)]
5. Barrangou R., Briczinski E. P., Traeger L. L., Loquasto J. R., Richards M., Horvath P., et al. . (2009). Comparison of the complete genome sequences of Bifidobacterium animalis subsp. lactis DSM 10140 and BI-04. *J. Bacteriol.* 191, 4144–4151. 10.1128/JB.00155-09 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
6. Bernet M. F., Brassart D., Neeser J. R., Servin A. L. (1994). Lactobacillus acidophilus LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. *Gut*, 35, 483–489. 10.1136/gut.35.4.483 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
7. Bindels L. B., Delzenne N. M., Cani P. D., Walter J. (2015). Towards a more comprehensive concept for prebiotics. *Nat. Rev. Gastroenterol. Hepatol.* 12, 303–310. 10.1038/nrgastro.2015.47 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
8. Biswas I., Gruss A., Ehrlich S. D., Maguin E. (1993). High-efficiency gene inactivation and replacement system for gram-positive bacteria. *J. Bacteriol.* 175, 3628–3635. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
9. Bosscher D., Van Loo J., Franck A. (2006). Inulin and oligofructose as prebiotics in the prevention of intestinal infections and diseases. *Nutr. Res. Rev.* 19, 216–226. 10.1017/S0954422407249686 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
10. Bottacini F., O'Connell Motherway M., Casey E., McDonnell B., Mahony J., Ventura M., et al. . (2015). Discovery of a conjugative megaplasmid in bifidobacterium breve. *Appl. Environ. Microbiol.* 81, 166–176. 10.1128/AEM.02871-14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
11. Broekaert W. F., Courtin C. M., Verbeke K., Van De Wiele T., Verstraete W., Delcour J. A. (2011). Prebiotic and other health-related effects of cereal-derived arabinoxylans, arabinoxylan-oligosaccharides, and xylooligosaccharides. *Crit. Rev. Food Sci. Nutr.* 51, 178–194. 10.1080/10408390903044768 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
12. Chaplin A. V., Efimov B. A., Smeianov V. V., Kafarskaia L. I., Pikina A. P., Shkoporov A. N. (2015). Intraspecies genomic diversity and long-term persistence of *Bifidobacterium longum*. *PLoS ONE* 10:e0135658. 10.1371/journal.pone.0135658 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
13. Chen X., Dego O. K., Almeida R. A., Fuller T. E., Luther D. A., Oliver S. P. (2011). Deletion of sua gene reduces the ability of Streptococcus uberis to adhere to and internalize into bovine mammary epithelial cells. *Vet. Microbiol.* 147, 426–434. 10.1016/j.vetmic.2010.07.006 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
14. Chenoll E., Rivero M., Codoñer F. M., Martinez-Blanch J. F., Ramón D., Genovés S., et al. . (2015). Complete genome sequence of *Bifidobacterium longum* subsp. *infantis* Strain CECT 7210, a probiotic strain active against rotavirus infections. *Genome Announcements* 3:e00105-15. 10.1128/genomea.00105-15 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
15. Christiaen S. E., O'Connell Motherway M., Bottacini F., Lanigan N., Casey P. G., Huys G., et al. . (2014). Autoinducer-2 plays a crucial role in gut colonization and probiotic functionality of *Bifidobacterium breve* UCC2003. *PLoS ONE* 9:e98111. 10.1371/journal.pone.0098111 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
16. Corrêa N. B. O., Péret Filho L. A., Penna F. J., Lima F. M. L. S., Nicoli J. R. (2005). A randomized formula controlled trial of *bifidobacterium lactis* and streptococcus thermophilus for

- prevention of antibiotic-associated diarrhea in infants. *J. Clin. Gastroenterol.* 39, 385–389. 10.1097/01.mcg.0000159217.47419.5b [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
17. Crittenden R., Karppinen S., Ojanen S., Tenkanen M., Fagerström R., Mättö J., et al. (2002). *In vitro* fermentation of cereal dietary fibre carbohydrates by probiotic and intestinal bacteria. *J. Sci. Food Agric.* 82, 781–789. 10.1002/jsfa.1095 [[CrossRef](#)] [[Google Scholar](#)]
 18. Cronin M., Ventura M., Fitzgerald G. F., Van Sinderen D. (2011). Progress in genomics, metabolism and biotechnology of bifidobacteria. *Int. J. Food Microbiol.* 149, 4–18. 10.1016/j.ijfoodmicro.2011.01.019 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 19. Davidson A. L., Dassa E., Orelle C., Chen J. (2008). Structure, function, and evolution of bacterial ATP-binding cassette systems. *Microbiol Mol. Biol. Rev.* 72, 317–364. 10.1128/MMBR.00031-07 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 20. Davis L. M., Martinez I., Walter J., Hutkins R. (2010). A dose dependent impact of prebiotic galactooligosaccharides on the intestinal microbiota of healthy adults. *Int. J. Food Microbiol.* 144, 285–292. 10.1016/j.ijfoodmicro.2010.10.007 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 21. Degnan B. A., Macfarlane G. T. (1993). Transport and metabolism of glucose and arabinose in *Bifidobacterium breve*. *Arch. Microbiol.* 160, 144–151. 10.1007/BF00288717 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 22. De La Cochetiere M. F., Piloquet H., Des Robert C., Darmaun D., Galmiche J. P., Roze J. C. (2004). Early intestinal bacterial colonization and necrotizing enterocolitis in premature infants: the putative role of *Clostridium*. *Pediatr. Res.* 56, 366–370. 10.1203/01.PDR.0000134251.45878.D5 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 23. De Vries W., Stouthamer A. H. (1967). Pathway of glucose fermentation in relation to the taxonomy of bifidobacteria. *J. Bacteriol.* 93, 574–576. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
 24. De Vuyst L., Leroy F. (2011). Cross-feeding between bifidobacteria and butyrate-producing colon bacteria explains bifidobacterial competitiveness, butyrate production, and gas production. *Int. J. Food Microbiol.* 149, 73–80. 10.1016/j.ijfoodmicro.2011.03.003 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 25. De Vuyst L., Moens F., Selak M., Riviere A., Leroy F. (2014). Summer Meeting 2013: growth and physiology of bifidobacteria. *J. Appl. Microbiol.* 116, 477–491. 10.1111/jam.12415 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 26. Dominguez W., O'Sullivan D. J. (2013). Developing an efficient and reproducible conjugation-based gene transfer system for bifidobacteria. *Microbiology* 159, 328–338. 10.1099/mic.0.061408-0 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 27. Duffy L. C., Zielesny M. A., Riepenhoff-Talty M., Dryja D., Sayahthaheri-Altai S., Griffiths E., et al. . (1994a). Reduction of virus shedding by *B. bifidum* in experimentally induced MRV infection. Statistical application for ELISA. *Dig. Dis. Sci.* 39, 2334–2340. 10.1007/BF02087647 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 28. Duffy L. C., Zielesny M. A., Riepenhoff-Talty M., Dryja D., Sayahthaheri-Altai S., Griffiths E., et al. . (1994b). Effectiveness of *Bifidobacterium bifidum* in mediating the clinical course of murine rotavirus diarrhea. *Pediatr. Res.* 35, 690–695. 10.1203/00006450-199406000-00014 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 29. Duranti S., Milani C., Lugli G. A., Turrone F., Mancabelli L., Sanchez B., et al. . (2015). Insights from genomes of representatives of the human gut commensal *Bifidobacterium bifidum*. *Environ. Microbiol.* 17, 2515–2531. 10.1111/1462-2920.12743 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 30. Duranti S., Turrone F., Lugli G. A., Milani C., Viappiani A., Mangifesta M., et al. . (2014). Genomic characterization and transcriptional studies of the starch-utilizing strain *bifidobacterium adolescentis* 22L. *Appl. Environ. Microbiol.* 80, 6080–6090. 10.1128/AEM.01993-14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 31. Egan M., Motherway M. M., Kilcoyne M., Kane M., Joshi L., Ventura M., et al. . (2014a). Cross-feeding by *Bifidobacterium breve* UCC2003 during co-cultivation with *Bifidobacterium bifidum* PRL2010 in a mucin-based medium. *BMC Microbiol.* 14:282. 10.1186/s12866-014-0282-7 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 32. Egan M., O'Connell Motherway M., Van Sinderen D. (2015). A GntR-type transcriptional repressor controls sialic acid utilization in *Bifidobacterium breve* UCC2003. *FEMS Microbiol. Lett.* 362, 1–9. 10.1093/femsle/fnu056 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 33. Egan M., O'Connell Motherway M., Ventura M., Van Sinderen D. (2014b). Metabolism of sialic acid by *Bifidobacterium breve* UCC2003. *Appl. Environ. Microbiol.* 80, 4414–4426. 10.1128/AEM.01114-14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 34. El Kaoutari A., Armougom F., Gordon J. I., Raoult D., Henrissat B. (2013). The abundance and variety of carbohydrate-active enzymes in the human gut microbiota. *Nat. Rev. Microbiol.* 11, 497–504. 10.1038/nrmicro3050 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

35. Falony G., Lazidou K., Verschaeren A., Weckx S., Maes D., De Vuyst L. (2009). *In vitro* kinetic analysis of fermentation of prebiotic inulin-type fructans by *Bifidobacterium* species reveals four different phenotypes. *Appl. Environ. Microbiol.* 75, 454–461. 10.1128/AEM.01488-08 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
36. Fanaro S., Chierici R., Guerrini P., Vigi V. (2003). Intestinal microflora in early infancy: composition and development. *Acta Paediatr Suppl.* 91, 48–55. 10.1111/j.1651-2227.2003.tb00646.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
37. FAO/WHO (2001). *Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria*. Cordoba: FAO/WHO. [[Google Scholar](#)]
38. Favier C. F., Vaughan E. E., De Vos W. M., Akkermans A. D. (2002). Molecular monitoring of succession of bacterial communities in human neonates. *Appl. Environ. Microbiol.* 68, 219–226. 10.1128/AEM.68.1.219-226.2002 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
39. Fouhy F., O'Connell Motherway M., Fitzgerald G. F., Ross R. P., Stanton C., Van Sinderen D., et al. . (2013). *In Silico* assigned resistance genes confer *Bifidobacterium* with partial resistance to aminoglycosides but not to ÎŠ-lactams. *PLoS ONE* 8:e82653. 10.1371/journal.pone.0082653 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
40. Fuchs T. M., Klumpp J., Przybilla K. (2006). Insertion-duplication mutagenesis of *Salmonella enterica* and related species using a novel thermosensitive vector. *Plasmid* 55, 39–49. 10.1016/j.plasmid.2005.06.003 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
41. Fukiya S., Hirayama Y., Sakanaka M., Kano Y., Yokota A. (2012). Technological Advances in *Bifidobacterial* molecular genetics: application to functional genomics and medical treatments. *Biosci. Microbiota Food Health* 31, 15–25. 10.12938/bmfh.31.15 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
42. Fukuda S., Toh H., Hase K., Oshima K., Nakanishi Y., Yoshimura K., et al. . (2011). *Bifidobacteria* can protect from enteropathogenic infection through production of acetate. *Nature* 469, 543–547. 10.1038/nature09646 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
43. Ganong W. (2005). *Ganong's Review of Medical Physiology*, 24th Edn, Europe, McGraw-Hill Education. [[Google Scholar](#)]
44. Gibson G. R., Roberfroid M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J. Nutr.* 125, 1401–1412. [[PubMed](#)] [[Google Scholar](#)]
45. Gionchetti P., Rizzello F., Venturi A., Campieri M. (2000). Probiotics in infective diarrhoea and inflammatory bowel diseases. *J. Gastroenterol. Hepatol.* 15, 489–493. 10.1046/j.1440-1746.2000.02162.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
46. Grootaert C., Delcour J. A., Courtin C. M., Broekaert W. F., Verstraete W., Van De Wiele T. (2007). Microbial metabolism and prebiotic potency of arabinoxylan oligosaccharides in the human intestine. *Trends Food Sci. Technol.* 18, 64–71. 10.1016/j.tifs.2006.08.004 [[CrossRef](#)] [[Google Scholar](#)]
47. Guarner F., Malagelada J. R. (2003). Gut flora in health and disease. *Lancet* 361, 512–519. 10.1016/S0140-6736(03)12489-0 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
48. Gueimonde M., Margolles A. G., De Los Reyes-Gavilán C., Salminen S. (2007). Competitive exclusion of enteropathogens from human intestinal mucus by *Bifidobacterium* strains with acquired resistance to bile — A preliminary study. *Int. J. Food Microbiol.* 113, 228–232. 10.1016/j.ijfoodmicro.2006.05.017 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
49. Guyonnet D., Chassany O., Ducrotte P., Picard C., Mouret M., Mercier C. H., et al. . (2007). Effect of a fermented milk containing *Bifidobacterium animalis* DN-173 010 on the health-related quality of life and symptoms in irritable bowel syndrome in adults in primary care: a multicentre, randomized, double-blind, controlled trial. *Aliment. Pharmacol. Ther.* 26, 475–486. 10.1111/j.1365-2036.2007.03362.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
50. Hamilton C. M., Aldea M., Washburn B. K., Babitzke P., Kushner S. R. (1989). New method for generating deletions and gene replacements in *Escherichia coli*. *J. Bacteriol.* 171, 4617–4622. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
51. Harmsen H. J., Wildeboer-Veloo A. C., Raangs G. C., Wagendorp A. A., Klijn N., Bindels J. G., et al. . (2000). Analysis of intestinal flora development in breast-fed and formula-fed infants by using molecular identification and detection methods. *J. Pediatr. Gastroenterol. Nutr.* 30, 61–67. 10.1097/00005176-200001000-00019 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
52. Hijova E., Chmelarova A., Bomba A., Zitnan R. (2009). Prebiotic foodstuffs and their health benefits in experiment. *Bratisl. Lek. Listy* 110, 523–525. [[PubMed](#)] [[Google Scholar](#)]
53. Hill C., Guarner F., Reid G., Gibson G. R., Merenstein D. J., Pot B., et al. . (2014). Expert consensus document: the International Scientific Association for probiotics and prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat. Rev. Gastroenterol. Hepatol.* 11, 506–514. 10.1038/nrgastro.2014.66 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

54. Hirayama Y., Sakanaka M., Fukuma H., Murayama H., Kano Y., Fukiya S., et al. . (2012). Development of a double-crossover markerless gene deletion system in *Bifidobacterium longum*: functional analysis of the α -galactosidase gene for raffinose assimilation. *Appl. Environ. Microbiol.* 78, 4984–4994. 10.1128/AEM.00588-12 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
55. Hooper L. V., Midtvedt T., Gordon J. I. (2002). How host-microbial interactions shape the nutrient environment of the mammalian intestine. *Annu. Rev. Nutr.* 22, 283–307. 10.1146/annurev.nutr.22.011602.092259 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
56. Hooper L. V., Xu J., Falk P. G., Midtvedt T., Gordon J. I. (1999). A molecular sensor that allows a gut commensal to control its nutrient foundation in a competitive ecosystem. *Proc. Natl. Acad. Sci. U.S.A.* 96, 9833–9838. 10.1073/pnas.96.17.9833 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
57. Hopkins M., Sharp R., Macfarlane G. (2001). Age and disease related changes in intestinal bacterial populations assessed by cell culture, 16S rRNA abundance, and community cellular fatty acid profiles. *Gut* 48, 198–205. 10.1136/gut.48.2.198 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
58. Hughes S. A., Shewry P. R., Li L., Gibson G. R., Sanz M. L., Rastall R. A. (2007). *In Vitro* Fermentation by Human Fecal Microflora of Wheat Arabinoxylans. *J. Agric. Food Chem.* 55, 4589–4595. 10.1021/jf070293g [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
59. Hyun Y. J., Kim B., Kim D. H. (2012). Cloning and characterization of ginsenoside Ra1-hydrolyzing beta-D-xylosidase from *Bifidobacterium breve* K-110. *J. Microbiol. Biotechnol.* 22, 535–540. 10.4014/jmb.1110.10001 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
60. Isaacs F. J., Carr P. A., Wang H. H., Lajoie M. J., Sterling B., Kraal L., et al. . (2011). Precise manipulation of chromosomes *in vivo* enables genome-wide codon replacement. *Science* 333, 348–353. 10.1126/science.1205822 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
61. Ishikawa H., Matsumoto S., Ohashi Y., Imaoka A., Setoyama H., Umesaki Y., et al. . (2011). Beneficial effects of probiotic bifidobacterium and galacto-oligosaccharide in patients with ulcerative colitis: a randomized controlled study. *Digestion* 84, 128–133. 10.1159/000322977 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
62. Islek A., Sayar E., Yilmaz A., Baysan B. O., Mutlu D., Artan R. (2014). The role of *Bifidobacterium lactis* B94 plus inulin in the treatment of acute infectious diarrhea in children. *Turk. J. Gastroenterol.* 25, 628–633. 10.5152/tjg.2014.14022 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
63. Jaskari J., Kontula P., Siitonen A., Jousimies-Somer H., Mattila-Sandholm T., Poutanen K. (1998). Oat beta-glucan and xylan hydrolysates as selective substrates for *Bifidobacterium* and *Lactobacillus* strains. *Appl. Microbiol. Biotechnol.* 49, 175–181. 10.1007/s002530051155 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
64. Jojima T., Omumasaba C. A., Inui M., Yukawa H. (2010). Sugar transporters in efficient utilization of mixed sugar substrates: current knowledge and outlook. *Appl. Microbiol. Biotechnol.* 85, 471–480. 10.1007/s00253-009-2292-1 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
65. Judson N., Mekalanos J. J. (2000). Transposon-based approaches to identify essential bacterial genes. *Trends Microbiol.* 8, 521–526. 10.1016/S0966-842X(00)01865-5 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
66. Ju-Hoon L., O'Sullivan D. J. (2010). Genomic Insights into Bifidobacteria. *Microbiology and Molecular Biology Reviews*, 74, 38. 10.1128/MMBR.00004-10 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
67. Kapiki A., Costalos C., Oikonomidou C., Triantafyllidou A., Loukatou E., Petrohilou V. (2007). The effect of a fructo-oligosaccharide supplemented formula on gut flora of preterm infants. *Early Hum. Dev.* 83, 335–339. 10.1016/j.earlhumdev.2006.07.003 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
68. Klappenbach J. A., Dunbar J. M., Schmidt T. M. (2000). rRNA operon copy number reflects ecological strategies of bacteria. *Appl. Environ. Microbiol.* 66, 1328–1333. 10.1128/AEM.66.4.1328-1333.2000 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
69. Kleessen B., Sykura B., Zunft H. J., Blaut M. (1997). Effects of inulin and lactose on fecal microflora, microbial activity, and bowel habit in elderly constipated persons. *Am. J. Clin. Nutr.* 65, 1397–1402. [[PubMed](#)] [[Google Scholar](#)]
70. Klijin A., Mercenier A., Arigoni F. (2005). Lessons from the genomes of *Bifidobacteria*. *FEMS Microbiol. Rev.* 29, 491–509. 10.1016/j.fmrre.2005.04.010 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
71. Kolida S., Tuohy K., Gibson G. R. (2002). Prebiotic effects of inulin and oligofructose. *Br. J. Nutr.* 87 (Suppl. 2), S193–S197. 10.1079/BJN/2002537 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

72. Korakli M., Ganzle M. G., Vogel R. F. (2002). Metabolism by bifidobacteria and lactic acid bacteria of polysaccharides from wheat and rye, and exopolysaccharides produced by *Lactobacillus sanfranciscensis*. *J. Appl. Microbiol.* 92, 958–965. 10.1046/j.1365-2672.2002.01607.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
73. Kumemura M., Hashimoto F., Fujii C., Matsuo K., Kimura H., Miyazoe R., et al. (1992). Effects of administration of 4g-beta-d-galactosylsucrose on fecal microflora, putrefactive products, short-chain fatty-acids, weight, moisture and ph, and subjective sensation of defecation in the elderly with constipation. *J. Clin. Biochem. Nutr.* 13, 199–210. 10.3164/jcfn.13.199 [[CrossRef](#)] [[Google Scholar](#)]
74. Lagaert S., Pollet A., Delcour J. A., Lavigne R., Courtin C. M., Volckaert G. (2010). Substrate specificity of three recombinant alpha-L-arabinofuranosidases from *Bifidobacterium adolescentis* and their divergent action on arabinoxylan and arabinoxylan oligosaccharides. *Biochem. Biophys. Res. Commun.* 402, 644–650. 10.1016/j.bbrc.2010.10.075 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
75. Lagaert S., Pollet A., Delcour J. A., Lavigne R., Courtin C. M., Volckaert G. (2011). Characterization of two beta-xylosidases from *Bifidobacterium adolescentis* and their contribution to the hydrolysis of prebiotic xylooligosaccharides. *Appl. Microbiol. Biotechnol.* 92, 1179–1185. 10.1007/s00253-011-3396-y [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
76. Lagaert S., Van Campenhout S., Pollet A., Bourgois T. M., Delcour J. A., Courtin C. M., et al. . (2007). Recombinant expression and characterization of a reducing-end xylose-releasing exo-oligoxyranase from *Bifidobacterium adolescentis*. *Appl. Environ. Microbiol.* 73, 5374–5377. 10.1128/AEM.00722-07 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
77. Laureys D., Cnockaert M., De Vuyst L., Vandamme P. (2016). *Bifidobacterium aquikefirii* sp. nov., isolated from water kefir. *Int. J. Syst. Evol. Microbiol.* 66, 1281–1286. 10.1099/ijsem.0.000877 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
78. Leahy S. C., Higgins D. G., Fitzgerald G. F., Van Sinderen D. (2005). Getting better with bifidobacteria. *J. Appl. Microbiol.* 98, 1303–1315. 10.1111/j.1365-2672.2005.02600.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
79. Lederberg J., Tatum E. L. (1946). Gene recombination in *Escherichia coli*. *Nature* 158, 558. 10.1038/158558a0 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
80. Lee J. H., Hyun Y. J., Kim D. H. (2011). Cloning and characterization of alpha-L-arabinofuranosidase and bifunctional alpha-L-arabinopyranosidase/beta-D-galactopyranosidase from *Bifidobacterium longum* H-1. *J. Appl. Microbiol.* 111, 1097–1107. 10.1111/j.1365-2672.2011.05128.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
81. Lee J. H., Karamychev V. N., Kozyavkin S. A., Mills D., Pavlov A. R., Pavlova N. V., et al. . (2008). Comparative genomic analysis of the gut bacterium *Bifidobacterium longum* reveals loci susceptible to deletion during pure culture growth. *BMC Genomics* 9:247. 10.1186/1471-2164-9-247 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
82. Le Leu R. K., Hu Y., Brown I. L., Woodman R. J., Young G. P. (2010). Synbiotic intervention of *Bifidobacterium lactis* and resistant starch protects against colorectal cancer development in rats. *Carcinogenesis* 31, 246–251. 10.1093/carcin/bgp197 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
83. Lombard V., Golaconda Ramulu H., Drula E., Coutinho P. M., Henrissat B. (2014). The carbohydrate-active enzymes database (CAZy) in (2013). *Nucleic Acids Res.* 42, D490–D495. 10.1093/nar/gkt1178 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
84. Lorca G. L., Barabote R. D., Zlotopolski V., Tran C., Winnen B., Hvorup R. N., JR., et al. . (2007). Transport capabilities of eleven gram-positive bacteria: comparative genomic analyses. *Biochim. Biophys. Acta* 1768, 1342–1366. 10.1016/j.bbamem.2007.02.007 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
85. Louis P., Young P., Holtrop G., Flint H. J. (2010). Diversity of human colonic butyrate-producing bacteria revealed by analysis of the butyryl-CoA:acetate CoA-transferase gene. *Environ. Microbiol.* 12, 304–314. 10.1111/j.1462-2920.2009.02066.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
86. Maguin E., Duwat P., Hege T., Ehrlich D., Gruss A. (1992). New thermosensitive plasmid for gram-positive bacteria. *J. Bacteriol.* 174, 5633–5638. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
87. Margolles A., De Los Reyes-Gavilan C. G. (2003). Purification and functional characterization of a novel alpha-L-arabinofuranosidase from *Bifidobacterium longum* B667. *Appl. Environ. Microbiol.* 69, 5096–5103. 10.1128/AEM.69.9.5096-5103.2003 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
88. Marteau P., Cuillerier E., Meance S., Gerhardt M. F., Myara A., Bouvier M., et al. . (2002). *Bifidobacterium animalis* strain DN-173 010 shortens the colonic transit time in healthy

- women: a double-blind, randomized, controlled study. *Aliment. Pharmacol. Ther.* 16, 587–593. 10.1046/j.1365-2036.2002.01188.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
89. Meance S., Cayuela C., Turchet P., Raimondi A., Lucas C., Antoine J.-M. (2011). A fermented milk with a *Bifidobacterium* probiotic strain DN-173 010 shortened oro-fecal gut transit time in elderly. *Microb. Ecol. Health Dis.* 13, 217–222. [[Google Scholar](#)]
90. Menne E., Guggenbuhl N., Roberfroid M. (2000). Fn-type chicory inulin hydrolysate has a prebiotic effect in humans. *J. Nutr.* 130, 1197–1199. [[PubMed](#)] [[Google Scholar](#)]
91. Milani C., Andrea Lugli G., Duranti S., Turrone F., Mancabelli L., Ferrario C., et al. . (2015). Bifidobacteria exhibit social behavior through carbohydrate resource sharing in the gut. *Sci. Rep.* 5, 15782. 10.1038/srep15782 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
92. Milani C., Lugli G. A., Duranti S., Turrone F., Bottacini F., Mangifesta M., et al. . (2014). Genomic encyclopedia of type strains of the genus bifidobacterium. *Appl. Environ. Microbiol.* 80, 6290–6302. 10.1128/AEM.02308-14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
93. Moura P., Barata R., Carvalheiro F., Girio F., Loureiro-Dias M. C., Esteves M. P. (2007). *In vitro* fermentation of xylo-oligosaccharides from corn cobs autohydrolysis by *Bifidobacterium* and *Lactobacillus* strains. *Lwt-Food Sci. Technol.* 40, 963–972. 10.1016/j.lwt.2006.07.013 [[CrossRef](#)] [[Google Scholar](#)]
94. Neyrinck A. M., Possemiers S., Druart C., Van De Wiele T., De Backer F., Cani P. D., et al. . (2011). Prebiotic effects of wheat arabinoxylan related to the increase in bifidobacteria, *Roseburia* and *Bacteroides/Prevotella* in diet-induced obese mice. *PLoS ONE* 6:e20944. 10.1371/journal.pone.0020944 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
95. O'Connell K. J., O'Connell Motherway M., Liedtke A., Fitzgerald G. F., Ross R. P., Stanton C., et al. . (2014). Transcription of two adjacent carbohydrate utilization gene clusters in *Bifidobacterium breve* UCC2003 Is controlled by *laci*- and Repressor Open Reading Frame Kinase (ROK)-Type regulators. *Appl. Environ. Microbiol.* 80, 3604–3614. 10.1128/AEM.00130-14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
96. O'Connell K. J., O'Connell Motherway M., O'Callaghan J., Fitzgerald G. F., Ross R. P., Ventura M., et al. . (2013). Metabolism of four alpha-glycosidic linkage-containing oligosaccharides by *Bifidobacterium breve* UCC2003. *Appl. Environ. Microbiol.* 79, 6280–6292. 10.1128/AEM.01775-13 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
97. O'Connell Motherway M., Fitzgerald G. F., Neiryneck S., Ryan S., Steidler L., Van Sinderen D. (2008). Characterization of *ApuB*, an extracellular type II amylopullulanase from *Bifidobacterium breve* UCC2003. *Appl. Environ. Microbiol.* 74, 6271–6279. 10.1128/AEM.01169-08 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
98. O'Connell Motherway M., Fitzgerald G. F., Van Sinderen D. (2011a). Metabolism of a plant derived galactose-containing polysaccharide by *Bifidobacterium breve* UCC2003. *Microb. Biotechnol.* 4, 403–416. 10.1111/j.1751-7915.2010.00218.x [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
99. O'Connell Motherway M., Kinsella M., Fitzgerald G. F., Sinderen D. (2013). Transcriptional and functional characterization of genetic elements involved in galacto-oligosaccharide utilization by *Bifidobacterium breve* UCC2003. *Microb. Biotechnol.* 6, 67–79. 10.1111/1751-7915.12011 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
100. O'Connell Motherway M., O'Driscoll J., Fitzgerald G. F., Van Sinderen D. (2009). Overcoming the restriction barrier to plasmid transformation and targeted mutagenesis in *Bifidobacterium breve* UCC2003. *Microb. Biotechnol.* 2, 321–332. 10.1111/j.1751-7915.2008.00071.x [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
101. O'Connell Motherway M., Zomer A., Leahy S. C., Reunanen J., Bottacini F., Claesson M. J., et al. . (2011b). Functional genome analysis of *Bifidobacterium breve* UCC2003 reveals type IVb tight adherence (Tad) pili as an essential and conserved host-colonization factor. *Proc. Natl. Acad. Sci. U.S.A.* 108, 11217–11222. 10.1073/pnas.1105380108 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
102. O'Hara A. M., Shanahan F. (2007). Mechanisms of action of probiotics in intestinal diseases. *Sci. World J.* 7, 31–46. 10.1100/tsw.2007.26 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
103. Ott S. J., Musfeldt M., Wenderoth D. F., Hampe J., Brant O., Folsch U. R., et al. . (2004). Reduction in diversity of the colonic mucosa associated bacterial microflora in patients with active inflammatory bowel disease. *Gut* 53, 685–693. 10.1136/gut.2003.025403 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

104. Ouwehand A. C., Salminen S., Isolauri E. (2002). Probiotics: an overview of beneficial effects. *Antonie Van Leeuwenhoek* 82, 279–289. 10.1023/A:1020620607611 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
105. Palframan R. J., Gibson G. R., Rastall R. A. (2003). Carbohydrate preferences of *Bifidobacterium* species isolated from the human gut. *Curr. Issues Intest. Microbiol.* 4, 71–75. [[PubMed](#)] [[Google Scholar](#)]
106. Parche S., Amon J., Jankovic I., Rezzonico E., Beleut M., Barutcu H., et al. . (2007). Sugar transport systems of *Bifidobacterium longum* NCC2705. *J. Mol. Microbiol. Biotechnol.* 12, 9–19. 10.1159/000096455 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
107. Parche S., Beleut M., Rezzonico E., Jacobs D., Arigoni F., Titgemeyer F., et al. . (2006). Lactose-over-glucose preference in *Bifidobacterium longum* NCC2705: glcP, encoding a glucose transporter, is subject to lactose repression. *J. Bacteriol.* 188, 1260–1265. 10.1128/JB.188.4.1260-1265.2006 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
108. Patel R., Dupont H. L. (2015). New Approaches for Bacteriotherapy: prebiotics, new-generation probiotics, and synbiotics. *Clin. Infect. Dis.* 60, S108–S121. 10.1093/cid/civ177 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
109. Patole S. K., Rao S. C., Keil A. D., Nathan E. A., Doherty D. A., Simmer K. N. (2016). Benefits of *Bifidobacterium breve* M-16V supplementation in preterm neonates - a retrospective cohort study. *PLoS ONE* 11:e0150775. 10.1371/journal.pone.0150775 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
110. Perdigon G., Alvarez S., Rachid M., Aguero G., Gobbato N. (1995). Immune system stimulation by probiotics. *J. Dairy Sci.* 78, 1597–1606. 10.3168/jds.S0022-0302(95)76784-4 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
111. Picard C., Fioramonti J., Francois A., Robinson T., Neant F., Matuchansky C. (2005). Review article: bifidobacteria as probiotic agents – physiological effects and clinical benefits. *Aliment. Pharmacol. Ther.* 22, 495–512. 10.1111/j.1365-2036.2005.02615.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
112. Pokusaeva K., Fitzgerald G. F., Van Sinderen D. (2011a). Carbohydrate metabolism in *Bifidobacteria*. *Genes Nutr.* 6, 285–306. 10.1007/s12263-010-0206-6 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
113. Pokusaeva K., Neves A. R., Zomer A., O'Connell-Motherway M., Macsharry J., Curley P., et al. . (2010). Ribose utilization by the human commensal *Bifidobacterium breve* UCC2003. *Microb. Biotechnol.* 3, 311–323. 10.1111/j.1751-7915.2009.00152.x [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
114. Pokusaeva K., O'Connell-Motherway M., Zomer A., Macsharry J., Fitzgerald G. F., Van Sinderen D. (2011b). Cellodextrin utilization by *bifidobacterium breve* UCC2003. *Appl. Environ. Microbiol.* 77, 1681–1690. 10.1128/AEM.01786-10 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
115. Pool-Zobel B. L., Neudecker C., Domizlaff I., Ji S., Schillinger U., Rumney C., et al. . (1996). Lactobacillus- and *bifidobacterium*-mediated antigenotoxicity in the colon of rats. *Nutr. Cancer* 26, 365–380. 10.1080/01635589609514492 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
116. Postma P. W., Lengeler J. W., Jacobson G. R. (1993). Phosphoenolpyruvate:carbohydrate phosphotransferase systems of bacteria. *Microbiol. Rev.* 57, 543–594. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
117. Rafter J., Bennett M., Caderni G., Clune Y., Hughes R., Karlsson P. C., et al. . (2007). Dietary synbiotics reduce cancer risk factors in polypectomized and colon cancer patients. *Am. J. Clin. Nutr.* 85, 488–496. [[PubMed](#)] [[Google Scholar](#)]
118. Rastall R. A., Gibson G. R. (2015). Recent developments in prebiotics to selectively impact beneficial microbes and promote intestinal health. *Curr. Opin. Biotechnol.* 32, 42–46. 10.1016/j.copbio.2014.11.002 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
119. Ravcheev D. A., Khoroshkin M. S., Laikova O. N., Tsoy O. V., Sernova N. V., Petrova S. A., et al. . (2014). Comparative genomics and evolution of regulons of the LacI-family transcription factors. *Front. Microbiol.* 5:294. 10.3389/fmicb.2014.00294 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
120. Reichardt N., Duncan S. H., Young P., Belenguer A., McWilliam Leitch C., Scott K. P., et al. . (2014). Phylogenetic distribution of three pathways for propionate production within the human gut microbiota. *ISME J.* 8, 1323–1335. 10.1038/ismej.2014.14 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
121. Rivière A., Gagnon M., Weckx S., Roy D., De Vuyst L. (2015). Mutual cross-feeding interactions between *Bifidobacterium longum* NCC2705 and *eubacterium rectale* ATCC 33656 explain the bifidogenic and butyrogenic effects of arabinoxylan-oligosaccharides. *Appl. Environ.*

- Microbiol. 22, 7767–7781. 10.1128/AEM.02089-15 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
122. Riviere A., Moens F., Selak M., Maes D., Weckx S., De Vuyst L. (2014). The ability of bifidobacteria to degrade arabinoxylan oligosaccharide constituents and derived oligosaccharides is strain dependent. *Appl. Environ. Microbiol.* 80, 204–217. 10.1128/AEM.02853-13 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 123. Roberfroid M. B., Bornet F., Bouley C., Cummings J. H. (1995). Colonic microflora: nutrition and health. Summary and conclusions of an International Life Sciences Institute (ILSI) [Europe] workshop held in Barcelona, Spain. *Nutr. Rev.* 53, 127–130. 10.1111/j.1753-4887.1995.tb01535.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 124. Roberfroid M., Gibson G. R., Hoyles L., McCartney A. L., Rastall R., Rowland I., et al. (2010). Prebiotic effects: metabolic and health benefits. *Br. J. Nutr.* 104 (Suppl. 2), S1–S63. 10.1017/s0007114510003363 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 125. Rowland I. R., Rumney C. J., Coutts J. T., Lievense L. C. (1998). Effect of *Bifidobacterium longum* and inulin on gut bacterial metabolism and carcinogen-induced aberrant crypt foci in rats. *Carcinogenesis* 19, 281–285. 10.1093/carcin/19.2.281 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 126. Ruiz L., Motherway M. O., Lanigan N., Van Sinderen D. (2013). Transposon mutagenesis in *Bifidobacterium breve*: construction and characterization of a Tn5 transposon mutant library for *Bifidobacterium breve* UCC2003. *PLoS ONE* 8:e64699. 10.1371/journal.pone.0064699 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 127. Ryan S. M., Fitzgerald G. F., Van Sinderen D. (2005). Transcriptional regulation and characterization of a novel β -fructofuranosidase-encoding gene from *Bifidobacterium breve* UCC2003. *Appl. Environ. Microbiol.* 71, 3475–3482. 10.1128/AEM.71.7.3475-3482.2005 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 128. Saier M. H., Jr., Ramseier T. M. (1996). The catabolite repressor/activator (Cra) protein of enteric bacteria. *J. Bacteriol.* 178, 3411–3417. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
 129. Sakaguchi K., He J., Tani S., Kano Y., Suzuki T. (2012). A targeted gene knockout method using a newly constructed temperature-sensitive plasmid mediated homologous recombination in *Bifidobacterium longum*. *Appl. Microbiol. Biotechnol.* 95, 499–509. 10.1007/s00253-012-4090-4 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 130. Salminen S., Wright A. V. (1998). *Lactic Acid Bacteria : Microbiology And Functional Aspects* New York, NY: Marcel Dekker;). [[Google Scholar](#)]
 131. Satokari R. M., Vaughan E. E., Smidt H., Saarela M., Matto J., De Vos W. M. (2003). Molecular approaches for the detection and identification of *bifidobacteria* and lactobacilli in the human gastrointestinal tract. *Syst. Appl. Microbiol.* 26, 572–584. 10.1078/072320203770865882 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 132. Schell M. A., Karmirantzou M., Snel B., Vilanova D., Berger B., Pessi G., et al. (2002). The genome sequence of *Bifidobacterium longum* reflects its adaptation to the human gastrointestinal tract. *Proc. Natl. Acad. Sci. U.S.A.* 99, 14422–14427. 10.1073/pnas.212527599 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 133. Schroder G., Lanka E. (2005). The mating pair formation system of conjugative plasmids-A versatile secretion machinery for transfer of proteins and DNA. *Plasmid* 54, 1–25. 10.1016/j.plasmid.2005.02.001 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 134. Sekine K., Toida T., Saito M., Kuboyama M., Kawashima T., Hashimoto Y. (1985). A new morphologically characterized cell wall preparation (whole peptidoglycan) from *Bifidobacterium infantis* with a higher efficacy on the regression of an established tumor in Mice. *Cancer Res.* 45, 1300–1307. [[PubMed](#)] [[Google Scholar](#)]
 135. Sela D. A. (2011). *Bifidobacterial* utilization of human milk oligosaccharides. *Int. J. Food Microbiol.* 149, 58–64. 10.1016/j.ijfoodmicro.2011.01.025 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 136. Sela D. A., Chapman J., Adeuya A., Kim J. H., Chen F., Whitehead T. R., et al. (2008). The genome sequence of *Bifidobacterium longum* subsp. *infantis* reveals adaptations for milk utilization within the infant microbiome. *Proc. Natl. Acad. Sci. U.S.A.* 105, 18964–18969. 10.1073/pnas.0809584105 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 137. Serafini F., Turrone F., Guglielmetti S., Gioiosa L., Foroni E., Sanghez V., et al. (2012). An efficient and reproducible method for transformation of genetically recalcitrant *bifidobacteria*. *FEMS Microbiol. Lett.* 333, 146–152. 10.1111/j.1574-6968.2012.02605.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 138. Shkoporov A. N., Efimov B. A., Khokhlova E. V., Steele J. L., Kafarskaia L. I., Smeianov V. V. (2008). Characterization of plasmids from human infant *Bifidobacterium* strains: sequence

- analysis and construction of *E. coli-Bifidobacterium* shuttle vectors. *Plasmid* 60, 136–148. 10.1016/j.plasmid.2008.06.005 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
139. Simon G. L., Gorbach S. L. (1984). Intestinal flora in health and disease. *Gastroenterology* 86, 174–193. [[PubMed](#)] [[Google Scholar](#)]
 140. Steed H., Macfarlane G. T., Blackett K. L., Bahrami B., Reynolds N., Walsh S. V., et al. . (2010). Clinical trial: the microbiological and immunological effects of synbiotic consumption - a randomized double-blind placebo-controlled study in active Crohn's disease. *Aliment. Pharmacol. Ther.* 32, 872–883. 10.1111/j.1365-2036.2010.04417.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 141. Sun Z., Baur A., Zhurina D., Yuan J., Riedel C. U. (2012). Accessing the inaccessible: molecular tools for *bifidobacteria*. *Appl. Environ. Microbiol.* 78, 5035–5042. 10.1128/AEM.00551-12 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 142. Suzuki H., Murakami A., Yoshida K. (2013). Motif-guided identification of a glycoside hydrolase family 1 alpha-L-arabinofuranosidase in *Bifidobacterium adolescentis*. *Biosci. Biotechnol. Biochem.* 77, 1709–1714. 10.1271/bbb.130279 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 143. Szostková M., Horáková D. (1998). The effect of plasmid DNA sizes and other factors on electrotransformation of *Escherichia coli* JM109. *Bioelectrochem. Bioenerg.* 47, 319–323. 10.1016/S0302-4598(98)00203-7 [[CrossRef](#)] [[Google Scholar](#)]
 144. Takamatsu D., Osaki M., Sekizaki T. (2001). Thermosensitive suicide vectors for gene replacement in *Streptococcus suis*. *Plasmid* 46, 140–148. 10.1006/plas.2001.1532 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 145. Tanaka R., Takayama H., Morotomi M., Kuroshima T., Ueyama S., Matsumoto K., et al. (1983). Effects of administration of TOS and *Bifidobacterium breve* on the human fecal flora. *Bifidobacteria and Microflora*, 2, 17–24. 10.12938/bifidus1982.2.1_17 [[CrossRef](#)] [[Google Scholar](#)]
 146. Tavan E., Cayuela C., Antoine J. M., Cassand P. (2002). Antimutagenic activities of various lactic acid bacteria against food mutagens: heterocyclic amines. *J. Dairy Res.* 69, 335–341. 10.1017/S002202990200540X [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 147. Teitelbaum J. E., Walker W. A. (2002). Nutritional impact of pre- and probiotics as protective gastrointestinal organisms. *Annu. Rev. Nutr.* 22, 107–138. 10.1146/annurev.nutr.22.110901.145412 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 148. Trindade M. I., Abratt V. R., Reid S. J. (2003). Induction of sucrose utilization genes from *Bifidobacterium lactis* by sucrose and raffinose. *Appl. Environ. Microbiol.* 69, 24–32. 10.1128/AEM.69.1.24-32.2003 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 149. Truchado P., Van Den Abbeele P., Riviere A., Possemiers S., De Vuyst L., Van De Wiele T. (2015). *Bifidobacterium longum* D2 enhances microbial degradation of long-chain arabinoxylans in an *in vitro* model of the proximal colon. *Benef. Microbes* 6, 1–12. 10.3920/BM2015.0023 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 150. Turrone F., Bottacini F., Foroni E., Mulder I., Kim J. H., Zomer A., et al. . (2010). Genome analysis of *Bifidobacterium bifidum* PRL2010 reveals metabolic pathways for host-derived glycan foraging. *Proc. Natl. Acad. Sci. U.S.A.* 107, 19514–19519. 10.1073/pnas.1011100107 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 151. Turrone F., Milani C., Duranti S., Mancabelli L., Mangifesta M., Viappiani A., et al. . (2016). Deciphering bifidobacterial-mediated metabolic interactions and their impact on gut microbiota by a multi-omics approach. *ISME J.* [Epub ahead of print]. 10.1038/ismej.2015.236 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 152. Turrone F., Strati F., Foroni E., Serafini F., Duranti S., Van Sinderen D., et al. . (2012). Analysis of predicted carbohydrate transport systems encoded by *Bifidobacterium bifidum* PRL2010. *Appl. Environ. Microbiol.* 78, 5002–5012. 10.1128/AEM.00629-12 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 153. Van Den Abbeele P., Gerard P., Rabot S., Bruneau A., El Aidy S., Derrien M., et al. . (2011). Arabinoxylans and inulin differentially modulate the mucosal and luminal gut microbiota and mucin-degradation in humanized rats. *Environ. Microbiol.* 13, 2667–2680. 10.1111/j.1462-2920.2011.02533.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 154. Van Den Broek L. A., Hinz S. W., Beldman G., Vincken J. P., Voragen A. G. (2008). *Bifidobacterium* carbohydrases-their role in breakdown and synthesis of (potential) prebiotics. *Mol. Nutr. Food Res.* 52, 146–163. 10.1002/mnfr.200700121 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
 155. Van Der Meulen R., Adriany T., Verbrugghe K., De Vuyst L. (2006a). Kinetic analysis of bifidobacterial metabolism reveals a minor role for succinic acid in the regeneration of NAD⁺ through its growth-associated production. *Appl. Environ. Microbiol.* 72, 5204–5210. 10.1128/AEM.00146-06 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]

156. Van Der Meulen R., Avonts L., De Vuyst L. (2004). Short fractions of oligofructose are preferentially metabolized by *Bifidobacterium animalis* DN-173 010. *Appl. Environ. Microbiol.* 70, 1923–1930. 10.1128/AEM.70.4.1923-1930.2004 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
157. Van Der Meulen R., Makras L., Verbrugghe K., Adriany T., De Vuyst L. (2006b). *In vitro* kinetic analysis of oligofructose consumption by *Bacteroides* and *Bifidobacterium* spp. indicates different degradation mechanisms. *Appl. Environ. Microbiol.* 72, 1006–1012. 10.1128/AEM.72.2.1006-1012.2006 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
158. Van Laere K. M., Beldman G., Voragen A. G. (1997). A new arabinofuranohydrolase from *Bifidobacterium adolescentis* able to remove arabinosyl residues from double-substituted xylose units in arabinoxytan. *Appl. Microbiol. Biotechnol.* 47, 231–235. 10.1007/s002530050918 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
159. Van Laere K. M., Hartemink R., Bosveld M., Schols H. A., Voragen A. G. (2000). Fermentation of plant cell wall derived polysaccharides and their corresponding oligosaccharides by intestinal bacteria. *J. Agric. Food Chem.* 48, 1644–1652. 10.1021/jf990519i [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
160. Van Laere K. M. J., Voragen C. H. L., Kroef T., Van Den Broek L. A. M., Beldman G., Voragen A. G. J. (1999). Purification and mode of action of two different arabinoxytan arabinofuranohydrolases from *Bifidobacterium adolescentis* DSM 20083. *Appl. Microbiol. Biotechnol.* 51, 606–613. 10.1007/s002530051439 [[CrossRef](#)] [[Google Scholar](#)]
161. Vaughan E. E., Heilig H. G., Ben-Amor K., De Vos W. M. (2005). Diversity, vitality and activities of intestinal lactic acid bacteria and *bifidobacteria* assessed by molecular approaches. *FEMS Microbiol. Rev.* 29, 477–490. 10.1016/j.fmre.2005.04.009 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
162. Veereman-Wauters G., Staelens S., Van De Broek H., Plaskie K., Wesling F., Roger L. C., et al. . (2011). Physiological and bifidogenic effects of prebiotic supplements in infant formulae. *J. Pediatr. Gastroenterol. Nutr.* 52, 763–771. 10.1097/MPG.0b013e3182139f39 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
163. Ventura M., Canchaya C., Tauch A., Chandra G., Fitzgerald G. F., Chater K. F., et al. . (2007). Genomics of *Actinobacteria*: tracing the evolutionary history of an ancient phylum. *Microbiol. Mol. Biol. Rev.* 71, 495–548. 10.1128/MMBR.00005-07 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
164. Ventura M., Turrone F., Lugli G. A., Van Sinderen D. (2014). Bifidobacteria and humans: our special friends, from ecological to genomics perspectives. *J. Sci. Food Agric.* 94, 163–168. 10.1002/jsfa.6356 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
165. Ventura M., Van Sinderen D., Fitzgerald G. F., Zink R. (2004). Insights into the taxonomy, genetics and physiology of *bifidobacteria*. *Antonie Van Leeuwenhoek* 86, 205–223. 10.1023/B:ANTO.0000047930.11029.ec [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
166. Venturi A., Gionchetti P., Rizzello F., Johansson R., et al. . (1999). Impact on the composition of the faecal flora by a new probiotic preparation: preliminary data on maintenance treatment of patients with ulcerative colitis. *Aliment. Pharmacol. Ther.* 13, 1103–1108. 10.1046/j.1365-2036.1999.00560.x [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
167. Walton G. E., Lu C., Trogh I., Arnaut F., Gibson G. R. (2012). A randomised, double-blind, placebo controlled cross-over study to determine the gastrointestinal effects of consumption of arabinoxytan-oligosaccharides enriched bread in healthy volunteers. *Nutr. J.* 11, 36. 10.1186/1475-2891-11-36 [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
168. Wong J. M., De Souza R., Kendall C. W., Emam A., Jenkins D. J. (2006). Colonic health: fermentation and short chain fatty acids. *J. Clin. Gastroenterol.* 40, 235–243. 10.1097/00004836-200603000-00015 [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]