Ссылки на литературу

К разделу "Кишечная нервная (энтеральная) система и кишечный микробиом"

References

1. Furness, J.B. Types of neurons in the enteric nervous system. *J. Auton. Nerv. Syst.* **2000**, *81*, 87–96, doi:10.1016/s0165-1838(00)00127-2.
2. Yang, N.J.; Chiu, I.M. Bacterial Signaling to the Nervous System through Toxins and Metabolites. *J. Mol. Biol.* **2017**, *429*, 587–605, doi:10.1016/j.jmb.2016.12.023.
3. Fekete, E.; Timmermans, J.P.; A. Resch, B.; Scheuermann, D.W. Different distribution of S-100 protein and glial fibrillary acidic protein (GFAP) immunoreactive cells and their relations with nitrergic neurons in the human fetal small intestine. *Histol. Histopathol.* **1999**, *14*, 785–790.
4. Christofi, F.L. TRPV1 Sensory Neurons and Enteric Glia in ENS Link Tachykinins to Neuroinflammation and Nociception. *Cell. Mol. Gastroenterol. Hepatol.* **2018**, *6*, 354–355, doi:10.1016/j.jcmgh.2018.06.011.
5. Wang, H.-X.; Wang, Y.-P. Gut Microbiota-brain Axis. *Chin. Med. J.* **2016**, *129*, 2373–2380, doi:10.4103/0366-6999.190667.
6. Foster, J.A.; Neufeld, K.-A.M. Gut–brain axis: How the microbiome influences anxiety and depression. *Trends Neurosci.* **2013**, *36*, 305–312, doi:10.1016/j.tins.2013.01.005.
7. Mayer, E.A.; Tillisch, K.; Gupta, A. Gut/brain axis and the microbiota. *J. Clin. Investig.* **2015**, *125*, 926–938, doi:10.1172/jci76304.
8. Schemann, M.; Neunlist, M. The human enteric nervous system. *Neurogastroenterol. Motil.* **2004**, *16*, 55–59, doi:10.1111/j.1743-3150.2004.00476.x.
9. Anlauf, M.; Schäfer, M.K.-H.; Eiden, L.E.; Weihe, E. Chemical coding of the human gastrointestinal nervous system: Cholinergic, VIPergic, and catecholaminergic phenotypes. *J. Comp. Neurol.* **2003**, *459*, 90–111, doi:10.1002/cne.10599.
10. Szurszewski, J.H. Physiology of Mammalian Prevertebral Ganglia. *Annu. Rev. Physiol.* **1981**, *43*, 53–68, doi:10.1146/annurev.ph.43.030181.000413.
11. Chang, H.Y.; Mashimo, H.; Goyal, R.K. Musings on the wanderer: What's new in our understanding of vago-vagal reflex? IV. Current concepts of vagal efferent projections to the gut. *Am. J. Physiol. Liver Physiol.* **2003**, *284*, G357–G366, doi:10.1152/ajpgi.00478.2002.

12. Mulak, A. Brain-gut-microbiota axis in Parkinson's disease. *World J. Gastroenterol.* **2015**, *21*, 10609–10620, doi:10.3748/wjg.v21.i37.10609.
13. Han, W.; Tellez, L.A.; Perkins, M.H.; Perez, I.O.; Qu, T.; Ferreira, J.; Ferreira, T.L.; Quinn, D.; Liu, Z.-W.; Gao, X.-B.; et al. A Neural Circuit for Gut-Induced Reward. *Cell* **2018**, *175*, 665–678.e23, doi:10.1016/j.cell.2018.08.049.
14. Sherwin, E.; Bordenstein, S.R.; Quinn, J.L.; Dinan, T.G.; Cryan, J.F. Microbiota and the social brain. *Sci.* **2019**, *366*, eaar2016, doi:10.1126/science.aar2016.
15. Bonaz, B.L.; Bazin, T.; Pellissier, S. The Vagus Nerve at the Interface of the Microbiota-Gut-Brain Axis. *Front. Neurosci.* **2018**, *12*, 49, doi:10.3389/fnins.2018.00049.
16. Gonkowski, S.; Rytel, L. Somatostatin as an Active Substance in the Mammalian Enteric Nervous System. *Int. J. Mol. Sci.* **2019**, *20*, 4461, doi:10.3390/ijms20184461.
17. Mourad, F.H.; Barada, K.; Rached, N.A.B.; Khoury, C.I.; Saadé, N.E.; Nassar, C.F. Inhibitory effect of experimental colitis on fluid absorption in rat jejunum: Role of the enteric nervous system, VIP, and nitric oxide. *Am. J. Physiol. Liver Physiol.* **2006**, *290*, G262–G268, doi:10.1152/ajpgi.00271.2005.
18. De Oliveira, J.A.; Freitas, M.A.R.; De Oliveira, E.C.; Jabari, S.; Brehmer, A.; Da Silveira, A.B.M. 5-HT3A serotonin receptor in the gastrointestinal tract: The link between immune system and enteric nervous system in the digestive form of Chagas disease. *Parasitol. Res.* **2019**, *118*, 1325–1329, doi:10.1007/s00436-019-06241-w.
19. Natale, G.; Ryskalin, L.; Busceti, C.L.; Biagioni, F.; Fornai, F. The nature of catecholamine-containing neurons in the enteric nervous system in relationship with organogenesis, normal human anatomy and neurodegeneration. *Arch. Ital. Biol* **2017**, *155*, 118–130.
20. Lundgren, O. Enteric Nerves and Diarrhoea. *Pharmacol. Toxicol.* **2002**, *90*, 109–120, doi:10.1034/j.1600-0773.2002.900301.x.
21. Hagbom, M.; Istrate, C.; Engblom, D.; Karlsson, T.; Rodriguez-Diaz, J.; Buesa, J.; Taylor, J.A.; Loitto, V.-M.; Magnusson, K.-E.; Ahlman, H.; et al. Rotavirus Stimulates Release of Serotonin (5-HT) from Human Enterochromaffin Cells and Activates Brain Structures Involved in Nausea and Vomiting. *PLOS Pathog.* **2011**, *7*, e1002115, doi:10.1371/journal.ppat.1002115.
22. Giuffrè, M.; Campigotto, M.; Campisciano, G.; Comar, M.; Crocè, L.S. A story of liver and gut microbes: How does the intestinal flora affect liver disease? A review of the literature. *Am. J. Physiol. Liver Physiol.* **2020**, *318*, G889–G906, doi:10.1152/ajpgi.00161.2019.
23. Davenport, E.R.; Mizrahi-Man, O.; Michelini, K.; Barreiro, L.B.; Ober, C.; Gilad, Y. Seasonal Variation in Human Gut Microbiome Composition. *PLoS ONE* **2014**, *9*, e90731, doi:10.1371/journal.pone.0090731.
24. Kim, S.; Rigatto, K.; Gazzana, M.B.; Knorst, M.M.; Richards, E.M.; Pepine, C.J.; Raizada, M.K. Altered Gut Microbiome Profile in Patients With Pulmonary Arterial Hypertension. *Hypertens.* **2020**, *75*, 1063–1071, doi:10.1161/hypertensionaha.119.14294.
25. Kaelberer, M.M.; Buchanan, K.L.; Klein, M.E.; Barth, B.B.; Montoya, M.M.; Shen, X.; Bohórquez, D.V. A gut-brain neural circuit for nutrient sensory transduction. *Science.* **2018**, *361*, eaat5236, doi:10.1126/science.aat5236.
26. Borre, Y.E.; O'Keeffe, G.W.; Clarke, G.; Stanton, C.; Dinan, T.G.; Cryan, J.F. Microbiota and neurodevelopmental windows: Implications for brain disorders. *Trends Mol. Med.* **2014**, *20*, 509–518, doi:10.1016/j.molmed.2014.05.002.
27. Bercik, P.; Park, A.J.; Sinclair, D.; Khoshdel, A.; Lu, J.; Huang, X.; Deng, Y.; Blennerhassett, P.A.; Fahnestock, M.; Moine, D.; et al. The anxiolytic effect of Bifidobacterium longum NCC3001 involves vagal pathways for gut-brain communication. *Neurogastroenterol. Motil.* **2011**, *23*, 1132–1139, doi:10.1111/j.1365-2982.2011.01796.x.
28. Bravo, J.A.; Forsythe, P.; Chew, M.V.; Escaravage, E.; Savignac, H.M.; Dinan, T.G.; Bienenstock, J.; Cryan, J.F. Ingestion of Lactobacillus strain regulates emotional behavior and central GABA receptor expression in a mouse via the vagus nerve. *Proc Natl Acad Sciences USA*, **2011**; Vol. 108, pp. 16050–16055, doi: 10.1073/pnas.1102999108
29. Forsythe, P.; Bienenstock, J.; Kunze, W.A. Vagal Pathways for Microbiome-Brain-Gut Axis Communication. *Advances in Experimental Medicine and Biology* **2014**, *817*, 115–133, doi:10.1007/978-1-4939-0897-4_5.
30. Bercik, P.; Verdu, E.F.; Foster, J.A.; Macri, J.; Potter, M.; Huang, X.; Malinowski, P.; Jackson, W.; Blennerhassett, P.; Neufeld, K.A.; et al. Chronic Gastrointestinal Inflammation Induces Anxiety-Like

Behavior and Alters Central Nervous System Biochemistry in Mice. *Gastroenterol.* **2010**, *139*, 2102–2112.e1, doi:10.1053/j.gastro.2010.06.063.

31. Clarke, G.; Grenham, S.; Scully, P.; Fitzgerald, P.J.; Moloney, R.D.; Shanahan, F.; Dinan, T.G.; Cryan, J.F. The microbiome-gut-brain axis during early life regulates the hippocampal serotonergic system in a sex-dependent manner. *Mol. Psychiatry* **2013**, *18*, 666–673, doi:10.1038/mp.2012.77.
32. Erny, D.; De Angelis, A.L.H.; Jaitin, D.A.; Wieghofer, P.; Staszewski, O.; David, E.; Keren-Shaul, H.; Mahlakoiv, T.; Jakobshagen, K.; Buch, T.; et al. Host microbiota constantly control maturation and function of microglia in the CNS. *Nat. Neurosci.* **2015**, *18*, 965–977, doi:10.1038/nn.4030.
33. Van De Wouw, M.; Boehme, M.; Lyte, J.M.; Wiley, N.; Strain, C.; O'Sullivan, O.; Clarke, G.; Stanton, C.; Dinan, T.G.; Cryan, J.F. Short-chain fatty acids: Microbial metabolites that alleviate stress-induced brain-gut axis alterations. *J. Physiol.* **2018**, *596*, 4923–4944, doi:10.1113/jp276431.
34. Tan, J.; McKenzie, C.; Potamitis, M.; Thorburn, A.N.; Mackay, C.R.; Macia, L. The Role of Short-Chain Fatty Acids in Health and Disease. *Advances in Immunology* **2014**; Vol. 121, pp. 91–119.
35. Heng, B.C.; Aubel, D.; Fussenegger, M. An overview of the diverse roles of G-protein coupled receptors (GPCRs) in the pathophysiology of various human diseases. *Biotechnol. Adv.* **2013**, *31*, 1676–1694, doi:10.1016/j.biotechadv.2013.08.017.
36. Tazoe, H.; Otomo, Y.; Kaji, I.; Tanaka, R.; Karaki, S.-I.; Kuwahara, A. Roles of short-chain fatty acids receptors, GPR41 and GPR43 on colonic functions. *J. Physiol. Pharmacol.* **2008**, *59*, 251–262.
37. Galland, L. The Gut Microbiome and the Brain. *J. Med. Food* **2014**, *17*, 1261–1272, doi:10.1089/jmf.2014.7000.
38. Kimura, I.; Inoue, D.; Maeda, T.; Hara, T.; Ichimura, A.; Miyauchi, S.; Kobayashi, M.; Hirasawa, A.; Tsujimoto, G. Short-chain fatty acids and ketones directly regulate sympathetic nervous system via G protein-coupled receptor 41 (GPR41). *Proc Natl Acad Sci USA* **2011**; Vol. 108, pp. 8030–8035, doi: 10.1073/pnas.1016088108
39. Nankova, B.B.; Agarwal, R.; Macfabe, D.F.; La Gamma, E.F. Enteric Bacterial Metabolites Propionic and Butyric Acid Modulate Gene Expression, Including CREB-Dependent Catecholaminergic Neurotransmission, in PC12 Cells - Possible Relevance to Autism Spectrum Disorders. *PLoS ONE* **2014**, *9*, e103740, doi:10.1371/journal.pone.0103740.
40. Engel, P.; Moran, N.A. The gut microbiota of insects – diversity in structure and function. *FEMS Microbiol. Rev.* **2013**, *37*, 699–735, doi:10.1111/1574-6976.12025.
41. Martinson, V.G.; Danforth, B.N.; Minckley, R.L.; Rueppell, O.; Tingek, S.; Moran, N.A. A simple and distinctive microbiota associated with honey bees and bumble bees. *Mol. Ecol.* **2011**, *20*, 619–628, doi:10.1111/j.1365-294x.2010.04959.x.
42. Alberoni, D.; Baffoni, L.; Gaggìa, F.; Ryan, P.; Murphy, K.; Ross, P.; Stanton, C.; Di Gioia, D. Impact of beneficial bacteria supplementation on the gut microbiota, colony development and productivity of Apis mellifera L. *Benef. Microbes* **2018**, *9*, 269–278, doi:10.3920/bm2017.0061.
43. Grieneisen, L.E.; Livermore, J.; Alberts, S.; Tung, J.; Archie, E.A. Group Living and Male Dispersal Predict the Core Gut Microbiome in Wild Baboons. *Integr. Comp. Biol.* **2017**, *57*, 770–785, doi:10.1093/icb/icx046.
44. Buffington, S.A.; Di Prisco, G.V.; Auchtung, T.A.; Ajami, N.J.; Petrosino, J.F.; Costa-Mattioli, M. Microbial Reconstitution Reverses Maternal Diet-Induced Social and Synaptic Deficits in Offspring. *Cell* **2016**, *165*, 1762–1775, doi:10.1016/j.cell.2016.06.001.
45. Varian, B.J.; Poutahidis, T.; DiBenedictis, B.T.; Levkovich, T.; Ibrahim, Y.; Didyk, E.; Shikhman, L.; Cheung, H.K.; Hardas, A.; Ricciardi, C.E.; et al. Microbial lysate upregulates host oxytocin. *Brain, Behav. Immun.* **2017**, *61*, 36–49, doi:10.1016/j.bbi.2016.11.002.
46. O'Hara, A.M.; Shanahan, F. The gut flora as a forgotten organ. *EMBO Rep.* **2006**, *7*, 688–693, doi:10.1038/sj.embor.7400731.
47. Gosselin, D.; Rivest, S. MyD88 signaling in brain endothelial cells is essential for the neuronal activity and glucocorticoid release during systemic inflammation. *Mol. Psychiatry* **2008**, *13*, 480–497, doi:10.1038/sj.mp.4002122.
48. Sudo, N.; Chida, Y.; Aiba, Y.; Sonoda, J.; Oyama, N.; Yu, X.-N.; Kubo, C.; Koga, Y. Postnatal microbial colonization programs the hypothalamic-pituitary-adrenal system for stress response in mice. *J. Physiol.* **2004**, *558*, 263–275, doi:10.1113/jphysiol.2004.063388.
49. Neufeld, K.M.; Kang, N.; Bienenstock, J.; Foster, J.A. Reduced anxiety-like behavior and central neurochemical change in germ-free mice. *Neurogastroenterol. Motil.* **2011**, *23*, 255–e119, doi:10.1111/j.1365-2982.2010.01620.x.

50. Bailey, M.T.; Dowd, S.E.; Galley, J.D.; Hufnagle, A.R.; Allen, R.G.; Lyte, M. Exposure to a social stressor alters the structure of the intestinal microbiota: Implications for stressor-induced immunomodulation. *Brain, Behav. Immun.* **2011**, *25*, 397–407, doi:10.1016/j.bbi.2010.10.023.
51. Zilber-Rosenberg, I.; Rosenberg, E. Role of microorganisms in the evolution of animals and plants: The hologenome theory of evolution. *FEMS Microbiol. Rev.* **2008**, *32*, 723–735, doi:10.1111/j.1574-6976.2008.00123.x.
52. Shropshire, J.D.; Bordenstein, S.R. Speciation by Symbiosis: The Microbiome and Behavior. *mBio* **2016**, *7*, e01785-15, doi:10.1128/mbio.01785-15.
53. Bordenstein, S.R.; Theis, K.R. Host Biology in Light of the Microbiome: Ten Principles of Holobionts and Hologenomes. *PLoS Biol.* **2015**, *13*, e1002226, doi:10.1371/journal.pbio.1002226.
54. Theis, K.R.; Venkataraman, A.; Dycus, J.A.; Koonter, K.D.; Schmitt-Matzen, E.N.; Wagner, A.P.; Holekamp, K.E.; Schmidt, T.M. Symbiotic bacteria appear to mediate hyena social odors. *Proc Natl Acad Sci USA* **2013**; Vol. 110, pp. 19832–19837, doi: 10.1073/pnas.1306477110
55. Li, Q.; Korzan, W.J.; Ferrero, D.M.; Chang, R.B.; Roy, D.S.; Buchi, M.; Lemon, J.K.; Kaur, A.W.; Stowers, L.; Fendt, M.; et al. Synchronous Evolution of an Odor Biosynthesis Pathway and Behavioral Response. *Curr. Biol.* **2013**, *23*, 11–20, doi:10.1016/j.cub.2012.10.047.
56. Chafee, M.E.; Zecher, C.N.; Gourley, M.L.; Schmidt, V.T.; Chen, J.H.; Bordenstein, S.R.; Clark, M.E.; Bordenstein, S.R. Decoupling of Host–Symbiont–Phage Coadaptations Following Transfer Between Insect Species. *Genet.* **2010**, *187*, 203–215, doi:10.1534/genetics.110.120675.
57. Tung, J.; Barreiro, L.B.; Burns, M.B.; Grenier, J.-C.; Lynch, J.; E. Grieneisen, L.; Altmann, J.; Alberts, S.C.; Blekhman, R.; Archie, E.A. Social networks predict gut microbiome composition in wild baboons. *eLife* **2015**, *4*, e05224, doi:10.7554/elife.05224.
58. Phillips, J.G.P. The Treatment of Melancholia by the Lactic Acid Bacillus. *J. Ment. Sci.* **1910**, *56*, 422–430, doi:10.1192/bjp.56.234.422.
59. Duerkop, B.A.; Vaishnava, S.; Hooper, L.V. Immune Responses to the Microbiota at the Intestinal Mucosal Surface. *Immun.* **2009**, *31*, 368–376, doi:10.1016/j.immuni.2009.08.009.
60. Heumann, D.; Barras, C.; Severin, A.; Glauser, M.P.; Tomasz, A. Gram-positive cell walls stimulate synthesis of tumor necrosis factor alpha and interleukin-6 by human monocytes. *Infect. Immun.* **1994**, *62*, 2715–2721, doi:10.1128/iai.62.7.2715-2721.1994.
61. Alam, N.; McGinty, D.; Bashir, T.; Kumar, S.; Imeri, L.; Opp, M.R.; Szymusiak, R. Interleukin-1beta modulates state-dependent discharge activity of preoptic area and basal forebrain neurons: Role in sleep regulation. *Eur. J. Neurosci.* **2004**, *20*, 207–216, doi:10.1111/j.1460-9568.2004.03469.x.
62. Schuld, A.; Haack, M.; Hinze-Selch, D.; Mullington, J.; Pollmacher, T. Experimentelle Untersuchungen der Interaktion zwischen Schlaf und Immunsystem beim Menschen. *PPmP - Psychother. · Psychosom. · Med. Psychol.* **2005**, *55*, 29–35, doi:10.1055/s-2004-834561.
63. Kubota, T.; Fang, J.; Brown, R.A.; Krueger, J.M. Interleukin-18 promotes sleep in rabbits and rats. *Am. J. Physiol. Integr. Comp. Physiol.* **2001**, *281*, R828–R838, doi:10.1152/ajpregu.2001.281.3.r828.
64. Cermakian, N.; Lange, T.; Golombek, D.; Sarkar, D.; Nakao, A.; Shibata, S.; Mazzoccoli, G. Crosstalk between the circadian clock circuitry and the immune system. *Chrono- Int.* **2013**, *30*, 870–888, doi:10.3109/07420528.2013.782315.
65. Yang, J.-Y.; Huang, J.-W.; Chiang, C.-K.; Pan, C.-C.; Wu, K.-D.; Tsai, T.-J.; Chen, W.-Y. Higher plasma interleukin-18 levels associated with poor quality of sleep in peritoneal dialysis patients. *Nephrol. Dial. Transplant.* **2007**, *22*, 3606–3609, doi:10.1093/ndt/gfm231.
66. Grigoleit, J.-S.; Kullmann, J.S.; Wolf, O.T.; Hammes, F.; Wegner, A.; Jablonowski, S.; Engler, H.; Gizewski, E.R.; Oberbeck, R.; Schedlowski, M. Dose-Dependent Effects of Endotoxin on Neurobehavioral Functions in Humans. *PLoS ONE* **2011**, *6*, e28330, doi:10.1371/journal.pone.0028330.
67. Matsuda, Y.; Ozawa, N.; Shinozaki, T.; Wakabayashi, K.-I.; Suzuki, K.; Kawano, Y.; Ohtsu, I.; Tatebayashi, Y. Ergothioneine, a metabolite of the gut bacterium Lactobacillus reuteri, protects against stress-induced sleep disturbances. *Transl. Psychiatry* **2020**, *10*, 1–11, doi:10.1038/s41398-020-0855-1.
68. Matsuda, Y.; Ozawa, N.; Shinozaki, T.; Aoki, K.; Nihonmatsu-Kikuchi, N.; Shinba, T.; Tatebayashi, Y. Chronic antidepressant treatments rescue reduced REM sleep theta power in a rat social defeat stress model of depression. *bioRxiv* **2020**. doi:10.1101/2020.03.21.001164
69. Leclercq, S.; Matamoros, S.; Cani, P.D.; Neyrinck, A.M.; Jamar, F.; Stärkel, P.; Windey, K.; Tremaroli, V.; Bäckhed, F.; Verbeke, K.; et al. Intestinal permeability, gut-bacterial dysbiosis, and behavioral markers of

alcohol-dependence severity. *Proc Natl Acad Sci USA* **2014**; Vol. 111, pp. E4485–E4493, doi: 10.1073/pnas.1415174111

70. Alzheimer's Association 2016 Alzheimer's disease facts and figures. *Alzheimer's Dement.* **2016**, *12*, 459–509, doi:10.1016/j.jalz.2016.03.001.
71. Braak, H.; Braak, E. Neuropathological stageing of Alzheimer-related changes. *Acta Neuropathol.* **1991**, *82*, 239–259, doi:10.1007/bf00308809.
72. Tiraboschi, P.; Hansen, L.A.; Thal, L.J.; Corey-Bloom, J. The importance of neuritic plaques and tangles to the development and evolution of AD. *Neurol.* **2004**, *62*, 1984–1989, doi:10.1212/01.wnl.0000129697.01779.0a.
73. A. Hardy, J.; A. Higgins, G.; Mayford, M.; Barzilai, A.; Keller, F.; Schacher, S.; Kandel, E. Alzheimer's disease: The amyloid cascade hypothesis. *Sci.* **1992**, *256*, 184–185, doi:10.1126/science.1566067.
74. A. Yankner, B.; Duffy, L.K.; A. Kirschner, D. Neurotrophic and neurotoxic effects of amyloid beta protein: Reversal by tachykinin neuropeptides. *Sci.* **1990**, *250*, 279–282, doi:10.1126/science.2218531.
75. Bachurin, S.O.; I. Gavrilova, S.; Samsonova, A.; Barreto, G.E.; Aliev, G. Mild cognitive impairment due to Alzheimer disease: Contemporary approaches to diagnostics and pharmacological intervention. *Pharmacol. Res.* **2018**, *129*, 216–226, doi:10.1016/j.phrs.2017.11.021.
76. Wyss-Coray, T.; Rogers, J. Inflammation in Alzheimer Disease--A Brief Review of the Basic Science and Clinical Literature. *Cold Spring Harb. Perspect. Med.* **2012**, *2*, a006346, doi:10.1101/cshperspect.a006346.
77. Cappellano, G.; Carecchio, M.; Fleetwood, T.; Magistrelli, L.; Cantello, R.; Dianzani, U.; Comi, C.A.M. Immunity and inflammation in neurodegenerative diseases. *Am. J. Neurodegener. Dis.* **2013**, *2*, 89–107.
78. Ma, Q.; Xing, C.; Long, W.; Wang, H.Y.; Liu, Q.; Wang, R.-F. Impact of microbiota on central nervous system and neurological diseases: The gut-brain axis. *J. Neuroinflammation* **2019**, *16*, 1–14, doi:10.1186/s12974-019-1434-3.
79. Papassotiropoulos, A.; Lambert, J.-C.; Vrièze, F.W.-D.; Wollmer, M.; Von Der Kammer, H.; Streffer, J.R.; Maddalena, A.; Huynh, K.-D.; Wolleb, S.; Lütjohann, D.; et al. Cholesterol 25-Hydroxylase on Chromosome 10q Is a Susceptibility Gene for Sporadic Alzheimer's Disease. *Neurodegener. Dis.* **2005**, *2*, 233–241, doi:10.1159/000090362.
80. Wozniak, M.; Frost, A.L.; Itzhaki, R.F. Alzheimer's Disease-Specific Tau Phosphorylation is Induced by Herpes Simplex Virus Type 1. *J. Alzheimer's Dis.* **2009**, *16*, 341–350, doi:10.3233/jad-2009-0963.
81. Stojković, D.; Kostić, M.; Smiljković, M.; Aleksić, M.; Vasiljević, P.; Nikolić, M.; Soković, M. Linking Antimicrobial Potential of Natural Products Derived from Aquatic Organisms and Microbes Involved in Alzheimer's Disease - A Review. *Curr. Med. Chem.* **2020**, *27*, 4372–4391, doi:10.2174/0929867325666180309103645.
82. Lim, C.; Hammond, C.J.; Hingley, S.T.; Balin, B.J. Chlamydia pneumoniae infection of monocytes in vitro stimulates innate and adaptive immune responses relevant to those in Alzheimer's disease. *J. Neuroinflammation* **2014**, *11*, 1–11, doi:10.1186/s12974-014-0217-0.
83. Vogt, N.M.; Romano, K.A.; Darst, B.F.; Engelman, C.D.; Johnson, S.C.; Carlsson, C.M.; Asthana, S.; Blennow, K.; Zetterberg, H.; Bendlin, B.B.; et al. The gut microbiota-derived metabolite trimethylamine N-oxide is elevated in Alzheimer's disease. *Alzheimer's Res. Ther.* **2018**, *10*, 1–8, doi:10.1186/s13195-018-0451-2.
84. Harach, T.; Marungruang, N.; Duthilleul, N.; Cheatham, V.; Mc Coy, K.D.; Frisoni, G.B.; Neher, J.J.; Fåk, F.; Jucker, M.; Lasser, T.; et al. Reduction of Abeta amyloid pathology in APPPS1 transgenic mice in the absence of gut microbiota. *Sci. Rep.* **2017**, *7*, srep41802, doi:10.1038/srep41802.
85. Minter, M.R.; Zhang, C.; Leone, V.; Ringus, D.L.; Zhang, X.; Oyler-Castrillo, P.; Musch, M.W.; Liao, F.; Ward, J.F.; Holtzman, D.M.; et al. Antibiotic-induced perturbations in gut microbial diversity influences neuro-inflammation and amyloidosis in a murine model of Alzheimer's disease. *Sci. Rep.* **2016**, *6*, 30028, doi:10.1038/srep30028.
86. Zhang, L.; Wang, Y.; Xiayu, X.; Shi, C.; Chen, W.; Song, N.; Fu, X.; Zhou, R.; Xu, Y.-F.; Huang, L.; et al. Altered Gut Microbiota in a Mouse Model of Alzheimer's Disease. *J. Alzheimer's Dis.* **2017**, *60*, 1241–1257, doi:10.3233/jad-170020.
87. Cai, Z.; Hussain, M.D.; Yan, L.-J. Microglia, neuroinflammation, and beta-amyloid protein in Alzheimer's disease. *Int. J. Neurosci.* **2013**, *124*, 307–321, doi:10.3109/00207454.2013.833510.
88. Gatz, M.; Mortimer, J.A.; Fratiglioni, L.; Johansson, B.; Berg, S.; Reynolds, C.A.; Pedersen, N.L. Potentially modifiable risk factors for dementia in identical twins. *Alzheimer's Dement.* **2006**, *2*, 110–117, doi:10.1016/j.jalz.2006.01.002.

89. Stein, P.S.; Desrosiers, M.; Donegan, S.J.; Yepes, J.F.; Kryscio, R.J. Tooth loss, dementia and neuropathology in the Nun Study. *J. Am. Dent. Assoc.* **2007**, *138*, 1314–1322, doi:10.14219/jada.archive.2007.0046.
90. Noble, J.M.; Borrell, L.N.; Papapanou, P.N.; Elkind, M.S.V.; Scarmeas, N.; Wright, C.B. Periodontitis is associated with cognitive impairment among older adults: Analysis of NHANES-III. *J. Neurol. Neurosurg. Psychiatry* **2009**, *80*, 1206–1211, doi:10.1136/jnnp.2009.174029.
91. Stewart, R.; Sabbah, W.; Tsakos, G.; D'aiuto, F.; Watt, R.G. Oral Health and Cognitive Function in the Third National Health and Nutrition Examination Survey (NHANES III). *Psychosom. Med.* **2008**, *70*, 936–941, doi:10.1097/psy.0b013e3181870aec.
92. Paganini-Hill, A.; White, S.C.; Atchison, K.A. Dentition, Dental Health Habits, and Dementia: The Leisure World Cohort Study. *J. Am. Geriatr. Soc.* **2012**, *60*, 1556–1563, doi:10.1111/j.1532-5415.2012.04064.x.
93. Kamer, A.R.; Pirraglia, E.; Tsui, W.; Rusinek, H.; Vallabhajosula, S.; Mosconi, L.; Yi, L.; McHugh, P.; Craig, R.G.; Svetcov, S.; et al. Periodontal disease associates with higher brain amyloid load in normal elderly. *Neurobiol. Aging* **2015**, *36*, 627–633, doi:10.1016/j.neurobiolaging.2014.10.038.
94. Cockburn, A.F.; Dehlin, J.M.; Ngan, T.; Crout, R.J.; Boskovic, G.; Denvir, J.; Primerano, D.A.; Plassman, B.; Wu, B.; Cuff, C.F. High throughput DNA sequencing to detect differences in the subgingival plaque microbiome in elderly subjects with and without dementia. *Investig. Genet.* **2012**, *3*, 19, doi:10.1186/2041-2223-3-19.
95. Kamer, A.R.; Craig, R.G.; Pirraglia, E.; Dasanayake, A.P.; Norman, R.G.; Boylan, R.J.; Nehorayoff, A.; Glodzik, L.; Brys, M.; De Leon, M.J. TNF-α and antibodies to periodontal bacteria discriminate between Alzheimer's disease patients and normal subjects. *J. Neuroimmunol.* **2009**, *216*, 92–97, doi:10.1016/j.jneuroim.2009.08.013.
96. Stein, P.S.; Steffen, M.J.; Smith, C.; Jicha, G.; Ebersole, J.L.; Abner, E.; Dawson, D. Serum antibodies to periodontal pathogens are a risk factor for Alzheimer's disease. *Alzheimer's Dement.* **2012**, *8*, 196–203, doi:10.1016/j.jalz.2011.04.006.
97. Noble, J.M.; Scarmeas, N.; Celenti, R.S.; Elkind, M.S.V.; Wright, C.B.; Schupf, N.; Papapanou, P.N. Serum IgG Antibody Levels to Periodontal Microbiota Are Associated with Incident Alzheimer Disease. *PLoS ONE* **2014**, *9*, e114959, doi:10.1371/journal.pone.0114959.
98. Hayashi, C.; Gudino, C.; Iii, F.G.; Genco, C. REVIEW: Pathogen-induced inflammation at sites distant from oral infection: Bacterial persistence and induction of cell-specific innate immune inflammatory pathways. *Mol. Oral Microbiol.* **2010**, *25*, 305–316, doi:10.1111/j.2041-1014.2010.00582.x.
99. Fasano, A.; Visanji, N.P.; Liu, L.W.C.; E. Lang, A.; Pfeiffer, R.F. Gastrointestinal dysfunction in Parkinson's disease. *Lancet Neurol.* **2015**, *14*, 625–639, doi:10.1016/s1474-4422(15)00007-1.
100. Braak, H.; Gai, W.P.; Del Tredici, K. Idiopathic Parkinson's disease: Possible routes by which vulnerable neuronal types may be subject to neuroinvasion by an unknown pathogen. *J. Neural Transm.* **2003**, *110*, 517–536, doi:10.1007/s00702-002-0808-2.
101. Ruffmann, C.; Parkkinen, L. Gut Feelings About α-Synuclein in Gastrointestinal Biopsies: Biomarker in the Making? *Mov. Disord.* **2016**, *31*, 193–202, doi:10.1002/mds.26480.
102. Tremlett, H.; Bauer, K.C.; Appel-Cresswell, S.; Finlay, B.B.; Waubant, E. The gut microbiome in human neurological disease: A review. *Ann. Neurol.* **2017**, *81*, 369–382, doi:10.1002/ana.24901.
103. Beach, T.G.; Arizona Parkinson's Disease Consortium; Adler, C.H.; Sue, L.I.; Vedders, L.; Lue, L.; Iii, C.L.W.; Akiyama, H.; Caviness, J.N.; Shill, H.A.; et al. Multi-organ distribution of phosphorylated α-synuclein histopathology in subjects with Lewy body disorders. *Acta Neuropathol.* **2010**, *119*, 689–702, doi:10.1007/s00401-010-0664-3.
104. Hawkes, C.H.; Del Tredici, K.; Braak, H. Parkinson's disease: A dual-hit hypothesis. *Neuropathol. Appl. Neurobiol.* **2007**, *33*, 599–614, doi:10.1111/j.1365-2990.2007.00874.x.
105. Svensson, E.; Horváth-Puhó, E.; Thomsen, R.W.; Djurhuus, J.C.; Pedersen, L.; Borghammer, P.; Sørensen, H.T. Vagotomy and subsequent risk of Parkinson's disease. *Ann. Neurol.* **2015**, *78*, 522–529, doi:10.1002/ana.24448.
106. Forsyth, C.B.; Shannon, K.M.; Kordower, J.H.; Voigt, R.M.; Shaikh, M.; Jaglin, J.A.; Estes, J.D.; Dodiya, H.B.; Keshavarzian, A. Increased Intestinal Permeability Correlates with Sigmoid Mucosa alpha-Synuclein Staining and Endotoxin Exposure Markers in Early Parkinson's Disease. *PLoS ONE* **2011**, *6*, e28032, doi:10.1371/journal.pone.0028032.

107. Hasegawa, S.; Goto, S.; Tsuji, H.; Okuno, T.; Asahara, T.; Nomoto, K.; Shibata, A.; Fujisawa, Y.; Minato, T.; Okamoto, A.; et al. Intestinal Dysbiosis and Lowered Serum Lipopolysaccharide-Binding Protein in Parkinson's Disease. *PLoS ONE* **2015**, *10*, e0142164, doi:10.1371/journal.pone.0142164.
108. Sampson, T.R.; Debelius, J.W.; Thron, T.; Janssen, S.; Shastri, G.G.; Ilhan, Z.E.; Challis, C.; Schretter, C.E.; Rocha, S.; Gradinaru, V.; et al. Gut Microbiota Regulate Motor Deficits and Neuroinflammation in a Model of Parkinson's Disease. *Cell* **2016**, *167*, 1469–1480.e12, doi:10.1016/j.cell.2016.11.018.
109. Scheperjans, F.; Aho, V.; Msc, P.A.B.P.; Koskinen, K.; Paulin, L.; Pekkonen, E.; Haapaniemi, E.; Kaakkola, S.; Eerola-Rautio, J.; Pohja, M.; et al. Gut microbiota are related to Parkinson's disease and clinical phenotype. *Mov. Disord.* **2015**, *30*, 350–358, doi:10.1002/mds.26069.
110. Keshavarzian, A.; Green, S.J.; Engen, P.A.; Voigt, R.M.; Naqib, A.; Forsyth, C.B.; Mutlu, E.; Shannon, K.M. Colonic bacterial composition in Parkinson's disease. *Mov. Disord.* **2015**, *30*, 1351–1360, doi:10.1002/mds.26307.
111. Unger, M.M.; Spiegel, J.; Dillmann, K.-U.; Grundmann, D.; Philippeit, H.; Bürmann, J.; Faßbender, K.; Schwiertz, A.; Schã¤Fer, K.-H. Short chain fatty acids and gut microbiota differ between patients with Parkinson's disease and age-matched controls. *Park. Relat. Disord.* **2016**, *32*, 66–72, doi:10.1016/j.parkreldis.2016.08.019.
112. Berer, K.; Krishnamoorthy, G. Microbial view of central nervous system autoimmunity. *FEBS Lett.* **2014**, *588*, 4207–4213, doi:10.1016/j.febslet.2014.04.007.
113. Wang, Y.; Kasper, L.H. The role of microbiome in central nervous system disorders. *Brain, Behav. Immun.* **2014**, *38*, 1–12, doi:10.1016/j.bbi.2013.12.015.
114. Goverman, J.; Woods, A.; Larson, L.; Weiner, L.P.; Hood, L.; Zaller, D.M. Transgenic mice that express a myelin basic protein-specific T cell receptor develop spontaneous autoimmunity. *Cell* **1993**, *72*, 551–560, doi:10.1016/0092-8674(93)90074-z.
115. Lee, Y.K.; Menezes, J.S.; Umesaki, Y.; Mazmanian, S.K. Proinflammatory T-cell responses to gut microbiota promote experimental autoimmune encephalomyelitis. *Proc Natl Acad Sci USA* **2011**; Vol. 108, pp. 4615–4622, doi: 10.1073/pnas.1000082107
116. Berer, K.; Mues, M.; Koutrolos, M.; Al Rasbi, Z.; Boziki, M.; Johner, C.; Wekerle, H.; Krishnamoorthy, G. Commensal microbiota and myelin autoantigen cooperate to trigger autoimmune demyelination. *Nat. Cell Biol.* **2011**, *479*, 538–541, doi:10.1038/nature10554.
117. Ridaura, V.K.; Faith, J.J.; Rey, F.E.; Cheng, J.; Duncan, A.E.; Kau, A.L.; Griffin, N.W.; Lombard, V.; Henrissat, B.; Bain, J.R.; et al. Gut Microbiota from Twins Discordant for Obesity Modulate Metabolism in Mice. *Science.* **2013**, *341*, 1241214, doi:10.1126/science.1241214.
118. Biedermann, L.; Zeitz, J.; Mwinyi, J.; Sutter-Minder, E.; Rehman, A.; Ott, S.J.; Steurer-Stey, C.; Frei, A.; Frei, P.; Scharl, M.; et al. Smoking Cessation Induces Profound Changes in the Composition of the Intestinal Microbiota in Humans. *PLoS ONE* **2013**, *8*, e59260, doi:10.1371/journal.pone.0059260.
119. Norman, J.M.; Handley, S.A.; Baldridge, M.T.; Droit, L.; Liu, C.Y.; Keller, B.C.; Kambal, A.; Monaco, C.L.; Zhao, G.; Fleshner, P.; et al. Disease-Specific Alterations in the Enteric Virome in Inflammatory Bowel Disease. *Cell* **2015**, *160*, 447–460, doi:10.1016/j.cell.2015.01.002.
120. Kernbauer, E.; Ding, Y.; Cadwell, K. An enteric virus can replace the beneficial function of commensal bacteria. *Nat. Cell Biol.* **2014**, *516*, 94–98, doi:10.1038/nature13960.
121. Goodrich, J.K.; Waters, J.L.; Poole, A.C.; Sutter, J.L.; Koren, O.; Blekhman, R.; Beaumont, M.; Van Treuren, W.; Knight, R.; Bell, J.T.; et al. Human Genetics Shape the Gut Microbiome. *Cell* **2014**, *159*, 789–799, doi:10.1016/j.cell.2014.09.053.
122. Markle, J.G.M.; Frank, D.N.; Mortin-Toth, S.; E. Robertson, C.; Feazel, L.M.; Rolle-Kampczyk, U.; Von Bergen, M.; McCoy, K.; MacPherson, A.J.; Danska, J.S. Sex Differences in the Gut Microbiome Drive Hormone-Dependent Regulation of Autoimmunity. *Science.* **2013**, *339*, 1084–1088, doi:10.1126/science.1233521.
123. Tremlett, H.; Fadrosh, D.W.; Faruqi, A.A.; Zhu, F.; Hart, J.; Roalstad, S.; Graves, J.; Lynch, S.; Waubant, E.; Centers, T.U.N.O.P.M. Gut microbiota in early pediatric multiple sclerosis: A case−control study. *Eur. J. Neurol.* **2016**, *23*, 1308–1321, doi:10.1111/ene.13026.
124. Chen, J.; Chia, N.; Kalari, K.R.; Yao, J.Z.; Novotna, M.; Soldan, M.M.P.; Luckey, D.H.; Marietta, E.V.; Jeraldo, P.R.; Chen, X.; et al. Multiple sclerosis patients have a distinct gut microbiota compared to healthy controls. *Sci. Rep.* **2016**, *6*, 28484, doi:10.1038/srep28484.

125. Jangi, S.; Gandhi, R.; Cox, L.M.; Li, N.; Von Glehn, F.; Yan, R.; Patel, B.; Mazzola, M.A.; Liu, S.; Glanz, B.L.; et al. Alterations of the human gut microbiome in multiple sclerosis. *Nat. Commun.* **2016**, *7*, 12015, doi:10.1038/ncomms12015.
126. Miyake, S.; Kim, S.; Suda, W.; Oshima, K.; Nakamura, M.; Matsuoka, T.; Chihara, N.; Tomita, A.; Sato, W.; Kim, S.-W.; et al. Dysbiosis in the Gut Microbiota of Patients with Multiple Sclerosis, with a Striking Depletion of Species Belonging to Clostridia XIVa and IV Clusters. *PLoS ONE* **2015**, *10*, e0137429, doi:10.1371/journal.pone.0137429.
127. Cantarel, B.L.; Waubant, E.; Chehoud, C.; Kuczynski, J.; DeSantis, T.Z.; Warrington, J.; Venkatesan, A.; Fraser, C.M.; Mowry, E.M. Gut Microbiota in Multiple Sclerosis: Possible influence of immunomodulators. *J. Investig. Med.* **2015**, *63*, 729–734, doi:10.1097/jim.0000000000000192.
128. Rumah, K.R.; Linden, J.; Fischetti, V.A.; Vartanian, T. Isolation of Clostridium perfringens Type B in an Individual at First Clinical Presentation of Multiple Sclerosis Provides Clues for Environmental Triggers of the Disease. *PLoS ONE* **2013**, *8*, e76359, doi:10.1371/journal.pone.0076359.
129. Gevers, D.; Kugathasan, S.; Denson, L.A.; Vázquez-Baeza, Y.; Van Treuren, W.; Ren, B.; Schwager, E.; Knights, D.; Song, S.J.; Yassour, M.; et al. The Treatment-Naive Microbiome in New-Onset Crohn's Disease. *Cell Host Microbe* **2014**, *15*, 382–392, doi:10.1016/j.chom.2014.02.005.
130. Sokol, H.; Pigneur, B.; Watterlot, L.; Lakhdari, O.; Bermúdez-Humarán, L.G.; Gratadoux, J.-J.; Blugeon, S.; Bridonneau, C.; Furet, J.-P.; Corthier, G.; et al. Faecalibacterium prausnitzii is an anti-inflammatory commensal bacterium identified by gut microbiota analysis of Crohn disease patients. *Proc Natl Acad Sci USA* **2008**; Vol. 105, pp. 16731–16736, doi: 10.1073/pnas.0804812105
131. Scher, J.U.; Sczesnak, A.; Longman, R.S.; Segata, N.; Ubeda, C.; Bielski, C.; Rostron, T.; Cerundolo, V.; Pamer, E.G.; Abramson, S.B.; et al. Expansion of intestinal Prevotella copri correlates with enhanced susceptibility to arthritis. *eLife* **2013**, *2*, e01202, doi:10.7554/elife.01202.
132. Farrokhi, V.; Nemati, R.; Nichols, F.C.; Yao, X.; Anstadt, E.; Fujiwara, M.; Grady, J.J.; Wakefield, D.; Castro, W.; Donaldson, J.; et al. Bacterial lipodipeptide, Lipid 654, is a microbiome-associated biomarker for multiple sclerosis. *Clin. Transl. Immunol.* **2013**, *2*, e8, doi:10.1038/cti.2013.11.
133. Branton, W.; Lu, J.; Surette, M.; Holt, R.; Lind, J.; Laman, J.; Power, C. Multiple sclerosis lesions show perturbations in cerebral microbiota. Neurology 2016. Available online: https://n.neurology.org/content/86/16_Supplement/S37.005.short (accessed on 25 October 2020).
134. Varrin-Doyer, M.; Bs, C.M.S.; Schulze-Topphoff, U.; Nelson, P.A.; Stroud, R.M.; Cree, B.A.C.; Zamvil, S.S. Aquaporin 4-specific T cells in neuromyelitis optica exhibit a Th17 bias and recognize Clostridium ABC transporter. *Ann. Neurol.* **2012**, *72*, 53–64, doi:10.1002/ana.23651.
135. Cree, B.A.C.; Spencer, C.M.; Varrin-Doyer, M.; Baranzini, S.E.; Zamvil, S.S. Gut microbiome analysis in neuromyelitis optica reveals overabundance of Clostridium perfringens. *Ann. Neurol.* **2016**, *80*, 443–447, doi:10.1002/ana.24718.
136. Banati, M.; Csecsei, P.; Kőszegi, É.; Nielsen, H.H.; Sütõ, G.; Bors, L.; Trauninger, A.; Csépány, T.; Rozsa, C.; Jakab, G.; et al. Antibody response against gastrointestinal antigens in demyelinating diseases of the central nervous system. *Eur. J. Neurol.* **2013**, *20*, 1492–1495, doi:10.1111/ene.12072.
137. Goehler, L.E.; Gaykema, R.P.; Opitz, N.; Reddaway, R.; Badr, N.; Lyte, M. Activation in vagal afferents and central autonomic pathways: Early responses to intestinal infection with Campylobacter jejuni. *Brain, Behav. Immun.* **2005**, *19*, 334–344, doi:10.1016/j.bbi.2004.09.002.
138. Cassuto, J.; Siewert, A.; Jodal, M.; Lundgren, O. The involvement of intramural nerves in cholera toxin induced intestinal secretion. *Acta Physiol. Scand.* **1983**, *117*, 195–202, doi:10.1111/j.1748-1716.1983.tb07197.x.
139. Farthing, M. Enterotoxins and the enteric nervous system — a fatal attraction. *Int. J. Med. Microbiol.* **2000**, *290*, 491–496, doi:10.1016/s1438-4221(00)80073-9.
140. Koussoulas, K.; Gwynne, R.M.; Foong, J.P.P.; Bornstein, J.C. Cholera Toxin Induces Sustained Hyperexcitability in Myenteric, but Not Submucosal, AH Neurons in Guinea Pig Jejunum. *Front. Physiol.* **2017**, *8*, doi:10.3389/fphys.2017.00254.
141. Popoff, M.R.; Poulain, B. Bacterial Toxins and the Nervous System: Neurotoxins and Multipotential Toxins Interacting with Neuronal Cells. *Toxins* **2010**, *2*, 683–737, doi:10.3390/toxins2040683.
142. Rolfe, V.E.; Levin, R.J. Vagotomy inhibits the jejunal fluid secretion activated by luminal ileal Escherichia coli STa in the rat in vivo. *Gut* **1999**, *44*, 615–619, doi:10.1136/gut.44.5.615.
143. Rolfe, V.; Levin, R.J. Enterotoxin Escherichia coli STa activates a nitric oxide-dependent myenteric plexus secretory reflex in the rat ileum. *J. Physiol.* **1994**, *475*, 531–537, doi:10.1113/jphysiol.1994.sp020091.

144. Eklund, S.; Jodal, M.; Lundgren, O. The enteric nervous system participates in the secretory response to the heat stable enterotoxins of Escherichia coli in rats and cats. *Neurosci.* **1985**, *14*, 673–681, doi:10.1016/0306-4522(85)90318-5.
145. Pothoulakis, C.; Castagliuolo, I.; Lamont, J.T. Nerves and Intestinal Mast Cells Modulate Responses to Enterotoxins. *News Physiol. Sci. : Int. J. Physiol. Prod. jointly by Int. Union Physiol. Sci. Am. Physiol. Soc.* **1998**, *13*, 58–63, doi:10.1152/physiologyonline.1998.13.2.58.
146. Kelly, C.P.; Becker, S.; Linevsky, J.K.; A. Joshi, M.; O'Keane, J.C.; Dickey, B.F.; Lamont, J.T.; Pothoulakis, C. Neutrophil recruitment in Clostridium difficile toxin A enteritis in the rabbit. *J. Clin. Investig.* **1994**, *93*, 1257–1265, doi:10.1172/jci117080.
147. Castagliuolo, I.; Lamont, J.T.; Létourneau, R.; Kelly, C.; O'Keane, J.; Jaffer, A.; Theoharides, T.C.; Pothoulakis, C. Neuronal involvement in the intestinal effects of Clostridium difficile toxin A and Vibrio cholerae enterotoxin in rat ileum. *Gastroenterol.* **1994**, *107*, 657–665, doi:10.1016/0016-5085(94)90112-0.
148. Xia, Y.; Hu, H.Z.; Liu, S.; Pothoulakis, C.; Wood, J.D. Clostridium difficile toxin A excites enteric neurones and suppresses sympathetic neurotransmission in the guinea pig. *Gut* **2000**, *46*, 481–486, doi:10.1136/gut.46.4.481.
149. Fettucciari, K.; Ponsini, P.; Gioè, D.; Macchioni, L.; Palumbo, C.; Antonelli, E.; Coaccioli, S.; Villanacci, V.; Corazzi, L.; Marconi, P.; et al. Enteric glial cells are susceptible to Clostridium difficile toxin B. *Cell. Mol. Life Sci.* **2016**, *74*, 1527–1551, doi:10.1007/s00018-016-2426-4.
150. Fettucciari, K.; Macchioni, L.; Davidescu, M.; Scarpelli, P.; Palumbo, C.; Corazzi, L.; Marchegiani, A.; Cerquetella, M.; Spaterna, A.; Marconi, P.; et al. Clostridium difficile toxin B induces senescence in enteric glial cells: A potential new mechanism of Clostridium difficile pathogenesis. *Biochim. et Biophys. Acta (BBA) - Bioenerg.* **2018**, *1865*, 1945–1958, doi:10.1016/j.bbamcr.2018.10.007.
151. Hu, D.-L.; Zhu, G.; Mori, F.; Omoe, K.; Okada, M.; Wakabayashi, K.; Kaneko, S.; Shinagawa, K.; Nakane, A. Staphylococcal enterotoxin induces emesis through increasing serotonin release in intestine and it is downregulated by cannabinoid receptor 1. *Cell. Microbiol.* **2007**, *9*, 2267–2277, doi:10.1111/j.1462-5822.2007.00957.x.
152. Toh, M.; Moffitt, M.C.; Henrichsen, L.; Raftery, M.; Barrow, K.; Cox, J.M.; Marquis, C.P.; Neilan, B.A. Cereulide, the emetic toxin of Bacillus cereus, is putatively a product of nonribosomal peptide synthesis. *J. Appl. Microbiol.* **2004**, *97*, 992–1000, doi:10.1111/j.1365-2672.2004.02381.x.
153. Klem, F.; Wadhwa, A.; Prokop, L.J.; Sundt, W.J.; Farrugia, G.; Camilleri, M.; Singh, S.; Grover, M. Prevalence, Risk Factors, and Outcomes of Irritable Bowel Syndrome After Infectious Enteritis: A Systematic Review and Meta-analysis. *Gastroenterol.* **2017**, *152*, 1042–1054.e1, doi:10.1053/j.gastro.2016.12.039.
154. Zanini, B.; Ricci, C.; Bandera, F.; Caselani, F.; Magni, A.; Laronga, A.M.; Lanzini, A. Incidence of Post-Infectious Irritable Bowel Syndrome and Functional Intestinal Disorders Following a Water-Borne Viral Gastroenteritis Outbreak. *Am. J. Gastroenterol.* **2012**, *107*, 891–899, doi:10.1038/ajg.2012.102.
155. Marshall, J.K.; Thabane, M.; Borgaonkar, M.R.; James, C. Postinfectious Irritable Bowel Syndrome After a Food-Borne Outbreak of Acute Gastroenteritis Attributed to a Viral Pathogen. *Clin. Gastroenterol. Hepatol.* **2007**, *5*, 457–460, doi:10.1016/j.cgh.2006.11.025.
156. Becker, L.; Nguyen, L.; Gill, J.; Kulkarni, S.; Pasricha, P.J.; Habtezion, A. Age-dependent shift in macrophage polarisation causes inflammation-mediated degeneration of enteric nervous system. *Gut* **2018**, *67*, 827–836, doi:10.1136/gutjnl-2016-312940.
157. Gershon, A.A.; Chen, J.; Gershon, M.D. A Model of Lytic, Latent, and Reactivating Varicella-Zoster Virus Infections in Isolated Enteric Neurons. *J. Infect. Dis.* **2008**, *197*, S61–S65, doi:10.1086/522149.
158. Benini, L.; Sembenini, C.; Bulighin, G.M.; Polo, A.; Ederle, A.; Zambito, A.; Vantini, I. Achalasia: A Possible Late Cause of Postpolio Dysphagia. *Dig. Dis. Sci.* **1996**, *41*, 516–518, doi:10.1007/bf02282328.
159. Debinski, H.S.; A. Kamm, M.; Talbot, I.C.; Khan, G.; O. Kangro, H.; Jeffries, D.J. DNA viruses in the pathogenesis of sporadic chronic idiopathic intestinal pseudo-obstruction. *Gut* **1997**, *41*, 100–106, doi:10.1136/gut.41.1.100.
160. Jucglà, A.; Badell, A.; Ballesta, C.; Arbizu, T. Colonic pseudo-obstruction: A complication of herpes zoster. *Br. J. Dermatol.* **1996**, *134*, 788–790, doi:10.1046/j.1365-2133.1996.98811.x.
161. Gershon, A.A.; Chen, J.; Davis, L.; Krinsky, C.; Cowles, R.; Reichard, R.; Gershon, M. Latency of Varicella Zoster Virus in Dorsal Root, Cranial, and Enteric Ganglia in Vaccinated Children. *Trans. Am. Clin. Clim. Assoc.* **2012**, *123*, 17–35.

162. Gulbransen, B.D.; Sharkey, K.A. Novel functional roles for enteric glia in the gastrointestinal tract. *Nat. Rev. Gastroenterol. Hepatol.* **2012**, *9*, 625–632, doi:10.1038/nrgastro.2012.138.
163. Yu, Y.-B. Enteric glial cells and their role in the intestinal epithelial barrier. *World J. Gastroenterol.* **2014**, *20*, 11273–11280, doi:10.3748/wjg.v20.i32.11273.
164. Brun, P.; Giron, M.C.; Qesari, M.; Porzionato, A.; Caputi, V.; Zoppellaro, C.; Banzato, S.; Grillo, A.R.; Spagnol, L.; De Caro, R.; et al. Toll-Like Receptor 2 Regulates Intestinal Inflammation by Controlling Integrity of the Enteric Nervous System. *Gastroenterol.* **2013**, *145*, 1323–1333, doi:10.1053/j.gastro.2013.08.047.
165. Barajon, I.; Serrao, G.; Arnaboldi, F.; Opizzi, E.; Ripamonti, G.; Balsari, A.; Rumio, C. Toll-like Receptors 3, 4, and 7 Are Expressed in the Enteric Nervous System and Dorsal Root Ganglia. *J. Histochem. Cytochem.* **2009**, *57*, 1013–1023, doi:10.1369/jhc.2009.953539.
166. Esposito, G.; Capoccia, E.; Gigli, S.; Pesce, M.; Bruzzese, E.; D'Alessandro, A.; Cirillo, C.; Di Cerbo, A.; Cuomo, R.; Seguella, L.; et al. HIV-1 Tat-induced diarrhea evokes an enteric glia-dependent neuroinflammatory response in the central nervous system. *Sci. Rep.* **2017**, *7*, 1–11, doi:10.1038/s41598-017-05245-9.
167. Esposito, G.; Capoccia, E.; Turco, F.; Palumbo, I.; Lu, J.; Steardo, A.; Cuomo, R.; Sarnelli, G.; Steardo, L. Palmitoylethanolamide improves colon inflammation through an enteric glia/toll like receptor 4-dependent PPAR-α activation. *Gut* **2013**, *63*, 1300–1312, doi:10.1136/gutjnl-2013-305005.
168. Turco, F.; Sarnelli, G.; Cirillo, C.; Palumbo, I.; De Giorgi, F.; D'Alessandro, A.; Cammarota, M.; Giuliano, M.; Cuomo, R. Enteroglial-derived S100B protein integrates bacteria-induced Toll-like receptor signalling in human enteric glial cells. *Gut* **2013**, *63*, 105–115, doi:10.1136/gutjnl-2012-302090.
169. Liñán-Rico, A.; Turco, F.; Ochoa-Cortes, F.; Harzman, A.; Needleman, B.J.; Arsenescu, R.; Abdel-Rasoul, M.; Fadda, P.; Grants, I.; Whitaker, E.; et al. Molecular Signaling and Dysfunction of the Human Reactive Enteric Glial Cell Phenotype: Implications for GI Infection, IBD, POI, Neurological, Motility, and GI Disorders. *Inflamm. Bowel Dis.* **2016**, *22*, 1812–1834, doi:10.1097/mib.0000000000000854.
170. Brun, P.; Giron, M.C.; Zoppellaro, C.; Bin, A.; Porzionato, A.; De Caro, R.; Barbara, G.; Stanghellini, V.; Corinaldesi, R.; Zaninotto, G.; et al. Herpes Simplex Virus Type 1 Infection of the Rat Enteric Nervous System Evokes Small-Bowel Neuromuscular Abnormalities. *Gastroenterol.* **2010**, *138*, 1790–1801, doi:10.1053/j.gastro.2010.01.036.
171. Facco, M.; Brun, P.; Baesso, I.; Costantini, M.; Rizzetto, C.; Berto, A.; Baldan, N.; Pal, G.; Semenzato, G.; Castagliuolo, I.; et al. T Cells in the Myenteric Plexus of Achalasia Patients Show a Skewed TCR Repertoire and React to HSV-1 Antigens. *Am. J. Gastroenterol.* **2008**, *103*, 1598–1609, doi:10.1111/j.1572-0241.2008.01956.x.
172. Khoury-Hanold, W.; Yordy, B.; Kong, P.; Kong, Y.; Ge, W.; Szigeti-Buck, K.; Ralevski, A.; Horvath, T.L.; Iwasaki, A. Viral Spread to Enteric Neurons Links Genital HSV-1 Infection to Toxic Megacolon and Lethality. *Cell Host Microbe* **2016**, *19*, 788–799, doi:10.1016/j.chom.2016.05.008.
173. White, J.P.; Xiong, S.; Malvin, N.P.; Khoury-Hanold, W.; Heuckeroth, R.O.; Stappenbeck, T.S.; Diamond, M.S. Intestinal Dysmotility Syndromes following Systemic Infection by Flaviviruses. *Cell* **2018**, *175*, 1198–1212.e12, doi:10.1016/j.cell.2018.08.069.
174. Mori, I. Viremic attack explains the dual-hit theory of Parkinson's disease. *Med. Hypotheses* **2017**, *101*, 33–36, doi:10.1016/j.mehy.2017.02.007.
175. Jang, H.; Boltz, D.; Sturm-Ramirez, K.; Shepherd, K.R.; Jiao, Y.; Webster, R.; Smeyne, R.J. Highly pathogenic H5N1 influenza virus can enter the central nervous system and induce neuroinflammation and neurodegeneration. *Proc Natl Acad Sci USA* **2009**; Vol. 106, pp. 14063–14068, doi: 10.1073/pnas.0900096106.
176. Gesser, R.M.; Koo, S.C. Oral inoculation with herpes simplex virus type 1 infects enteric neuron and mucosal nerve fibers within the gastrointestinal tract in mice. *J. Virol.* **1996**, *70*, 4097–4102, doi:10.1128/jvi.70.6.4097-4102.1996.
177. Del Tredici, K.; Braak, H. Review: Sporadic Parkinson's disease: Development and distribution ofα-synuclein pathology. *Neuropathol. Appl. Neurobiol.* **2016**, *42*, 33–50, doi:10.1111/nan.12298.
178. Antonucci, A.; Fronzoni, L.; Cogliandro, L.; Cogliandro, R.F.; Caputo, C.; De Giorgio, R.; Pallotti, F.; Barbara, G.; Corinaldesi, R.; Stanghellini, V. Chronic intestinal pseudo-obstruction. *World J. Gastroenterol.* **2008**, *14*, 2953–2961, doi:10.3748/wjg.14.2953.
179. Déchelotte, P.J.; Mulliez, N.M.; Bouvier, R.J.; Vanlieféringhen, P.C.; Lemery, D.J. Pseudo-Meconium Ileus Due to Cytomegalovirus Infection: A Report of Three Cases. *Pediatr. Pathol.* **1992**, *12*, 73–82, doi:10.3109/15513819209023282.

180. Besnard, M.; Faure, C.; Fromont-Hankard, G.; Ansart-Pirenne, H.; Peuchmaur, M.; Cezard, J.; Navarro, J. Intestinal pseudo-obstruction and acute pandysautonomia associated with epstein-barr virus infection. *Am. J. Gastroenterol.* **2000**, *95*, 280–284, doi:10.1111/j.1572-0241.2000.01709.x.
181. E. Chang, A.; A. Young, N.; Reddick, R.L.; Orenstein, J.M.; Hosea, S.W.; Katz, P.; Brennan, M.F. Small bowel obstruction as a complication of disseminated varicella-zoster infection. *Surgery.* **1978**, *83*, 371–374.
182. Vassallo, M.; Camilleri, M.; Caron, B.; Low, P.A. Gastrointestinal motor dysfunction in acquired selective cholinergic dysautonomia associated with infectious mononucleosis. *Gastroenterology.* **1991**, *100*, 252–258, doi:10.1016/0016-5085(91)90609-o.
183. Selgrad, M.; De Giorgio, R.; Fini, L.; Cogliandro, R.F.; Williams, S.; Stanghellini, V.; Barbara, G.; Tonini, M.; Corinaldesi, R.; Genta, R.M.; et al. JC virus infects the enteric glia of patients with chronic idiopathic intestinal pseudo-obstruction. *Gut* **2009**, *58*, 25–32, doi:10.1136/gut.2008.152512.
184. Sarnelli, G.; Seguella, L.; Pesce, M.; Lu, J.; Gigli, S.; Bruzzese, E.; Lattanzi, R.; D'Alessandro, A.; Cuomo, R.; Steardo, L.; et al. HIV-1 Tat-induced diarrhea is improved by the PPARalpha agonist, palmitoylethanolamide, by suppressing the activation of enteric glia. *J. Neuroinflammation* **2018**, *15*, 94, doi:10.1186/s12974-018-1126-4.
185. Galligan, J.J. HIV, opiates, and enteric neuron dysfunction. *Neurogastroenterol. Motil.* **2015**, *27*, 449–454, doi:10.1111/nmo.12539.
186. Fitting, S.; Ngwainmbi, J.; Kang, M.; Khan, F.A.; Stevens, D.L.; Dewey, W.L.; Knapp, P.E.; Hauser, K.F.; Akbarali, H.I. Sensitization of enteric neurons to morphine by HIV-1 Tat protein. *Neurogastroenterol. Motil.* **2015**, *27*, 468–480, doi:10.1111/nmo.12514.
187. Guedia, J.; Brun, P.; Bhave, S.; Fitting, S.; Kang, M.; Dewey, W.L.; Hauser, K.F.; Akbarali, H.I. HIV-1 Tat exacerbates lipopolysaccharide-induced cytokine release via TLR4 signaling in the enteric nervous system. *Sci. Rep.* **2016**, *6*, 31203, doi:10.1038/srep31203.
188. Hansen, M.B.; Witte, A.-B. The role of serotonin in intestinal luminal sensing and secretion. *Acta Physiol.* **2008**, *193*, 311–323, doi:10.1111/j.1748-1716.2008.01870.x.
189. Manocha, M.; I. Khan, W. Serotonin and GI Disorders: An Update on Clinical and Experimental Studies. *Clin. Transl. Gastroenterol.* **2012**, *3*, e13, doi:10.1038/ctg.2012.8.
190. Gershon, M. Review article: Roles played by 5-hydroxytryptamine in the physiology of the bowel. *Aliment. Pharmacol. Ther.* **1999**, *13*, 15–30, doi:10.1046/j.1365-2036.1999.00002.x-i2.
191. Bialowas, S.; Hagbom, M.; Nordgren, J.; Karlsson, T.; Sharma, S.; Magnusson, K.-E.; Svensson, L. Rotavirus and Serotonin Cross-Talk in Diarrhoea. *PLoS ONE* **2016**, *11*, e0159660, doi:10.1371/journal.pone.0159660.
192. Hagbom, M.; De Faria, F.M.; Winberg, M.E.; Westerberg, S.; Nordgren, J.; Sharma, S.; Keita, Å.V.; Loitto, V.; Magnusson, K.-E.; Svensson, L. Neurotrophic Factors Protect the Intestinal Barrier from Rotavirus Insult in Mice. *mBio* **2020**, *11*, doi:10.1128/mbio.02834-19.
193. Westerberg, S.; Hagbom, M.; Rajan, A.; Loitto, V.; Persson, B.D.; Allard, A.; Nordgren, J.; Sharma, S.; Magnusson, K.-E.; Arnberg, N.; et al. Interaction of Human Enterochromaffin Cells with Human Enteric Adenovirus 41 Leads to Serotonin Release and Subsequent Activation of Enteric Glia Cells. *J. Virol.* **2018**, *92*, doi:10.1128/jvi.00026-18.
194. Esposito, G.; Pesce, M.; Seguella, L.; Sanseverino, W.; Lu, J.; Sarnelli, G. Can the enteric nervous system be an alternative entrance door in SARS-CoV2 neuroinvasion? *Brain, Behav. Immun.* **2020**, *87*, 93–94, doi:10.1016/j.bbi.2020.04.060.
195. Sambataro, G.; Giuffrè, M.; Sambataro, D.; Palermo, A.; Vignigni, G.; Cesareo, R.; Crimi, N.; Torrisi, S.E.; Vancheri, C.; Malatino, L.; et al. The Model for Early COvid-19 Recognition (MECOR) Score: A Proof-of-Concept for a Simple and Low-Cost Tool to Recognize a Possible Viral Etiology in Community-Acquired Pneumonia Patients during COVID-19 Outbreak. *Diagnostics.* **2020**, *10*, 619, doi:10.3390/diagnostics10090619.
196. Giuffrè, M.; Di Bella, S.; Sambataro, G.; Zerbato, V.; Cavallaro, M.; Occhipinti, A.A.; Palermo, A.; Crescenzi, A.; Monica, F.; Luzzati, R.; et al. COVID-19-Induced Thrombosis in Patients without Gastrointestinal Symptoms and Elevated Fecal Calprotectin: Hypothesis Regarding Mechanism of Intestinal Damage Associated with COVID-19. *Trop. Med. Infect. Dis.* **2020**, *5*, 147, doi:10.3390/tropicalmed5030147.
197. Giuffrè, M.; Bozzato, A.M.; Di Bella, S.; Occhipinti, A.A.; Martingano, P.; Cavallaro, M.F.M.; Luzzati, R.; Monica, F.; Cova, M.A.; Crocé, L.S. Spontaneous Rectal Perforation in a Patient with SARS–CoV-2 Infection. *J. Pers. Med.* **2020**, *10*, 157, doi:10.3390/jpm10040157.

198. Muller, P.A.; Koscsó, B.; Rajani, G.M.; Stevanovic, K.; Berres, M.-L.; Hashimoto, D.; Mortha, A.; Leboeuf, M.; Li, X.-M.; Mucida, D.; et al. Crosstalk between Muscularis Macrophages and Enteric Neurons Regulates Gastrointestinal Motility. *Cell* **2014**, *158*, 300–313, doi:10.1016/j.cell.2014.04.050.
199. Gabanyi, I.; Muller, P.A.; Feighery, L.; Oliveira, T.Y.; Costapinto, F.A.; Mucida, D. Neuro-immune Interactions Drive Tissue Programming in Intestinal Macrophages. *Cell* **2016**, *164*, 378–391, doi:10.1016/j.cell.2015.12.023.
200. Robinson, C.M.; Pfeiffer, J.K. Viruses and the Microbiota. *Annu. Rev. Virol.* **2014**, *1*, 55–69, doi:10.1146/annurev-virology-031413-085550.
201. Carding, S.R.; Davis, N.; Hoyles, L. Review article: The human intestinal virome in health and disease. *Aliment. Pharmacol. Ther.* **2017**, *46*, 800–815, doi:10.1111/apt.14280.
202. Mukhopadhya, I.; Segal, J.P.; Carding, S.R.; Hart, A.L.; Hold, G.L. The gut virome: The 'missing link' between gut bacteria and host immunity? *Ther. Adv. Gastroenterol.* **2019**, *12*, doi:10.1177/1756284819836620.
203. Toledo, A.; Osorio, R.; Matus, C.; Lopez, Y.M.; Cruz, N.R.; Sciutto, E.; Fragoso, G.; Arauz, A.; Carrillo-Mezo, R.; Fleury, A. Human Extraparenchymal Neurocysticercosis: The Control of Inflammation Favors the Host…but Also the Parasite. *Front. Immunol.* **2018**, *9*, doi:10.3389/fimmu.2018.02652.
204. Worthington, J.J.; Samuelson, L.C.; Grencis, R.K.; McLaughlin, J. Adaptive Immunity Alters Distinct Host Feeding Pathways during Nematode Induced Inflammation, a Novel Mechanism in Parasite Expulsion. *PLOS Pathog.* **2013**, *9*, e1003122, doi:10.1371/journal.ppat.1003122.
205. Whelan, R.; Rausch, S.; Ebner, F.; Günzel, D.; Richter, J.F.; A. Hering, N.; Schulzke, J.-D.; A. Kühl, A.; Keles, A.; Janczyk, P.; et al. A Transgenic Probiotic Secreting a Parasite Immunomodulator for Site-Directed Treatment of Gut Inflammation. *Mol. Ther.* **2014**, *22*, 1730–1740, doi:10.1038/mt.2014.125.
206. Podolska, M.; Nadolna, K. Acetylcholinesterase secreted by Anisakis simplex larvae (Nematoda: Anisakidae) parasitizing herring, Clupea harengus: An inverse relationship of enzyme activity in the host-parasite system. *Parasitol. Res.* **2014**, *113*, 2231–2238, doi:10.1007/s00436-014-3878-9.
207. You, H.; Liu, C.; Du, X.; Nawaratna, S.S.; Rivera, V.; Harvie, M.; Jones, M.K.; McManus, D.P. Suppression of Schistosoma japonicum Acetylcholinesterase Affects Parasite Growth and Development. *Int. J. Mol. Sci.* **2018**, *19*, 2426, doi:10.3390/ijms19082426.
208. Foster, N.; Lee, D.L. A vasoactive intestinal polypeptide-like protein excreted/secreted byNippostrongylus brasiliensisand its effect on contraction of uninfected rat intestine. *Parasitology.* **1996**, *112*, 97–104, doi:10.1017/s0031182000065124.
209. A. Argenzio, R.; Armstrong, M.; Rhoads, J.M. Role of the enteric nervous system in piglet cryptosporidiosis. *J. Pharmacol. Exp. Ther.* **1996**, *279*, 1109–1115.
210. Laurent, F.; Kagnoff, M.F.; Savidge, T.C.; Naciri, M.; Eckmann, L. Human Intestinal Epithelial Cells Respond toCryptosporidium parvum Infection with Increased Prostaglandin H Synthase 2 Expression and Prostaglandin E2and F2α Production. *Infect. Immun.* **1998**, *66*, 1787–1790, doi:10.1128/iai.66.4.1787-1790.1998.
211. Dizdar, V.; Spiller, R.C.; Singh, G.; Hanevik, K.; Gilja, O.; El-Salhy, M.; Hausken, T. Relative importance of abnormalities of CCK (cholecystokinin) and 5-HT (serotonin) inGiardia-induced post-infectious irritable bowel syndrome and functional dyspepsia. *Aliment. Pharmacol. Ther.* **2010**, *31*, 883–891, doi:10.1111/j.1365-2036.2010.04251.x.
212. Leslie, F.; Thompson, D.; McLaughlin, J.; Varro, A.; Dockray, G.; Mandal, B. Plasma cholecystokinin concentrations are elevated in acute upper gastrointestinal infections. *Qjm: Int. J. Med.* **2003**, *96*, 870–871, doi:10.1093/qjmed/hcg140.
213. Li, E.; Zhao, A.; Shea-Donohue, T.; Singer, S.M. Mast Cell-Mediated Changes in Smooth Muscle Contractility during Mouse Giardiasis. *Infect. Immun.* **2007**, *75*, 4514–4518, doi:10.1128/iai.00596-07.
214. Swain, M.G.; Agro, A.; Blennerhassett, P.; Stanisz, A.; Collins, S.M. Increased levels of substance P in the myenteric plexus of Trichinella-infected rats. *Gastroenterology.* **1992**, *102*, 1913–1919, doi:10.1016/0016-5085(92)90313-n.
215. Kataeva, G.; Agro, A.; Stanisz, A.M. Substance-P-Mediated Intestinal Inflammation: Inhibitory Effects of CP 96,345 and SMS 201-995. *Neuroimmunomodulation* **1994**, *1*, 350–356, doi:10.1159/000097187.
216. Palmer, J.; Greenwood, B. Regional content of enteric substance P and vasoactive intestinal peptide during intestinal inflammation in the parasitized ferret. *Neuropeptides* **1993**, *25*, 95–103, doi:10.1016/0143-4179(93)90088-r.

217. Arnhold, S.; When, M.; Andressen, C.; Addicks, K. Transient expression of NOS-II during development of the murine enteric nervous system. *J. Mol. Histol.* **2004**, *35*, 741–748, doi:10.1007/s10735-004-5675-8.
218. Scheschowitsch, K.; De Moraes, J.A.; Sordi, R.; Barja-Fidalgo, C.; Assreuy, J. Rapid NOS-1-derived nitric oxide and peroxynitrite formation act as signaling agents for inducible NOS-2 expression in vascular smooth muscle cells. *Pharmacol. Res.* **2015**, *100*, 73–84, doi:10.1016/j.phrs.2015.08.001.
219. Lourenssen, S.; Houpt, E.R.; Chadee, K.; Blennerhassett, M.G. Entamoeba histolytica Infection and Secreted Proteins Proteolytically Damage Enteric Neurons. *Infect. Immun.* **2010**, *78*, 5332–5340, doi:10.1128/iai.00699-10.
220. Suzuki, Y.; A. Orellana, M.; Schreiber, R.D.; Remington, J.S. Interferon-gamma: The major mediator of resistance against Toxoplasma gondii. *Science.* **1988**, *240*, 516–518, doi:10.1126/science.3128869.
221. Araújo, E.J.D.A.; Zaniolo, L.M.; Vicentino, S.L.; Góis, M.B.; Zanoni, J.N.; Da Silva, A.V.; Sant'Ana, D.D.M.G. Toxoplasma gondiicauses death and plastic alteration in the jejunal myenteric plexus. *World J. Gastroenterol.* **2015**, *21*, 4829–4839, doi:10.3748/wjg.v21.i16.4829.
222. Pentreath, V. Trypanosomiasis and the nervous system: Pathology and immunology. *Trans. R. Soc. Trop. Med. Hyg.* **1995**, *89*, 9–15, doi:10.1016/0035-9203(95)90637-1.
223. Petry, K.; Van Voorhis, W. Antigens of Trypanosoma cruzi that mimic mammalian nervous tissues: Investigations of their role in the autoimmune pathophysiology of chronic Chagas' disease. *Res. Immunol.* **1991**, *142*, 151–156, doi:10.1016/0923-2494(91)90028-h.
224. Desalegn, G.; Pabst, O. Inflammation triggers immediate rather than progressive changes in monocyte differentiation in the small intestine. *Nat. Commun.* **2019**, *10*, 1–14, doi:10.1038/s41467-019-11148-2.
225. Blennerhassett, M.G.; Vignjevic, P.; Vermillion, D.L.; Collins, S.M. Inflammation causes hyperplasia and hypertrophy in smooth muscle of rat small intestine. *Am. J. Physiol. Liver Physiol.* **1992**, *262*, G1041–G1046, doi:10.1152/ajpgi.1992.262.6.g1041.
226. Beatty, J.K.; Bhargava, A.; Buret, A.G. Post-infectious irritable bowel syndrome: Mechanistic insights into chronic disturbances following enteric infection. *World J. Gastroenterol.* **2014**, *20*, 3976–3985, doi:10.3748/wjg.v20.i14.3976.
227. Chaudhury, A.; Dendi, V.S.R.; Chaudhury, M.; Jain, A.; Kasarla, M.R.; Panuganti, K.; Jain, G.; Ramanujam, A.; Rena, B.; Koyagura, S.R.; et al. HSV1/2 Genital Infection in Mice Cause Reversible Delayed Gastrointestinal Transit: A Model for Enteric Myopathy. *Front. Med.* **2018**, *5*, doi:10.3389/fmed.2018.00176.
228. Notari, L.; Riera, D.C.; Sun, R.; Bohl, J.A.; McLean, L.P.; Madden, K.B.; Van Rooijen, N.; Vanuytsel, T.; Jr., J.F.U.; Zhao, A.; et al. Role of Macrophages in the Altered Epithelial Function during a Type 2 Immune Response Induced by Enteric Nematode Infection. *PLoS ONE* **2014**, *9*, e84763, doi:10.1371/journal.pone.0084763.
229. Wang, H.; Kim, J.J.; Denou, E.; Gallagher, A.; Thornton, D.J.; Shajib, M.S.; Xia, L.; Schertzer, J.D.; Grencis, R.K.; Philpott, D.J.; et al. New Role of Nod Proteins in Regulation of Intestinal Goblet Cell Response in the Context of Innate Host Defense in an Enteric Parasite Infection. *Infect. Immun.* **2015**, *84*, 275–285, doi:10.1128/iai.01187-15.

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.

© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).