

References

- Aarts, H. & Margolles, A.** 2015. Antibiotic resistance genes in food and gut (non-pathogenic) bacteria. Bad genes in good bugs. *Frontiers in Microbiology*, 5: Art. No. 754.
- Abdel-Raheem, S.M., Abd-Allah, S.M. & Hassanein, K.M.** 2012. The effects of prebiotic, probiotic and synbiotic supplementation on intestinal microbial ecology and histomorphology of broiler chickens. *International Journal for Agro Veterinary and Medical Sciences*, 6(4): 277–289.
- Abdel-Rahman, H., Shawky, S., Ouda, H., Nafeaa, A. & Orabi, S.** 2013. Effect of two probiotics and bioflavonoids supplementation to the broilers diet and drinking water on the growth performance and hepatic antioxidant parameters. *Global Veterinaria*, 10(6): 734–741.
- Abdelqader, A., Irshaid, R. & Al-Fataftah, A.-R.** 2013. Effects of dietary probiotic inclusion on performance, eggshell quality, cecal microflora composition, and tibia traits of laying hens in the late phase of production. *Tropical Animal Health & Production*, 45(4): 1017–1024.
- Abe, F., Ishibashi, N. & Shimamura, S.** 1995. Effect of administration of bifidobacteria and lactic acid bacteria to newborn calves and piglets. *Journal of Dairy Science*, 78(12): 2838–2846.
- Abu-Tarboush, H.M., Al-Saiady, M.Y. & El-Din, A.H.K.** 1996. Evaluation of diet containing lactobacilli on performance, fecal coliform, and lactobacilli of young dairy calves. *Anim. Feed Sci. Technol.* 57(1): 39-49.
- Adami, A. & Cavazzoni, V.** 1999. Occurrence of selected bacterial groups in the faeces of piglets fed with *Bacillus coagulans* as probiotic. *Journal of Basic Microbiology*, 39(1): 3–10.
- Adams, M., Luo, J., Rayward, D., King, S., Gibson, R. & Moghaddam, G.** 2008. Selection of a novel direct-fed microbial to enhance weight gain in intensively reared calves. *Animal Feed Science and Technology*, 145(1): 41–52.
- Afsharmanesh, M. & Sadaghi, B.** 2014. Effects of dietary alternatives (probiotic, green tea powder and Kombucha tea) as antimicrobial growth promoters on growth, ileal nutrient digestibility, blood parameters, and immune response of broiler chickens. *Comparative Clinical Pathology*, 23(3): 717–724.
- Agerholm, J., Willadsen, C., Nielsen, T.K., Giese, S.B., Holm, E., Jensen, L. & Agger, J.** 1997. Diagnostic studies of abortion in Danish dairy herds. *Journal of Veterinary Medicine, A* 44(1-10): 551–558.
- Ahmed, S. T., Islam, M. M., Mun, H.-S., Sim, H.-J., Kim, Y.-J. & Yang, C.-J.** 2014. Effects of *Bacillus amyloliquefaciens* as a probiotic strain on growth performance, cecal microflora, and fecal noxious gas emissions of broiler chickens. *Poultry Science*, 93(8): 1963–1971.
- Alekshun, M.N. & Levy, S.B.** 2007. Molecular mechanisms of antibacterial multidrug resistance. *Cell*, 128(6): 1037–1050.
- Alexopoulos, C., Georgoulakis, I., Tzivara, A., Kritas, S., Siochu, A. & Kyriakis, S.** 2004a. Field evaluation of the efficacy of a probiotic containing *Bacillus licheniformis* and *Bacillus subtilis* spores, on the health status and performance of sows and their litters. *Journal of Animal Physiology and Animal Nutrition*, 88 (11-12): 381–392.

- Alexopoulos, C., Georgoulakis, I., Tzivara, A., Kyriakis, C., Govaris, A., Kyriakis, S., Govaris, A. & Kyriakis, C.S.** 2004b. Field evaluation of the effect of a probiotic-containing *Bacillus licheniformis* and *Bacillus subtilis* spores on the health status, performance, and carcass quality of grower and finisher pigs. *Journal of Veterinary Medicine Series A – Physiology Pathology Clinical Medicine*, 51(6): 306–312.
- Allison, M.J., Mayberry, W.R., McSweeney, C.S. & Stahl, D.A.** 1992. *Synergistes jonesii*, gen. nov., sp. nov.: a rumen bacterium that degrades toxic pyridinediols. *Systematic and Applied Microbiology*, 15(4): 522–529.
- Altaf, M., Naveena, B., Venkateshwar, M., Kumar, E. V. & Reddy, G.** 2006. Single step fermentation of starch to L(+) lactic acid by *Lactobacillus amylophilus* GV6 in SSF using inexpensive nitrogen sources to replace peptone and yeast extract—optimization by RSM. *Process Biochemistry*, 41(2): 465–472.
- Amerah, A., Quiles, A., Medel, P., Sánchez, J., Lehtinen, M. & Gracia, M.** 2013. Effect of pelleting temperature and probiotic supplementation on growth performance and immune function of broilers fed maize/soy-based diets. *Animal Feed Science and Technology*, 180(1): 55–63.
- Ammor, M.S., Flórez, A.B. & Mayo, B.** 2007. Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food Microbiology*, 24(6): 559–570.
- Ammor, M.S., Flórez, A.B., Álvarez-Martín, P., Margolles, A. & Mayo, B.** 2008a. Analysis of tetracycline resistance tet (W) genes and their flanking sequences in intestinal *Bifidobacterium* species. *Journal of Antimicrobial Chemotherapy*, 62(4): 688–693.
- Ammor, M.S., Flórez García, A.B., van Hoek, A.H.A.M., los Reyes-Gavilán, C.G., Aarts, H.J.M., Margolles Barros, A. & Mayo Pérez, B.** 2008b. Molecular characterization of intrinsic and acquired antibiotic resistance in lactic acid bacteria and bifidobacteria. *Journal of Molecular Microbiology and Biotechnology*, 14(1-3): 6–15.
- Ammor, M.S., Gueimonde, M., Danielsen, M., Zagorec, M., van Hoek, A.H., Clara, G., Mayo, B. & Margolles, A.** 2008c. Two different tetracycline resistance mechanisms, plasmid-carried tet (L) and chromosomally located transposon-associated tet (M), co-exist in *Lactobacillus sakei* Rits 9. *Appland Environmental Microbiology*, 74(5): 1394–1401.
- An, B., Cho, B., You, S., Paik, H., Chang, H., Kim, S., Yun, C. & Kang, C.** 2008. Growth performance and antibody response of broiler chicks fed yeast derived β-glucan and single-strain probiotics. *Asian-Australasian Journal of Animal Sciences*, 21(7): 1027–1032.
- Anadón, A., Martínez-Larrañaga, M.R. & Martínez, M.A.** 2006. Probiotics for animal nutrition in the European Union. Regulation and safety assessment. *Regulatory Toxicology and Pharmacology*, 45(1): 91–95.
- Ananta, E., Birkeland, S.-E., Corcoran, B. and 21 others.** 2004. Processing effects on the nutritional advancement of probiotics and prebiotics. *Microbial Ecology in Health and Disease*, 16(2-3): 113–124.
- Anderson, J.B.** 2005. Evolution of antifungal-drug resistance: mechanisms and pathogen fitness. *Nature Reviews in Microbiology*, 3(7): 547–556.
- Apás, A.L., Dupraz, J., Ross, R., González, S.N. & Arena, M.E.** 2010. Probiotic administration effect on fecal mutagenicity and microflora in the goat's gut. *Journal of Bioscience and Bioengineering*, 110(5): 537–540.

- Apata, D.** 2008. Growth performance, nutrient digestibility and immune response of broiler chicks fed diets supplemented with a culture of *Lactobacillus bulgaricus*. *Journal of the Science of Food and Agriculture*, 88(7): 1253–1258.
- Aquilanti, L., Garofalo, C., Osimani, A., Silvestri, G., Vignaroli, C. & Clementi, F.** 2007. Isolation and molecular characterization of antibiotic-resistant lactic acid bacteria from poultry and swine meat products. *Journal of Food Protection*, 70(3): 557–565.
- Arcos-García, J., Castrejon, F., Mendoza, G. & Pérez-Gavilán, E.** 2000. Effect of two commercial yeast cultures with *Saccharomyces cerevisiae* on ruminal fermentation and digestion in sheep fed sugar cane tops. *Livestock Production Science*, 63(2): 153–157.
- Argañaraz-Martínez, E., Babot, J.D., Apella, M.C. & Perez Chaia, A.** 2013. Physiological and functional characteristics of *Propionibacterium* strains of the poultry microbiota and relevance for the development of probiotic products. *Anaerobe*, 23: 27–37.
- Arrebola, E., Jacobs, R. & Korsten, L.** 2010. Iturin A is the principal inhibitor in the biocontrol activity of *Bacillus amyloliquefaciens* PPCB004 against postharvest fungal pathogens. *J. Appl. Microbiol.* 108(2): 386–395.
- Asli, M.M., Hosseini, S.A., Lotfollahian, H. & Shariatmadari, F.** 2007. Effect of probiotics, yeast, vitamin E and vitamin C supplements on performance and immune response of laying hen during high environmental temperature. *International Journal of Poultry Science*, 6(12): 895–900.
- Bai, S., Wu, A., Ding, X., Lei, Y., Bai, J., Zhang, K. & Chio, J.** 2013. Effects of probiotic-supplemented diets on growth performance and intestinal immune characteristics of broiler chickens. *Poultry Sci.* 92(3): 663–670.
- Balevi, T., Ucan, U., Coşun, B., Kurtoğlu, V. & Cetingül, I.** 2001. Effect of dietary probiotic on performance and humoral immune response in layer hens. *Brit. Poultry Sci.* 42(4): 456–461.
- Barberis, C.M., Cittadini, R.M., Almuzara, M.N., Feinsilberg, A., Famiglietti, A.M., Ramírez, M.S. & Vay, C.A.** 2012. Recurrent urinary infection with *Bifidobacterium scardovii*. *Journal of Clinical Microbiology*, 50(3): 1086–1088.
- Baumgart, D.C. & Dignass, A.U.** 2002. Intestinal barrier function. *Current Opinion in Clinical Nutrition and Metabolic Care*, 5(6): 685–694.
- Bechman, T., Chambers, J. & Cunningham, M.** 1977. Influence of *Lactobacillus acidophilus* on performance of young dairy calves. *Journal of Dairy Science*, 60: 74–75.
- Bera, A.K., Bhattacharya, D., Pan, D., Dhara, A., Kumar, S. & Das, S.** 2010. Evaluation of economic losses due to coccidiosis in poultry industry in India. *Agricultural Economics Research Reviews*, 23: 91–96.
- Bernardeau, M., Vernoux, J.P., Henri-Dubernet, S. & Gueguen, M.** 2008. Safety assessment of dairy micro-organisms: the *Lactobacillus* genus. *International Journal of Food Microbiology*, 126(3): 278–285.
- Bernet, M.-F., Brassart, D., Neeser, J. & Servin, A.** 1994. *Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. *Gut*, 35(4): 483–489.
- Bibiloni, R., Pérez, P.F., Garrote, G.L., Disalvo, E.A. & De Antoni, G.L.** 2001. Surface characterization and adhesive properties of bifidobacteria. *Methods in Enzymology*, 336: 411–427.
- Bierbaum, G. & Sahl, H.-G.** 2009. Lantibiotics: mode of action, biosynthesis and bioengineering. *Current Pharmaceutical Biotechnology*, 10(1): 2–18.

- Biloni, A., Quintana, C., Menconi, A., Kallapura, G., Latorre, J., Pixley, C., Layton, S., Dalmagro, M., Hernandez-Velasco, X. & Wolfenden, A.** 2013. Evaluation of effects of EarlyBird associated with FloraMax-B11 on *Salmonella Enteritidis*, intestinal morphology, and performance of broiler chickens. *Poultry Science*, 92(9): 2337–2346.
- Blair, J.M., Webber, M.A., Baylay, A.J., Ogbolu, D.O. & Piddock, L.J.** 2015. Molecular mechanisms of antibiotic resistance. *Nature Reviews in Microbiology*, 13(1): 42–51.
- Blikslager, A.T., Moeser, A.J., Gookin, J.L., Jones, S.L. & Odle, J.** 2007. Restoration of barrier function in injured intestinal mucosa. *Physiology Reviews*, 87(2): 545–564.
- Böhmer, B., Kramer, W. & Roth-Maier, D.** 2006. Dietary probiotic supplementation and resulting effects on performance, health status, and microbial characteristics of primiparous sows. *Journal of Animal Physiology and Animal Nutrition*, 90(7-8): 309–315.
- Bolder, N., Van Lith, L., Putirulan, F., Jacobs-Reitsma, W. & Mulder, R.** 1992. Prevention of colonization by *Salmonella enteritidis* PT4 in broiler chickens. *International Journal of Food Microbiology*, 15(3): 313–317.
- Bomba, A., Nemcova, R., Gancarcikova, S., Herich, R., Guba, P. & Mudronova, D.** 2002. Improvement of the probiotic effect of micro-organisms by their combination with maltodextrins, fructo-oligosaccharides and polyunsaturated fatty acids. *British Journal of Nutrition*, 88(S1): S95–S99.
- Bond, C.** 2007. Freeze-drying of yeast cultures. pp. 99–107, in: *Cryopreservation and Freeze-Drying Protocols*. Methods in Molecular Biology No. 368. Humana Press, New York, USA.
- Borchers, A.T., Selmi, C., Meyers, F.J., Keen, C.L. & Gershwin, M.E.** 2009. Probiotics and immunity. *Journal of Gastroenterology*, 44(1): 26–46.
- Boyd, J., West, J. & Bernard, J.** 2011. Effects of the addition of direct-fed microbials and glycerol to the diet of lactating dairy cows on milk yield and apparent efficiency of yield. *Journal of Dairy Science*, 94(9): 4616–4622.
- Brashears, M.M., Reilly, S.S. & Gilliland, S.E.** 1998. Antagonistic action of cells of *Lactobacillus lactis* toward *Escherichia coli* O157: H7 on refrigerated raw chicken meat. *Journal of Food Protection*, 61(2): 166–170.
- Bruinsma, J.** 2003. Livestock Production. In: J. Bruinsma (ed.) *World agriculture: towards 2015/2030. An FAO perspective*. Earthscan Publications Ltd, London.
- Cannon, J., Lee, T., Bolanos, J. & Danziger, L.** 2005. Pathogenic relevance of *Lactobacillus*: a retrospective review of over 200 cases. *European Journal of Clinical Microbiology*, 24(1): 31–40.
- Cao, G.T., Zeng, X.F., Chen, A.G., Zhou, L., Zhang, L., Xiao, Y.P. & Yang, C.M.** 2013. Effects of a probiotic, *Enterococcus faecium*, on growth performance, intestinal morphology, immune response, and caecal microflora in broiler chickens challenged with *Escherichia coli* K88. *Poultry Science*, 92(11): 2949–2955.
- Capcarova, M., Chmelnicna, L., Kolesarova, A., Massanyi, P. & Kovacik, J.** 2010. Effects of *Enterococcus faecium* M 74 strain on selected blood and production parameters of laying hens. *British Poultry Science*, 51(5): 614–620.
- Casula, G. & Cutting, S M.** 2002. *Bacillus* probiotics: spore germination in the gastro-intestinal tract. *Applied and Environmental Microbiology*, 68(5): 2344–2352.
- Champagne, C. P., Gardner, N. J. & Lacroix, C.** 2007. Fermentation technologies for the production of exopolysaccharide-synthesizing *Lactobacillus rhamnosus* concentrated cultures. *Electronic Journal of Biotechnology*, 10(2): 211–220.

- Chaucheyras-Durand, F., Walker, N. & Bach, A.** 2008. Effects of active dry yeasts on the rumen microbial ecosystem: Past, present and future. *Animal Feed Science and Technology*, 145(1): 5–26.
- Chávez, B. & Ledebot, A.** 2007. Drying of probiotics: optimization of formulation and process to enhance storage survival. *Drying Technol.* 25(7-8): 1193–1201.
- Chawla, S., Katoch, S., Sharma, K. & Sharma, V.** 2013. Biological response of broiler supplemented with varying dose of direct fed microbial. *Veterinary World*, 6(8): 521–524.
- Cheikhyoussef, A., Pogori, N., Chen, W. & Zhang, H.** 2008. Antimicrobial proteinaceous compounds obtained from bifidobacteria: From production to their application. *International Journal of Food Microbiology*, 125(3): 215–222.
- Chen, Y. J., Son, K. S., Min, B. J., Cho, J. H., Kwon, O. S. & Kim, I. H.** 2005. Effects of dietary probiotic on growth performance, nutrients digestibility, blood characteristics and fecal noxious gas content in growing pigs. *Asian-Australasian Journal of Animal Sciences* 18(10): 1464–1468.
- Chen, X., Koumoutsi, A., Scholz, R., Schneider, K., Vater, J., Süßmuth, R., Piel, J. & Borriis, R.** 2009. Genome analysis of *Bacillus amyloliquefaciens* FZB42 reveals its potential for biocontrol of plant pathogens. *Journal of Biotechnology*, 140(1): 27–37.
- Chiariini, L., Mara, L. & Tabacchioni, S.** 1992. Influence of growth supplements on lactic acid production in whey ultrafiltrate by *Lactobacillus helveticus*. *Appl. Microbiol. Biotechnol.* 36(4): 461–464.
- Chiquette, J., Talbot, G., Markwell, F., Nili, N. & Forster, R.** 2007. Repeated ruminal dosing of *Ruminococcus flavefaciens* NJ along with a probiotic mixture in forage or concentrate-fed dairy cows: Effect on ruminal fermentation, cellulolytic populations and *in sacco* digestibility. *Canadian Journal of Animal Science*, 87(2): 237–249.
- Choct, M.** 2009. Managing gut health through nutrition. *British Poultry Science*, 50(1): 9–15.
- Coconnier, M.H., Klaenhammer, T., Kerneis, S., Bernet, M. & Servin, A. 1992. Protein-mediated adhesion of *Lactobacillus acidophilus* BG2FO4 on human enterocyte and mucus-secreting cell lines in culture. *Applied Environmental Microbiology*, 58(6): 2034–2039.
- CAC [Codex Alimentarius Commission].** 2004. Code of practice on good animal feeding CAC/RCP 54-2004. http://www.codexalimentarius.org/download/standards/10080/CXP_054e.pdf Accessed 17 January 2015.
- Collado, M.C., Grzeskowiak, L. & Salminen, S.** 2007. Probiotic strains and their combination inhibit *in vitro* adhesion of pathogens to pig intestinal mucosa. *Current Microbiology*, 55(3): 260–265.
- Collado, M.C. & Sanz, Y.** 2006. Method for direct selection of potentially probiotic Bifidobacterium strains from human feces based on their acid-adaptation ability. *Journal of Microbiological Methods*, 66(3): 560–563.
- Collington, G., Parker, D. & Armstrong, D.** 1990. The influence of inclusion of either an antibiotic or a probiotic in the diet on the development of digestive enzyme activity in the pig. *British Journal of Nutrition*, 64(01): 59–70.
- Collins, J., Thornton, G. & Sullivan, G.** 1998. Selection of probiotic strains for human applications. *International Dairy Journal*, 8(5-6): 487–490.
- Commane, D.M., Shortt, C.T., Silvi, S., Cresci, A., Hughes, R.M. & Rowland, I.R.** 2005. Effects of fermentation products of pro-and prebiotics on trans-epithelial electrical resistance

- in an *in vitro* model of the colon. *Nutr. Cancer* 51(1): 102-109. *Nutrition and Cancer-An International Journal*, 51(1): 102–109.
- Corr, S.C., Li, Y., Riedel, C.U., O'Toole, P.W., Hill, C. & Gahan, C.G.** 2007. Bacteriocin production as a mechanism for the anti-infective activity of *Lactobacillus salivarius* UCC118. *Proceedings of the National Academy of Science of the United States of America*, 104(18): 7617–7621.
- Cotter, P. D., Hill, C. & Ross, R.P.** 2005. Bacteriocins: developing innate immunity for food. *Nature Reviews in Microbiology*, 3(10): 777–788.
- Crhanova, M., Hradecka, H., Faldynova, M., Matulova, M., Havlickova, H., Sisak, F. & Rychlik, I.** 2011. Immune response of chicken gut to natural colonization by gut microflora and to *Salmonella enterica* serovar Enteritidis infection. *Infection and Immunity*, 79(7): 2755–2763.
- Cruywagen, C., Jordaan, I. & Venter, L.** 1996. Effect of *Lactobacillus acidophilus* supplementation of milk replacer on preweaning performance of calves. *Journal of Dairy Science*, 79(3): 483–486.
- Cutting, S. M.** 2011. *Bacillus* probiotics. *Food Microbiology*, 28(2; Special Issue): 214–220.
- Dalloul, R., Lillehoj, H., Shellem, T. & Doerr, J.** 2003. Enhanced mucosal immunity against *Eimeria acervulina* in broilers fed a *Lactobacillus*-based probiotic. *Poultry Science*, 82(1): 62–66.
- Damgaard, P.H., Granum, P.E., Bresciani, J., Torregrossa, M.V., Eilenberg, J. & Valentino, L.** 1997. Characterization of *Bacillus thuringiensis* isolated from infections in burn wounds. *FEMS Immunological Medical Microbiology*, 18(1): 47–53.
- Daskiran, M., Onol, A. G., Cengiz, O., Unsal, H., Turkyilmaz, S., Tatli, O. & Sevim, O.** 2012. Influence of dietary probiotic inclusion on growth performance, blood parameters, and intestinal microflora of male broiler chickens exposed to posthatch holding time. *Journal of Applied Poultry Research*, 21(3): 612–622.
- Davies, J. & Davies, D.** 2010. Origins and evolution of antibiotic resistance. *Microbiology and Molecular Biology Reviews*, 74(3): 417–433.
- Davis, M., Parrott, T., Brown, D., De Rodas, B., Johnson, Z., Maxwell, C. & Rehberger, T.** 2008. Effect of a *Bacillus* based direct-fed microbial feed supplement on growth performance and pen cleaning characteristics of growing-finishing pigs. *Journal of Animal Science*, 86(6): 1459–1467.
- Dawson, K., Newman, K. & Boling, J.** 1990. Effects of microbial supplements containing yeast and lactobacilli on roughage-fed ruminal microbial activities. *Journal of Animal Science*, 68(10): 3392–3398.
- De Groote, M.A., Frank, D.N., Dowell, E., Glode, M.P. & Pace, N.R.** 2005. *Lactobacillus rhamnosus* GG bacteremia associated with probiotic use in a child with short gut syndrome. *Pediatric Infectious Disease Journal*, 24(3): 278–280.
- Desnoyers, M., Giger-Reverdin, S., Bertin, G., Duvaux-Ponter, C. & Sauvant, D.** 2009. Meta-analysis of the influence of *Saccharomyces cerevisiae* supplementation on ruminal parameters and milk production of ruminants. *Journal of Dairy Science*, 92(4): 1620–1632.
- Devirgiliis, C., Coppola, D., Barile, S., Colonna, B. & Perozzi, G.** 2009. Characterization of the Tn916 conjugative transposon in a food-borne strain of *Lactobacillus paracasei*. *Applied and Environmental Microbiology*, 75(12): 3866–3871.

- Ding, G., Chang, Y., Zhao, L., Zhou, Z., Ren, L. & Meng, Q.** 2014. Effect of *Saccharomyces cerevisiae* on alfalfa nutrient degradation characteristics and rumen microbial populations of steers fed diets with different concentrate-to-forage ratios. *Journal of Animal Science and Biotechnology*, 5(1): 24–32.
- Dizaji, S.B. & Pirmohammadi, R.** 2009. Effect of *Saccharomyces cerevisiae* and Bioplus 2B on performance of laying hens. *International Journal of Agricultural Biology*, 11(4): 495–497.
- Doleires, Y., Fliss, I. & Lacroix, C.** 2004. Continuous production of mixed lactic starters containing probiotics using immobilized cell technology. *Biotechnology Progress*, 20(1): 145–150.
- Doron, S. & Snydman, D.R.** 2015. Risk and Safety of Probiotics. *Clinical Infectious Diseases*, 60(suppl. 2): S129–S134.
- Duffield, T., Plaizer, J., Fairfield, A., Bagg, R., Vessie, G., Dick, P., Wilson, J., Aramini, J. & McBride, B.** 2004. Comparison of techniques for measurement of rumen pH in lactating dairy cows. *Journal of Dairy Science*, 87(1): 59–66.
- EFSA [European Food Safety Authority].** 2007. Opinion of the Scientific Committee on a request from EFSA on the introduction of a Qualified Presumption of Safety (QPS) approach for assessment of selected micro-organisms referred to EFSA. *The EFSA Journal*, 587: 1–16.
- EFSA.** 2008. Scientific Opinion of the Panel on Additives and Products or Substances used in Animal Feed (FEEDAP) on a request from the European Commission on the safety and efficacy of Ecobiol® (*Bacillus amyloliquefaciens*) as feed additive for chickens for fattening. *The EFSA Journal*, 773: 1–13.
- EFSA FEEDAP Panel.** 2016. Scientific opinion on the safety and efficacy of Probiomix B (*Lactobacillus plantarum* KKP/593/p and *Lactobacillus rhamnosus* KKP 825) as a feed additive for chickens for fattening. *EFSA Journal*, 14(2): 11.
- Ehui, S., Li-Pun, H., Mares, V. & Shapiro, B.** 1998. The role of livestock in food security and environmental protection. *Outlook Agr.* 27: 81–88.
- Elizondo, H. & Labuza, T.** 1974. Death kinetics of yeast in spray drying. *Biotechnology and Bioengineering*, 16(9): 1245–1259.
- European Commission.** 2003. Regulation (EC) No 1831/2003 of the European parliament and of the council of 22 September 2003 on additives for use in animal nutrition. <http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32003R1831&from=EN> Accessed 15 December 2014.
- European Commission.** 2008. Commission regulation (EC) No 429/2008 of 25 April 2008 on detailed rules for the implementation of Regulation (EC) No 1831/2003 of the European Parliament and of the Council as regards the preparation and the presentation of applications and the assessment and the authorisation of feed additives. <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:133:0001:0065:en:PDF> Accessed 15 December 2014.
- Fairbrother, J.M., Nadeau, É. & Gyles, C.L.** 2005. *Escherichia coli* in postweaning diarrhea in pigs: an update on bacterial types, pathogenesis, and prevention strategies. *Animal Health Research Reviews*, 6(01): 17–39.
- Fajardo, P., Pastrana, L., Mendez, J., Rodriguez, I., Fucinos, C. & Guerra, N. P.** 2012. Effects of feeding of two potentially probiotic preparations from lactic acid bacteria on the performance and faecal microflora of broiler chickens. *Scientific World Journal*, Art. No. 562635.
- FAO [Food and Agriculture Organization of the United Nations].** 2014. Meat & Meat Products. <http://www.fao.org/ag/againfo/themes/en/meat/home.html> Accessed 18 December 2014.

- FAO/WHO.** 2001. *Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria*. Food and Agriculture Organization of the United Nations.
- FAO/WHO.** 2002. Guidelines for the evaluation of probiotics in food. <http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0282-tab-03-ref-19-joint-faowho-vol219.pdf> Accessed 15 April 2014.
- Farrell, D.** 2013. The role of poultry in human nutrition. <http://www.fao.org/docrep/013/al709e/al709e00.pdf> Accessed 10 April 2015.
- Fayol-Messaoudi, D., Berger, C.N., Coconnier-Polter, M.-H., Lievin-Le Moal, V. & Servin, A.L.** 2005. pH-, Lactic acid-, and non-lactic acid-dependent activities of probiotic *Lactobacilli* against *Salmonella enterica* Serovar Typhimurium. *Applied Environmental Microbiology*, 71(10): 6008–6013.
- Feld, L., Bielak, E., Hammer, K. & Wilcks, A.** 2009. Characterization of a small erythromycin resistance plasmid pLFE1 from the food-isolate *Lactobacillus plantarum* M345. *Plasmid*, 61(3): 159–170.
- Fioramonti, J., Theodorou, V. & Bueno, L.** 2003. Probiotics: what are they? What are their effects on gut physiology? *Best Practice & Research in Clinical Gastroenterology*, 17(5): 711–724.
- Flint, J. & Garner, M.** 2009. Feeding beneficial bacteria: A natural solution for increasing efficiency and decreasing pathogens in animal agriculture. *Journal of Applied Poultry Research*, 18(2): 367–378.
- Flórez, A. B., Ammor, M. S., Álvarez-Martín, P., Margolles, A. & Mayo, B.** 2006. Molecular analysis of tet (W) gene-mediated tetracycline resistance in dominant intestinal *Bifidobacterium* species from healthy humans. *Applied and Environmental Microbiology*, 72(11): 7377–7379.
- Flynn, S., van Sinderen, D., Thornton, G.M., Holo, H., Nes, I.F. & Collins, J.K.** 2002. Characterization of the genetic locus responsible for the production of ABP-118, a novel bacteriocin produced by the probiotic bacterium *Lactobacillus salivarius* subsp. *salivarius* UCC118. *Microbiology*, 148(4): 973–984.
- Franz, C.M., Holzapfel, W.H. & Stiles, M.E.** 1999. Enterococci at the crossroads of food safety? *International Journal of Food Microbiology*, 47(1): 1–24.
- Franz, C.M., Huch, M., Abriouel, W.H., Holzapfel, W. & Gálvez, A.** 2011. Enterococci as probiotics and their implications in food safety. *International Journal of Food Microbiology* 151(2): 125–140.
- Franz, C. M., Stiles, M. E., Schleifer, K. H. & Holzapfel, W. H.** 2003. Enterococci in foods—a conundrum for food safety. *International Journal of Food Microbiology* 88(2): 105–122.
- Frizzo, L., Zbrun, M., Soto, L. & Signorini, M.** 2011. Effects of probiotics on growth performance in young calves: A meta-analysis of randomized controlled trials. *Animal Feed Science and Technology*, 169(3): 147–156.
- From, C., Pukall, R., Schumann, P., Hormazábal, V. & Granum, P.E.** 2005. Toxin-producing ability among *Bacillus* spp. outside the *Bacillus cereus* group. *Applied and Environmental Microbiology*, 71(3): 1178–1183.
- Fuller, R.** 1989. Probiotics in man and animals. *Journal of Applied Bacteriology*, 66(5): 365–378.
- Galdeano, C.M. & Perdigon, G.** 2006. The probiotic bacterium *Lactobacillus casei* induces activation of the gut mucosal immune system through innate immunity. *Clinical Vaccine Immunology*, 13(2): 219–226.

- Galina, M., Ortiz-Rubio, M., Delgado-Pertiñez, M. & Pineda, L.** 2009. Goat kid's growth improvement with a lactic probiotic fed on a standard base diet. *Options Méditerranéennes. Série A, Séminaires Méditerranéens*, (85): 315–322.
- Gallazzi, D., Giardini, A., Mangiagalli, M.G., Marelli, S., Ferrazzi, V., Orsi, C. & Cavalchini, L.G.** 2009. Effects of *Lactobacillus acidophilus* D2/CSL on laying hen performance. *Italian Journal of Animal Science*, 7(1): 27–38.
- Gangadharan, D., Sivaramakrishnan, S., Nampoothiri, K.M., Sukumaran, R.K. & Pandey, A.** 2008. Response surface methodology for the optimization of alpha amylase production by *Bacillus amyloliquefaciens*. *Bioresource Technology*, 99(11): 4597–4602.
- Gasser, F.** 1994. Safety of lactic acid bacteria and their occurrence in human clinical infections. *Bulletin Institut Pasteur*, 92(1): 45–67.
- Gfeller, K.Y., Roth, M., Meile, L. & Teuber, M.** 2003. Sequence and genetic organization of the 19.3-kb erythromycin-and dalfopristin-resistance plasmid pLME300 from *Lactobacillus fermentum* ROT1. *Plasmid*, 50(3): 190–201.
- Ghareeb, K., Awad, W., Mohnl, M., Porta, R., Biarnes, M., Böhm, J. & Schatzmayr, G.** 2012. Evaluating the efficacy of an avian-specific probiotic to reduce the colonization of *Campylobacter jejuni* in broiler chickens. *Poultry Science*, 91(8): 1825–1832.
- Ghazanfar, S., Anjum, M., Azim, A. & Ahmed, I.** 2015. Effects of dietary supplementation of yeast (*Saccharomyces cerevisiae*) culture on growth performance, blood parameters, nutrient digestibility and fecal flora of dairy heifers. *Journal of Animal and Plant Science*, 25(1): 53–59.
- Giannenas, I., Papadopoulos, E., Tsalie, E., Triantafillou, E., Henikl, S., Teichmann, K. & Tontis, D.** 2012. Assessment of dietary supplementation with probiotics on performance, intestinal morphology and microflora of chickens infected with *Eimeria tenella*. *Veterinary Parasitology*, 188(1/2): 31–40.
- Gibson, G.R., Probert, H.M., Van Loo, J., Rastall, R.A. & Roberfroid, M.B.** 2004. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Reviews*, 17(2): 259–275.
- Göksungur, Y. & Güvenç, U.** 1997. Batch and continuous production of lactic acid from beet molasses by *Lactobacillus delbrueckii* IFO 3202. *Journal of Chemical Technology and Biotechnology*, 69(4): 399–404.
- González-Zorn, B. & Escudero, J. A.** 2012. Ecology of antimicrobial resistance: humans, animals, food and environment. *International Microbiology*, 15(3): 101–109.
- Gould, A., May, B. & Elliott, W.** 1975. Release of extracellular enzymes from *Bacillus amylolyticus*. *Journal of Bacteriology*, 122(1): 34–40.
- Gozho, G., Plaizier, J., Krause, D., Kennedy, A. & Wittenberg, K.** 2005. Subacute ruminal acidosis induces ruminal lipopolysaccharide endotoxin release and triggers an inflammatory response. *Journal of Dairy Science*, 88(4): 1399–1403.
- Granum, P.E. & Lund, T.** 1997. *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiology Letters*, 157(2): 223–228.
- Groschwitz, K.R. & Hogan, S.P.** 2009. Intestinal barrier function: molecular regulation and disease pathogenesis. *Journal of Allergy and Clinical Immunology*, 124(1): 3–20.
- Gryczan, T., Israeli-Reches, M., Del Bue, M. & Dubnau, D.** 1984. DNA sequence and regulation of ermD, a macrolide-lincosamide-streptogramin B resistance element from *Bacillus licheniformis*. *Molecular and General Genetics*, 194(3): 349–356.

- Guarner, F. & Schaafsma, G.** 1998. Probiotics. *International Journal of Food Microbiology*, 39(3): 237–238.
- Gueimonde, M., Sánchez, B., de los Reyes-Gavilán, C.G. & Margolles, A.** 2013. Antibiotic resistance in probiotic bacteria. *Frontiers in Microbiology*, 4(202): 1–6.
- Guo, X.H., Li, D.F., Lu, W. Q., Piao, X.S. & Chen, X.L.** 2006. Screening of *Bacillus* strains as potential probiotics and subsequent confirmation of the *in vivo* effectiveness of *Bacillus subtilis* MA139 in pigs. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology*, 90(2): 139–146.
- Haddadin, M., Abdulrahim, S., Hashlamoun, E. & Robinson, R.** 1996. The effect of *Lactobacillus acidophilus* on the production and chemical composition of hen's eggs. *Poultry Science*, 75(4): 491–494.
- Haghghi, H. R., Abdul-Careem, M. F., Dara, R. A., Chambers, J. R. & Sharif, S.** 2008. Cytokine gene expression in chicken caecal tonsils following treatment with probiotics and *Salmonella* infection. *Veterinary Microbiology*, 126(1): 225–233.
- Halliday, M.J., Padmanabha, J., McSweeney, C.S., Kerven, G. & Shelton, H.M.** 2013. Leucaena toxicity: a new perspective on the most widely used forage tree legume. *Tropical Grasslands-Forrajes Tropicales*, 1(1): 1–11.
- Harrison, G., Hemken, R., Dawson, K., Harmon, R. & Barker, K.** 1988. Influence of addition of yeast culture supplement to diets of lactating cows on ruminal fermentation and microbial populations. *Journal of Dairy Science*, 71(11): 2967–2975.
- Hashemzadeh, F., Rahimi, S., Torshizi, M.A.K. & Masoudi, A.A.** 2013. Effects of probiotics and antibiotic supplementation on serum biochemistry and intestinal microflora in broiler chicks. *International Journal of Agriculture and Crop Sciences*, 5(20): 2394–2398.
- Hassan, M., Kjos, M., Nes, I., Diep, D. & Lotfipour, F.** 2012. Natural antimicrobial peptides from bacteria: characteristics and potential applications to fight against antibiotic resistance. *Journal of Applied Microbiology*, 113(4): 723–736.
- Hassanein, S.M. & Soliman, N.K.** 2010. Effect of probiotic (*Saccharomyces cerevisiae*) adding to diets on intestinal microflora and performance of Hy-Line layers hens. *Journal of American Science*, 6: 159–169.
- Hayirli, A., Esenbuga, N., Macit, M., Yoruk, M., Yildiz, A. & Karaca, H.** 2005. Nutrition practice to alleviate the adverse effects of stress on laying performance, metabolic profile and egg quality in peak producing hens: II. The probiotic supplementation. *Asian Australian Journal of Animal Sciences* 18(12): 1752.
- Hempel, S., Newberry, S., Ruelaz, A., Wang, Z., Miles, J., Suttorp, M., Johnsen, B., Shanman, R., Slusser, W., Fu, N., Smith, A., Roth, E., Polak, J., Motala, A., Perry, T. & Shekelle, P.** 2011. Safety of probiotics to reduce risk and prevent or treat disease. *Evidence Report/Technology Assessment No. 200. (Prepared by the Southern California Evidence-based Practice Center under Contract No. 290-2007-10062-I.) AHRQ Publication No. 11-E007.* Rockville, MD: Agency for Healthcare Research and Quality. Available at: <http://www.ahrq.gov/clinic/tp/probiotictp.htm>.
- Herfel, T. M., Jacobi, S. K., Lin, X., Jouni, Z. E., Chichlowski, M., Stahl, C. H. & Odle, J.** 2013. Dietary supplementation of *Bifidobacterium longum* strain AH1206 increases its cecal abundance and elevates intestinal interleukin-10 expression in the neonatal piglet. *Food Chemistry and Toxicology*, 60: 116–122.

- Hermans, P. & Morgan, K.** 2007. Prevalence and associated risk factors of necrotic enteritis on broiler farms in the United Kingdom; a cross-sectional survey. *Avian Pathology*, 36(1): 43–51.
- Hernandez, E., Ramisse, F., Ducoureau, J.-P., Cruel, T. & Cavallo, J.-D.** 1998. *Bacillus thuringiensis* subsp. *konukian* (serotype H34) superinfection: case report and experimental evidence of pathogenicity in immunosuppressed mice. *Journal of Clinical Microbiology*, 36(7): 2138–2139.
- Higginbotham, G. & Bath, D.** 1993. Evaluation of *Lactobacillus* fermentation cultures in calf feeding systems. *Journal of Dairy Science*, 76(2): 615–620.
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., Morelli, L., Canani, R. B., Flint, H. J. & Salminen, S.** 2014. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat. Rev. Gastroenterol. Hepatol.* 11(8): 506–514.
- Hoffmann, D.E., Fraser-Liggett, C.M., Palumbo, F.B., Ravel, J., Rothenberg, K.H. & Rowthorn, V.** 2013. Probiotics: Finding the right regulatory balance. http://digitalcommons.law.umaryland.edu/cgi/viewcontent.cgi?article=2401&context=fac_pubs Accessed 23 November 2014.
- Hofvendahl, K. & Hahn-Hägerdal, B.** 2000. Factors affecting the fermentative lactic acid production from renewable resources 1. *Enzyme and Microbial Technology*, 26(2-4): 87–107.
- Hood, S. & Zoitola, E.** 1988. Effect of low pH on the ability of *Lactobacillus acidophilus* to survive and adhere to human intestinal cells. *Journal of Food Science*, 53(5): 1514–1516.
- Hooper, L.V., Wong, M.H., Thelin, A., Hansson, L., Falk, P.G. & Gordon, J.I.** 2001. Molecular analysis of commensal host-microbial relationships in the intestine. *Science*, 291(5505): 881–884.
- Hristov, A., Varga, G., Cassidy, T., Long, M., Heyler, K., Karnati, S., Corl, B., Hovde, C. & Yoon, I.** 2010. Effect of *Saccharomyces cerevisiae* fermentation product on ruminal fermentation and nutrient utilization in dairy cows. *Journal of Dairy Science*, 93(2): 682–692.
- Hudault, S., Liévin, V., Bernet-Camard, M.-F. & Servin, A.L.** 1997. Antagonistic activity exerted *in vitro* and *in vivo* by *Lactobacillus casei* (strain GG) against *Salmonella typhimurium* C5 infection. *Applied Environmental Microbiology*, 63(2): 513–518.
- Hughes, D.T. & Sperandio, V.** 2008. Inter-kingdom signalling: communication between bacteria and their hosts. *Nature Reviews in Microbiology*, 6(2): 111–120.
- Human Microbiome Project Consortium.** 2012. Structure, function and diversity of the healthy human microbiome. *Nature*, 486(7402): 207–214.
- Hung, A.T., Lin, S.-Y., Yang, T.-Y., Chou, C.-K., Liu, H.-C., Lu, J.-J., Wang, B., Chen, S.-Y. & Lien, T.-F.** 2012. Effects of *Bacillus coagulans* ATCC 7050 on growth performance, intestinal morphology, and microflora composition in broiler chickens. *Animal Production Science*, 52(9): 874–879.
- Huse, S.M., Ye, Y., Zhou, Y. & Fodor, A.A.** 2012. A core human microbiome as viewed through 16S rRNA sequence clusters. *PloS One*, 7(6): e34242.
- Husni, R.N., Gordon, S.M., Washington, J.A. & Longworth, D.L.** 1997. *Lactobacillus bacteremia* and endocarditis: review of 45 cases. *Clinical Infectious Disease*, 25(5): 1048–1055.
- Hyronimus, B., Le Marrec, C., Sassi, A.H. & Deschamps, A.** 2000. Acid and bile tolerance of spore-forming lactic acid bacteria. *International Journal of Food Microbiol.* 61(2): 193–197.
- Hyronimus, B., Le Marrec, C. & Urdaci, M.** 1998. Coagulin, a bacteriocin-like-inhibitory substance produced by *Bacillus coagulans* I4. *Journal of Applied Microbiology*, 85(1): 42–50.

- Jatkaukas, J. & Vrotniakiene, V.** 2010. Effects of probiotic dietary supplementation on diarrhoea patterns, faecal microbiota and performance of early weaned calves. *Veterinarni Medicina*, 55(10): 494–503.
- Javanainen, P. & Linko, Y.-Y.** 1995. Lactic acid fermentation on barley flour without additional nutrients. *Biotechnology Techniques*, 9(8): 543–548.
- Jayaraman, S., Thangavel, G., Kurian, H., Mani, R., Mukkalil, R. & Chirakkal, H.** 2013. *Bacillus subtilis* PB6 improves intestinal health of broiler chickens challenged with *Clostridium perfringens*-induced necrotic enteritis. *Poultry Science*, 92(2): 370–374.
- Jenke, A., Ruf, E.-M., Hoppe, T., Heldmann, M. & Wirth, S.** 2011. Bifidobacterium septicæmia in an extremely low-birthweight infant under probiotic therapy. *Archives of Disease in Childhood-Fetal and Neonatal Edition*, 97(3): F217–F218.
- Jin, L., Ho, Y., Abdullah, N., Ali, M. & Jalaludin, S.** 1996. Antagonistic effects of intestinal *Lactobacillus* isolates on pathogens of chicken. *Letters in Applied Microbiology*, 23(2): 67–71.
- Jin, L., Ho, Y., Abdullah, N. & Jalaludin, S.** 2000. Digestive and bacterial enzyme activities in broilers fed diets supplemented with *Lactobacillus* cultures. *Poultry Science*, 79(6): 886–891.
- Johnson-Henry, K.C., Hagen, K.E., Gordonpour, M., Tompkins, T.A. & Sherman, P.M.** 2007. Surface-layer protein extracts from *Lactobacillus helveticus* inhibit enterohaemorrhagic *Escherichia coli* O157: H7 adhesion to epithelial cells. *Cellular Microbiology*, 9(2): 356–367.
- Jones, R. & Megarry, R.** 1986. Successful transfer of DHP-degrading bacteria from Hawaiian goats to Australian ruminants to overcome the toxicity of Leucaena. *Australian Veterinary Journal*, 63(8): 259–262.
- Jones, R., Coates, D. & Palmer, B.** 2009. Survival of the rumen bacterium *Synergistes jonesii* in a herd of Droughtmaster cattle in north Queensland. *Animal Production Science*, 49(8): 643–645.
- Kantas, D., Papatsiros, V., Tassis, P., Giavasis, I., Bouki, P. & Tzika, E.** 2015. A feed additive containing *Bacillus toyonensis* (Toyocerin®) protects against enteric pathogens in postweaning piglets. *Journal of Applied Microbiology*, 118(3): 727–738.
- Karmali, M.A., Gannon, V. & Sargeant, J.M.** 2010. Verocytotoxin-producing *Escherichia coli* (VTEC). *Veterinary Microbiology*, 140(3): 360–370.
- Kawai, Y., Ishii, Y., Arakawa, K., Uemura, K., Saitoh, B., Nishimura, J., Kitazawa, H., Yamazaki, Y., Tateno, Y. & Itoh, T.** 2004. Structural and functional differences in two cyclic bacteriocins with the same sequences produced by lactobacilli. *Applied and Environmental Microbiology*, 70(5): 2906–2911.
- Kawamura, S., Murakami, Y., Miyamoto, Y. & Kimura, K.** 1995. Freeze-drying of yeasts. pp. 31–37, in: *Cryopreservation and Freeze-Drying Protocols*. Methods in Molecular Biology No. 38. Humana Press, New York, USA.
- Kazimierczak, K.A., Flint, H.J. & Scott, K.P.** 2006. Comparative analysis of sequences flanking tet (W) resistance genes in multiple species of gut bacteria. *Antimicrobial Agents and Chemotherapy*, 50(8): 2632–2639.
- Kenny, M., Smidt, H., Mengheri, E. & Miller, B.** 2011. Probiotics - do they have a role in the pig industry? *Animal*, 5(3): 462–470.
- Khaksar, V., Golian, A. & Kermanshahi, H.** 2012. Immune response and ileal microflora in broilers fed wheat-based diet with or without enzyme Endofeed W and supplementation of thyme essential oil or probiotic PrimaLac. *African Journal of Biotechnology*, 11(81): 14716–14723.

- Klaenhammer, T. R.** 1988. Bacteriocins of lactic acid bacteria. *Biochimie*, 70(3): 337–349.
- Klieve, A., Hennessy, D., Ouwerkerk, D., Forster, R., Mackie, R. & Attwood, G.** 2003. Establishing populations of *Megasphaera elsdenii* YE 34 and *Butyrivibrio fibrisolvens* YE 44 in the rumen of cattle fed high grain diets. *Journal of Applied Microbiology*, 95(3): 621–630.
- Klieve, A., O'Leary, M., McMillen, L. & Ouwerkerk, D.** 2007. *Ruminococcus bromii*, identification and isolation as a dominant community member in the rumen of cattle fed a barley diet. *Journal of Applied Microbiology*, 103(6): 2065–2073.
- Klieve, A.V., McLennan, S.R. & Ouwerkerk, D.** 2012. Persistence of orally administered *Megasphaera elsdenii* and *Ruminococcus bromii* in the rumen of beef cattle fed a high grain (barley) diet. *Animal Production Science*, 52(5): 297–304.
- Knorr, D.** 1998. Technology aspects related to micro-organisms in functional foods. *Trends in Food Science and Technology*, 9(8): 295–306.
- Konstantinov, S. R., Smidt, H., Akkermans, A. D., Casini, L., Trevisi, P., Mazzoni, M., De Filippi, S., Bosi, P. & De Vos, W.M.** 2008. Feeding of *Lactobacillus sobrius* reduces *Escherichia coli* F4 levels in the gut and promotes growth of infected piglets. *FEMS Microbiology Ecology* 66(3): 599–607.
- Kotiranta, A., Lounatmaa, K. & Haapasalo, M.** 2000. Epidemiology and pathogenesis of *Bacillus cereus* infections. *Microbial Infection*, 2(2): 189–198.
- Krishnamoorthy, U. & Krishnappa, P.** 1996. Effect of feeding yeast culture (Yea-sacc 1026) on rumen fermentation *in vitro* and production performance in crossbred dairy cows. *Animal Feed Science and Technology*, 57(3): 247–256.
- Kritas, S., Alexopoulos, C., Papaioannou, D., Tzika, E., Georgakis, S. & Kyriakis, S.** 2000. A dose titration study on the effect of a probiotic containing *Bacillus licheniformis* spores in starter-growing finishing feed, on health status, performance promoting activity and carcass quality of pigs. In: *Proceedings of the 16th International Pig Veterinary Society Congress, Melbourne, Australia*. p 20.
- Kritas, S.K. & Morrison, R.B.** 2005. Evaluation of probiotics as a substitute for antibiotics in a large pig nursery. *Veterinary Record*, 156(14): 447–448.
- Kumar, K., Chaudhary, L., Agarwal, N. & Kamra, D.** 2014. Effect of feeding tannin-degrading bacterial culture (*Streptococcus galloyticus* strain TDGB 406) on nutrient utilization, urinary purine derivatives and growth performance of goats fed on *Quercus semicarpifolia* leaves. *Journal of Animal Physiology and Animal Nutrition*, 98(5): 879–885.
- Kung, L. & Hession, A.** 1995. Preventing *in vitro* lactate accumulation in ruminal fermentations by inoculation with *Megasphaera elsdenii*. *Journal of Animal Science*, 73(1): 250–256.
- Kurtoglu, V., Kurtoglu, F., Seker, E., Coskun, B., Balevi, T. & Polat, E.** 2004. Effect of probiotic supplementation on laying hen diets on yield performance and serum and egg yolk cholesterol. *Food Additives and Contamination*, 21(9): 817–823.
- Kyriakis, S., Tsiloyiannis, V., Vlemmas, J., Sarris, K., Tsinas, A., Alexopoulos, C. & Jansegers, L.** 1999. The effect of probiotic LSP 122 on the control of post-weaning diarrhoea syndrome of piglets. *Research in Veterinary Science*, 67(3): 223–228.
- Lähteinen, T., Lindholm, A., Rinttilä, T., Junnikkala, S., Kant, R., Pietilä, T. E., Levonen, K., Von Ossowski, I., Solano-Aguilar, G. & Jakava-Viljanen, M.** 2014. Effect of *Lactobacillus brevis* ATCC 8287 as a feeding supplement on the performance and immune function of piglets. *Veterinary Immunology and Immunopathology*, 158(1): 14–25.

- Lambole, L., Lacroix, C., Champagne, C. & Vuillemand, J.** 1997. Continuous mixed strain mesophilic lactic starter production in supplemented whey permeate medium using immobilized cell technology. *Biotechnology and Bioengineering*, 56(5): 502–516.
- Landy, N. & Kavyani, A.** 2013. Effects of using a multi-strain probiotic on performance, immune responses and caecal microflora composition in broiler chickens reared under cyclic heat stress condition. *Iranian Journal of Applied Animal Science*, 3(4): 703–708.
- Lata, J., Juránková, J., Doubek, J., Příbramská, V., Frič, P., Dítě, P., Kolář, M., Scheer, P. & Kosáková, D.** 2006. Labelling and content evaluation of commercial veterinary probiotics. *Acta Veterinaria Brno*, 75(1): 139–144.
- Laxminarayan, R., Duse, A., Wattal, C., Zaidi, A.K., Wertheim, H.F., Sumpradit, N., Vlieghe, E., Hara, G.L., Gould, I.M. & Goossens, H.** 2013. Antibiotic resistance—the need for global solutions. *Lancet Infectious Disease*, 13(12): 1057–1098.
- Le Bon, M., Davies, H.E., Glynn, C., Thompson, C., Madden, M., Wiseman, J., Dodd, C.E.R., Hurdidge, L., Payne, G., Le Treut, Y., Craigon, J., Totemeyer, S. & Mellits, K.H.** 2010. Influence of probiotics on gut health in the weaned pig. *Livestock Science*, 133(1–3): 179–181.
- Le Marrec, C., Hyronimus, B., Bressollier, P., Verneuil, B. & Urdaci, M.C.** 2000. Biochemical and genetic characterization of coagulin, a new anti-listerial bacteriocin in the pediocin family of bacteriocins, produced by *Bacillus coagulans* 14. *Applied Environmental Microbiology*, 66(12): 5213–5220.
- Le, O., McNeill, D., Klieve, A., Dart, P., Ouwerkerk, D., Schofield, B. & Callaghan, M.** 2014. Probiotic *Bacillus amyloliquefaciens* Strain H57 Improves the Performance of Pregnant and Lactating Ewes Fed a Diet Based on Palm Kernel Meal. In: *ISNH/ISRP International Conference*, Canberra, Australia.
- Le, O., Dart, P., Harper, K., Zhang, D., Schofield, B., Callaghan, M., Lisle, A., Klieve, A. & McNeill, D.** 2016. Effect of probiotic *Bacillus amyloliquefaciens* strain H57 on productivity and the incidence of diarrhoea in dairy calves. *Animal Production Science*, in press.
- LeDoux, D., LaBombardi, V.J. & Karter, D.** 2006. *Lactobacillus acidophilus* bacteraemia after use of a probiotic in a patient with AIDS and Hodgkin's disease. *International Journal of STD & AIDS*, 17(4): 280–282.
- Lee, S., Lillehoj, H., Dalloul, R., Park, D., Hong, Y. & Lin, J.** 2007. Influence of *Pediococcus*-based probiotic on coccidiosis in broiler chickens. *Poultry Science*, 86(1): 63–66.
- Lee, Y.-J., Kim, B.-K., Lee, B.-H., Jo, K.-I., Lee, N.-K., Chung, C.-H., Lee, Y.-C. & Lee, J.-W.** 2008. Purification and characterization of cellulase produced by *Bacillus amyloliquefaciens* DL-3 utilizing rice hull. *Bioresource Technology*, 99(2): 378–386.
- Lei, X., Piao, X., Ru, Y., Zhang, H., Péron, A. & Zhang, H.** 2015. Effect of *Bacillus amyloliquefaciens*-based direct-fed microbial on performance, nutrient utilization, intestinal morphology and cecal microflora in broiler chickens. *Asian-Australasian Journal of Animal Science*, 28(2): 239–246.
- Lessard, M., Dupuis, M., Gagnon, N., Nadeau, E., Matte, J., Goulet, J. & Fairbrother, J.** 2009. Administration of *Pediococcus acidilactici* or *Saccharomyces cerevisiae boulardii* modulates development of porcine mucosal immunity and reduces intestinal bacterial translocation after *Escherichia coli* challenge [Erratum: 2009 Oct., v. 87, no. 10, p. 3440.]. *Journal of Animal Science*, 87(3).

- Lettat, A., Nozière, P., Silberberg, M., Morgavi, D.P., Berger, C. & Martin, C.** 2012. Rumen microbial and fermentation characteristics are affected differently by bacterial probiotic supplementation during induced lactic and subacute acidosis in sheep. *BMC Microbiology*, 12(1): 142.
- Li, J., Li, D., Gong, L., Ma, Y., He, Y. & Zhai, H.** 2006. Effects of live yeast on the performance, nutrient digestibility, gastro-intestinal microbiota and concentration of volatile fatty acids in weanling pigs. *Archives of Animal Nutrition*, 60(4): 277–288.
- Li, L.L., Hou, Z.P., Li, T.J., Wu, G.Y., Huang, R.L., Tang, Z.R., Yang, C.B., Gong, J., Yu, H. & Kong, X.F.** 2008. Effects of dietary probiotic supplementation on ileal digestibility of nutrients and growth performance in 1- to 42-day-old broilers. *Journal of the Science of Food and Agriculture*, 88(1): 35–42.
- Lilly, D.M. & Stillwell, R.H.** 1965. Probiotics: growth-promoting factors produced by micro-organisms. *Science*, 147(3659): 747–748.
- Lin, C.-F., Fung, Z.-F., Wu, C.-L. & Chung, T.-C.** 1996. Molecular characterization of a plasmid-borne (pTC82) chloramphenicol resistance determinant (cat-TC) from *Lactobacillus reuteri* G4. *Plasmid*, 36(2): 116–124.
- Little, S.F. & Ivins, B.E.** 1999. Molecular pathogenesis of *Bacillus anthracis* infection. *Microbial Infection*, 1(2): 131–139.
- Llopis, M., Antolin, M., Guarner, F., Salas, A. & Malagelada, J.** 2005. Mucosal colonisation with *Lactobacillus casei* mitigates barrier injury induced by exposure to trinitrobenzene sulphonate acid. *Gut*, 54(7): 955–959.
- Lloyd, A., Cumming, R. & Kent, R.** 1977. Prevention of *Salmonella typhimurium* infection in poultry by pretreatment of chickens and pouls with intestinal extracts. *Australian Veterinary Journal*, 53(2): 82–87.
- Lodemann, U.** 2010. Effects of Probiotics on Intestinal Transport and Epithelial Barrier Function. pp. 303 et seq. in: *Bioactive Foods in Promoting Health: Probiotics and Prebiotics*. Academic Press, Waltham, USA.
- Mahdavi, A., Rahmani, H. & Pourreza, J.** 2005. Effect of probiotic supplements on egg quality and laying hen's performance. *International Journal of Poultry Science*, 4(4): 488–492.
- Mao, Y., Nobaek, S., Kasravi, B., Adawi, D., Stenram, U., Molin, G. & Jeppsson, B.** 1996. The effects of *Lactobacillus* strains and oat fiber on methotrexate-induced enterocolitis in rats. *Gastroenterology*, 111(2): 334–344.
- Marden, J., Julien, C., Monteils, V., Auclair, E., Moncoulon, R. & Bayourthe, C.** 2008. How does live yeast differ from sodium bicarbonate to stabilize ruminal pH in high-yielding dairy cows? *Journal of Dairy Science*, 91(9): 3528–3535.
- Marteau, P.** 2001. Safety aspects of probiotic products. *Scandinavian Journal of Nutrition*, 45: 22–24.
- Mason, J.M. & Setlow, P.** 1986. Essential role of small, acid-soluble spore proteins in resistance of *Bacillus subtilis* spores to UV light. *Journal of Bacteriology*, 167(1): 174–178.
- Masters, K.** 1972. *Spray drying*. Leonard Hill Books, London, UK.
- Mathew, A., Chattin, S., Robbins, C. & Golden, D.** 1998. Effects of a direct-fed yeast culture on enteric microbial populations, fermentation acids, and performance of weanling pigs. *Journal of Animal Science*, 76(8): 2138–2145.
- Mathur, S. & Singh, R.** 2005. Antibiotic resistance in food lactic acid bacteria—a review. *International Journal of Food Microbiology*, 105(3): 281–295.

- Mazur, P.** 1976. Role of intracellular freezing in the death of cells cooled at supra-optimal rates. [Preservation of erythrocytes, bone marrow cells, and yeasts by freezing]. Annual meeting of the Society for Cryobiology. Oak Ridge National Lab., USA. Arlington, VA, USA.
- McDevitt, R., Brooker, J., Acamovic, T. & Sparks, N.** 2006. Necrotic enteritis; a continuing challenge for the poultry industry. *World Poultry Science Journal*, 62(02): 221–247.
- McNeill, D., Le, O., Schofield, B., Dart, P., Callaghan, M., Lisle, A., Ouwerkerk, D. & Klieve, A.** 2016. Production responses of reproducing ewes to a byproduct-based diet inoculated with the probiotic *Bacillus amyloliquefaciens* strain H57. *Animal Production Science*, in press.
- Medellin-Peña, M.J., Wang, H., Johnson, R., Anand, S. & Griffiths, M.W.** 2007. Probiotics affect virulence-related gene expression in *Escherichia coli* O157: H7. *Applied and Environmental Microbiology*, 73(13): 4259–4267.
- Meng, Q., Yan, L., Ao, X., Zhou, T., Wang, J., Lee, J. & Kim, I.** 2010. Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs. *Journal of Animal Science*, 88(10): 3320–3326.
- Meng, X., Stanton, C., Fitzgerald, G., Daly, C. & Ross, R.** 2008. Anhydrobiotics: The challenges of drying probiotic cultures. *Food Chemistry*, 106(4): 1406–1416.
- Mikulski, D., Jankowski, J., Naczmanski, J., Mikulska, M. & Demey, V.** 2012. Effects of dietary probiotic (*Pediococcus acidilactici*) supplementation on performance, nutrient digestibility, egg traits, egg yolk cholesterol, and fatty acid profile in laying hens. *Poultry Science*, 91(10): 2691–2700.
- Miller, M.B. & Bassler, B.L.** 2001. Quorum sensing in bacteria. *Annual Review of Microbiology*, 55(1): 165–199.
- Mir, Z. & Mir, P.** 1994. Effect of the addition of live yeast (*Saccharomyces cerevisiae*) on growth and carcass quality of steers fed high-forage or high-grain diets and on feed digestibility and *in situ* degradability. *Journal of Animal Science*, 72(3): 537–545.
- Mishra, V. & Prasad, D.** 2005. Application of *in vitro* methods for selection of *Lactobacillus casei* strains as potential probiotics. *International Journal of Food Microbiology*, 103(1): 109–115.
- Moloney, A. & Drennan, M.** 1994. The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers. *Animal Feed Science and Technology*, 50(1): 55–73.
- Monod, M., DeNoya, C. & Dubnau, D.** 1986. Sequence and properties of pIM13, a macrolide-lincosamide-streptogramin B resistance plasmid from *Bacillus subtilis*. *Journal of Bacteriology*, 167(1): 138–147.
- Montelongo, J.L., Chassy, B.M. & McCord, J.D.** 1993. *Lactobacillus salivarius* for conversion of soy molasses into lactic acid. *Journal of Food Science*, 58(4): 863–866.
- Mookiah, S., Sieo, C. C., Ramasamy, K., Abdullah, N. & Ho, Y. W.** 2014. Effects of dietary prebiotics, probiotic and synbiotics on performance, caecal bacterial populations and caecal fermentation concentrations of broiler chickens. *Journal of the Science of Food and Agriculture*, 94(2): 341348.
- Morishita, T. Y., Aye, P.P., Harr, B.S., Cobb, C.W. & Clifford, J.R.** 1997. Evaluation of an avian-specific probiotic to reduce the colonization and shedding of *Campylobacter jejuni* in broilers. *Avian Diseases*, 41(4): 850–855.
- Morrison, D., Woodford, N. & Cookson, B.** 1997. Enterococci as emerging pathogens of humans. *Journal of Applied Microbiology*, 83(S1): 89S–99S.

- Morschhäuser, J.** 2010. Regulation of multidrug resistance in pathogenic fungi. *Fungal Genetics and Biology*, 47(2): 94–106.
- Mountzouris, K. C., Tsirtsikos, P., Kalamara, E., Nitsch, S., Schatzmayr, G. & Fegeros, K.** 2007. Evaluation of the efficacy of a probiotic containing Lactobacillus, Bifidobacterium, Enterococcus, and Pediococcus strains in promoting broiler performance and modulating cecal microflora composition and metabolic activities. *Poultry Science*, 86(2): 309–317.
- Mountzouris, K. C., Balaskas, C., Xanthakos, I., Tzivinikou, A. & Fegeros, K.** 2009. Effects of a multi-species probiotic on biomarkers of competitive exclusion efficacy in broilers challenged with *Salmonella enteritidis*. *British Poultry Science*, 50(4): 467–478.
- Mountzouris, K., Tsirtsikos, P., Palamidi, I., Arvaniti, A., Mohnl, M., Schatzmayr, G. & Fegeros, K.** 2010. Effects of probiotic inclusion levels in broiler nutrition on growth performance, nutrient digestibility, plasma immunoglobulins, and cecal microflora composition. *Poultry Science*, 89(1): 58–67.
- Mpofu, I. D. & Ndlovu, L.** 1994. The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages. *Animal Feed Science and Technology*, 48(1): 39–47.
- Mullan, P., Wilks, M., Lamb, I., Clayton, C., Wren, B. & Tabaqchali, S.** 1990. Genetic analysis of a tetracycline resistance element from *Clostridium difficile* and its conjugal transfer to and from *Bacillus subtilis*. *Journal of General Microbiology*, 136(7): 1343–1349.
- Muller, J.A., Ross, R.P., Fitzgerald, G.F. & Stanton, C.** 2009. Manufacture of probiotic bacteria. pp. 725–759, in: D. Charalampopoulos and R.A. Rastall (eds.). *Prebiotics and probiotics science and technology*. Vol. 2. Springer Science + Business Media.
- Nawaz, M., Wang, J., Zhou, A., Ma, C., Wu, X., Moore, J. E., Millar, B. C. & Xu, J.** 2011. Characterization and transfer of antibiotic resistance in lactic acid bacteria from fermented food products. *Current Microbiology*, 62(3): 1081–1089.
- Nes, I.F., Diep, D.B., Håvarstein, L.S., Brurberg, M.B., Eijsink, V. & Holo, H.** 1996. Biosynthesis of bacteriocins in lactic acid bacteria. *Antonie Van Leeuwenhoek* 70(2-4): 113–128.
- Newbold, C.** 1996. Probiotics for ruminants. *Annals of Zootechnology*, 45 (Suppl. 1): 329–335.
- Niba, A., Beal, J., Kudi, A. & Brooks, P.** 2009. Bacterial fermentation in the gastro-intestinal tract of non-ruminants: influence of fermented feeds and fermentable carbohydrates. *Tropical Animal Health and Production*, 41(7): 1393–1407.
- Nicholson, W.L., Munakata, N., Horneck, G., Melosh, H.J. & Setlow, P.** 2000. Resistance of *Bacillus* endospores to extreme terrestrial and extraterrestrial environments. *Microbiology and Molecular Biology Reviews*, 64(3): 548–572.
- Nocek, J. & Kautz, W.** 2006. Direct-fed microbial supplementation on ruminal digestion, health, and performance of pre-and postpartum dairy cattle. *Journal of Dairy Science*, 89(1): 260–266.
- Nurmi, E. & Rantala, M.** 1973. New aspects of *Salmonella* infection in broiler production. *Nature*, 241: 210–211.
- Ohishi, A., Takahashi, S., Ito, Y., Ohishi, Y., Tsukamoto, K., Nanba, Y., Ito, N., Kakiuchi, S., Saitoh, A. & Morotomi, M.** 2010. Bifidobacterium septicemia associated with postoperative probiotic therapy in a neonate with omphalocele. *Journal of Pediatrics*, 156(4): 679–681.
- Ohland, C.L. & MacNaughton, W.K.** 2010. Probiotic bacteria and intestinal epithelial barrier function. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 298(6): G807–G819.

- Ohya, T., Marubashi, T. & Ito, H.** 2000. Significance of fecal volatile fatty acids in shedding of *Escherichia coli* O157 from calves: experimental infection and preliminary use of a probiotic –product. *Journal of Veterinary Medical Science*, 62(11): 1151–1155.
- Ongena, M. & Jacques, P.** 2008. *Bacillus* lipopeptides: versatile weapons for plant disease bio-control. *Trends in Microbiology*, 16(3): 115–125.
- Ortiz, A., Yañez, P., Gracia, M., Mallo, J., Sa, N., León, H. & Imasde Agroalimentaria.** 2013. Effect of probiotic Ecobiol on broiler performance. In: B. Werner & World's Poultry Science Association (eds.) 19th European Symposium on Poultry Nutrition (ESPN), Potsdam, Germany, 26–29 August 2013. World's Poultry Science Association, Potsdam, Germany.
- Owens, F., Sechrist, D., Hill, W. & Gill, D.** 1998. Acidosis in Cattle: A Review1. *Journal of Animal Science*, 76: 275–286.
- Øyaas, J., Storrø, I. & Levine, D.** 1996. Uptake of lactose and continuous lactic acid fermentation by entrapped non-growing *Lactobacillus helveticus* in whey permeate. *Applied Microbiology and Biotechnology*, 46(3): 240–249.
- Pagnini, C., Saeed, R., Bamias, G., Arseneau, K.O., Pizarro, T.T. & Cominelli, F.** 2010. Probiotics promote gut health through stimulation of epithelial innate immunity. *Proceedings of the National Academy of Science of the United States of America*, 107(1): 454–459.
- Panda, A., Reddy, M., Rao, S. R. & Praharaj, N.** 2003. Production performance, serum/yolk cholesterol and immune competence of white leghorn layers as influenced by dietary supplementation with probiotic. *Tropical Animal Health and Production*, 35(1): 85–94.
- Parker, R.** 1974. Probiotics, the other half of the antibiotic story. *Animal Nutrition and Health*, 29(4): 8.
- Parkinson, T.J., Merrill, M. & Fenwick, S.G.** 1999. A case of bovine mastitis caused by *Bacillus cereus*. *New Zealand Veterinary Journal*, 47(4): 151–152.
- Pavan, S., Desreumaux, P. & Mercenier, A.** 2003. Use of mouse models to evaluate the persistence, safety, and immune modulation capacities of lactic acid bacteria. *Clinical and Diagnostic Laboratory Immunology*, 10(4): 696–701.
- Pedroso, A.A., Hurley-Bacon, A.L., Zedek, A.S., Kwan, T.W., Jordan, A.P.O., Avellaneda, G., Hofacre, C.L., Oakley, B.B., Collett, S.R., Maurer, J.J. & Lee, M.D.** 2013. Can probiotics improve the environmental microbiome and resistome of commercial poultry production? *International Journal of Environmental Research and Public Health*, 10(10): 4534–4559.
- Pendleton, B.** 1998. The regulatory environment. *Direct-Fed Microbial, Enzyme and Forage Additive Compendium*. The Miller Publishing Company, Minnetonka, Minnesota 4: 47–52.
- Peterson, L.W. & Artis, D.** 2014. Intestinal epithelial cells: regulators of barrier function and immune homeostasis. *Nature Reviews in Immunology*, 14(3): 141–153.
- Pfaller, M. & Diekema, D.** 2004. Rare and emerging opportunistic fungal pathogens: concern for resistance beyond *Candida albicans* and *Aspergillus fumigatus*. *Journal of Clinical Microbiology*, 42(10): 4419–4431.
- Phelan, R.W., Clarke, C., Morrissey, J.P., Dobson, A.D., O'Gara, F. & Barbosa, T.M.** 2011. Tetracycline resistance-encoding plasmid from *Bacillus* sp. strain# 24, isolated from the marine sponge *Haliclona simulans*. *Applied and Environmental Microbiology*, 77(1): 327–329.
- Pieper, R., Janczyk, P., Urubschurov, V., Korn, U., Pieper, B. & Souffrant, W.** 2009. Effect of a single oral administration of *Lactobacillus plantarum* DSMZ 8862/8866 before and at the time point of weaning on intestinal microbial communities in piglets. *International Journal of Food Microbiology*, 130(3): 227–232.

- Plaizier, J., Krause, D., Gozho, G. & McBride, B.** 2008. Subacute ruminal acidosis in dairy cows: The physiological causes, incidence and consequences. *Veterinary Journal*, 176(1): 21–31.
- Poppy, G., Rabiee, A., Lean, I., Sanchez, W., Dorton, K. & Morley, P.** 2012. A meta-analysis of the effects of feeding yeast culture produced by anaerobic fermentation of *Saccharomyces cerevisiae* on milk production of lactating dairy cows. *Journal of Dairy Science*, 95(10): 6027–6041.
- Prabhu, R., Altman, E. & Eiteman, M. A.** 2012. Lactate and acrylate metabolism by *Megasphaera elsdenii* under batch and steady-state conditions. *Applied and Environmental Microbiology*, 78(24): 8564–8570.
- Pratchett, D., Jones, R. & Syrch, F.** 1991. Use of DHP-degrading rumen bacteria to overcome toxicity in cattle grazing irrigated leucaena pasture. *Tropical Grasslands*, 25: 268–274.
- Rahman, M., Mustari, A., Salauddin, M. & Rahman, M.** 2013. Effects of probiotics and enzymes on growth performance and haematobiochemical parameters in broilers. *Journal of the Bangladesh Agricultural University*, 11(1): 111–118.
- Rakotozafy, H., Louka, N., Therisod, M., Therisod, H. & Allaf, K.** 2000. Drying of baker's yeast by a new method: Dehydration by Successive Pressure Drops (DDS). Effect on cell survival and enzymatic activities. *Drying Technology*, 18(10): 2253–2271.
- Randolph, T., Schelling, E., Grace, D., Nicholson, C.F., Leroy, J., Cole, D., Demment, M., Omore, A., Zinsstag, J. & Ruel, M.** 2007. Role of livestock in human nutrition and health for poverty reduction in developing countries. *Journal of Animal Science*, 85(11): 2788–2800.
- Rapp, C., Jung, G., Katzer, W. & Loeffler, W.** 1988. Chlorotetain from *Bacillus subtilis*, an anti-fungal dipeptide with an unusual chlorine-containing amino acid. *Angewandte Chemie-International Edition in English*, 27(12): 1733–1734.
- Rautio, M., Jousimies-Somer, H., Kauma, H., Pietarinen, I., Saxelin, M., Tynkkynen, S. & Koskela, M.** 1999. Liver abscess due to a *Lactobacillus rhamnosus* strain indistinguishable from *L. rhamnosus* strain GG. *Clinical Infectious Disease*, 28(5): 1159–1160.
- Raymond, B., Johnston, P.R., Nielsen-LeRoux, C., Lereclus, D. & Crickmore, N.** 2010. *Bacillus thuringiensis*: an impotent pathogen? *Trends in Microbiology*, 18(5): 189–194.
- Rea, M.C., Clayton, E., O'Connor, P.M., Shanahan, F., Kiely, B., Ross, R.P. & Hill, C.** 2007. Antimicrobial activity of lacticin 3147 against clinical *Clostridium difficile* strains. *Journal of Medical Microbiology*, 56(7): 940–946.
- Riddell, J., Gallegos, A., Harmon, D. & McLeod, K.** 2010. Addition of a *Bacillus* based probiotic to the diet of pre-ruminant calves: Influence on growth, health, and blood parameters. *Journal of Applied Research in Veterinary Medicine*, 8(1): 78–85.
- Roa, M., Bárcena-Gama, J., González, S., Mendoza, G., Ortega, M. & García, C.** 1997. Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae* 1026) on digestion and the environment in the rumen of cattle. *Animal Feed Science and Technology*, 64(2): 327–336.
- Roberts, A.P., Pratten, J., Wilson, M. & Mullany, P.** 1999. Transfer of a conjugative transposon, Tn5397 in a model oral biofilm. *FEMS Microbiology Letters*, 177(1): 63–66.
- Rodrigues, L., Teixeira, J. & Oliveira, R.** 2006. Low-cost fermentative medium for biosurfactant production by probiotic bacteria. *Biochemical Engineering Journal*, 32(3): 135–142.
- Roselli, M., Finamore, A., Britti, M.S., Konstantinov, S.R., Smidt, H., de Vos, W.M. & Mengheri, E.** 2007. The novel porcine *Lactobacillus sobrius* strain protects intestinal cells from enterotoxicogenic *Escherichia coli* K88 infection and prevents membrane barrier damage. *Journal of Nutrition*, 137(12): 2709–2716.

- Ross, G.R., Gusils, C., Oliszewski, R., De Holgado, S.C. & González, S.N.** 2010. Effects of probiotic administration in swine. *Journal of Bioscience and Bioengineering*, 109(6): 545–549.
- Russell, J. B. & Wilson, D. B.** 1996. Why are ruminal cellulolytic bacteria unable to digest cellulose at low pH? *Journal of Dairy Science*, 79(8): 1503–1509.
- Salma, U., Miah, A., Tareq, K., Maki, T. & Tsujii, H.** 2007. Effect of dietary *Rhodobacter capsulatus* on egg-yolk cholesterol and laying hen performance. *Poultry Science*, 86(4): 714–719.
- Salminen, M. K., Tynkkynen, S., Rautelin, H., Saxelin, M., Vaara, M., Ruutu, P., Sarna, S., Valtonen, V. & Järvinen, A.** 2002. *Lactobacillus* bacteremia during a rapid increase in probiotic use of *Lactobacillus rhamnosus* GG in Finland. *Clinical Infectious Disease*, 35(10): 1155–1160.
- Samli, H., Dezcan, S., Koc, F., Ozduven, M., Okur, A.A. & Senkoylu, N.** 2010. Effects of *Enterococcus faecium* supplementation and floor type on performance, morphology of erythrocytes and intestinal microbiota in broiler chickens. *British Poultry Science*, 51(4): 564–568.
- Sanders, M. E., Akkermans, L., Haller, D., Hammerman, C., Heimbach, J., Hörmannspberger, G., Huys, G., Levy, D. D., Lutgendorff, F. & Mack, D.** 2010. Safety assessment of probiotics for human use. *Gut Microbes*, 1(3): 1–22.
- Sansoucy, R., Jabbar, M., Ehui, S. & Fitzhugh, H.** 1995. Keynote Paper: The contribution of livestock to food security and sustainable development. Livestock development strategies for low income countries - Proceedings of the joint FAO/ILRI roundtable on livestock development strategies for low income countries. International Livestock Research Institute, Addis Ababa, Ethiopia.
- Santagati, M., Campanile, F. & Stefani, S.** 2012. Genomic diversification of enterococci in hosts: the role of the mobilome. *Frontiers in Microbiology*, 3: Art. no. 95.
- Sargeant, J., Amezua, M., Rajic, A. & Waddell, L.** 2007. Pre-harvest interventions to reduce the shedding of *E. coli* O157 in the faeces of weaned domestic ruminants: a systematic review. *Zoonoses and Public Health*, 54(6-7): 260–277.
- Sartor, R.B.** 2006. Mechanisms of disease: pathogenesis of Crohn's disease and ulcerative colitis. *Nature Clinical Practice Gastroenterology & Hepatology*, 3(7): 390–407.
- Sato, K., Takahashi, K., Tohno, M., Miura, Y., Kamada, T., Ikegami, S. & Kitazawa, H.** 2009. Immunomodulation in gut-associated lymphoid tissue of neonatal chicks by immunobiotic diets. *Poultry Science*, 88(12): 2532–2538.
- Saxelin, M., Chuang, N.-H., Chassy, B., Rautelin, H., Mäkelä, P.H., Salminen, S. & Gorbach, S.L.** 1996. Lactobacilli and bacteremia in southern Finland, 1989–1992. *Clinical and Infectious Disease*, 22(3): 564–566.
- Scharek, L., Guth, J., Reiter, K., Weyrauch, K., Taras, D., Schwerk, P., Schierack, P., Schmidt, M., Wieler, L. & Tedin, K.** 2005. Influence of a probiotic *Enterococcus faecium* strain on development of the immune system of sows and piglets. *Veterinary Immunology and Immunopathology*, 105(1): 151–161.
- Scharek, L., Altherr, B., Tölke, C. & Schmidt, M.** 2007. Influence of the probiotic *Bacillus cereus* var. *toyoii* on the intestinal immunity of piglets. *Veterinary Immunology and Immunopathology*, 120(3): 136–147.
- Schoeni, J.L. & Lee Wong, A.C.** 2005. *Bacillus cereus* food poisoning and its toxins. *Journal of Food Protection*, 68(3): 636–648.
- Sengupta, S., Chattopadhyay, M.K. & Grossart, H.-P.** 2013. The multifaceted roles of antibiotics and antibiotic resistance in nature. *Frontiers in Microbiology*, 4(47).

- Seo, J. K., Kim, S.-W., Kim, M. H., Upadhyaya, S. D., Kam, D. K. & Ha, J. K.** 2010. Direct-fed microbials for ruminant animals. *Asian-Australasian Journal of Animal Science*, 23(12): 1657–1667.
- Setlow, P.** 2006. Spores of *Bacillus subtilis*: their resistance to and killing by radiation, heat and chemicals. *Journal of Applied Microbiology*, 101(3): 514–525.
- Shanahan, F.** 2012. A commentary on the safety of probiotics. *Gastroenterology Clinics of North America*, 41(4): 869–+
- Shim, Y., Ingale, S., Kim, J., Kim, K., Seo, D., Lee, S., Chae, B. & Kwon, I.** 2012. A multi-microbe probiotic formulation processed at low and high drying temperatures: effects on growth performance, nutrient retention and caecal microbiology of broilers. *British Poultry Science*, 53(4): 482–490.
- Shortt, C.** 1999. The probiotic century: historical and current perspectives. *Trends in Food Science and Technology*, 10(12): 411–417.
- Shrago, A., Chassy, B. & Dobrogosz, W.** 1986. Conjugal plasmid transfer (pAM beta 1) in *Lactobacillus plantarum*. *Applied and Environmental Microbiology*, 52(3): 574–576.
- Siepert, B., Reinhardt, N., Kreuzer, S., Bondzio, A., Twardziok, S., Brockmann, G., Nöckler, K., Szabó, I., Janczyk, P. & Pieper, R.** 2014. *Enterococcus faecium* NCIMB 10415 supplementation affects intestinal immune-associated gene expression in post-weaning piglets. *Veterinary Immunology and Immunopathology*, 157(1): 65–77.
- Singer, R.S., Finch, R., Wegener, H. C., Bywater, R., Walters, J. & Lipsitch, M.** 2003. Antibiotic resistance—the interplay between antibiotic use in animals and human beings. *Lancet Infectious Diseases*, 3(1): 47–51.
- Skinner, J.T., Bauer, S., Young, V., Pauling, G. & Wilson, J.** 2010. An economic analysis of the impact of subclinical (mild) necrotic enteritis in broiler chickens. *Avian Disease*, 54(4): 1237–1240.
- Smith, J., Sones, K., Grace, D., MacMillan, S., Tarawali, S. & Herrero, M.** 2013. Beyond milk, meat, and eggs: Role of livestock in food and nutrition security. *Animal Frontiers*, 3(1): 6–13.
- Snoeyenbos, G., Weinack, O. M. & Smyser, C.** 1979. Further studies on competitive exclusion for controlling salmonellae in chickens. *Avian Disease*, 23(4): 904–914.
- Soleman, N., Laferl, H., Kneifel, W., Tucek, G., Budschedl, E., Weber, H., Pichler, H. & Mayer, H.K.** 2003. How safe is safe?-a case of *Lactobacillus paracasei* ssp. *paracasei* endocarditis and discussion of the safety of lactic acid bacteria. *Scandinavian Journal of Infectious Disease*, 35(10): 759–762.
- Spera, R.V. & Farber, B.F.** 1992. Multiple-resistant *Enterococcus faecium*: the nosocomial pathogen of the 1990s. *Journal of the American Medical Association*, 268(18): 2563–2564.
- Stella, A., Paratte, R., Valnegri, L., Cigalino, G., Soncini, G., Chevaux, E., Dell'Orto, V. & Savoini, G.** 2007. Effect of administration of live *Saccharomyces cerevisiae* on milk production, milk composition, blood metabolites, and faecal flora in early lactating dairy goats. *Small Ruminant Research*, 67(1): 7–13.
- Strompfova, V., Marciňáková, M., Simonová, M., Gancarčíková, S., Jonecová, Z., Sciranková, L., Koščová, J., Buleca, V., Čobanová, K. & Lauková, A.** 2006. Enterococcus faecium EK13—an enterocin a-producing strain with probiotic character and its effect in piglets. *Anaerobe*, 12(5): 242–248.
- Sun, L., Lu, Z., Bie, X., Lu, F. & Yang, S.** 2006. Isolation and characterization of a co-producer of fengycins and surfactins, endophytic *Bacillus amyloliquefaciens* ES-2, from *Scutellaria baicalensis* Georgi. *World Journal of Microbial Biotechnology*, 22(12): 1259–1266.

- Szabó, I., Wieler, L.H., Tedin, K., Scharek-Tedin, L., Taras, D., Hensel, A., Appel, B. & Nöckler, K.** 2009. Influence of a probiotic strain of *Enterococcus faecium* on *Salmonella enterica* serovar Typhimurium DT104 infection in a porcine animal infection model. *Applied and Environmental Microbiology*, 75(9): 2621–2628.
- Tam, N.K., Uyen, N.Q., Hong, H.A., Duc, L.H., Hoa, T.T., Serra, C.R., Henriques, A.O. & Cutting, S.M.** 2006. The intestinal life cycle of *Bacillus subtilis* and close relatives. *Journal of Bacteriology*, 188(7): 2692–2700.
- Tannock, G.W.** 1987. Conjugal transfer of plasmid pAM beta 1 in *Lactobacillus reuteri* and between lactobacilli and *Enterococcus faecalis*. *Applied and Environmental Microbiology*, 53(11): 2693–2695.
- Tannock, G.W., Luchansky, J.B., Miller, L., Connell, H., Thode-Andersen, S., Mercer, A.A. & Klaenhammer, T.R.** 1994. Molecular characterization of a plasmid-borne (pGT633) erythromycin resistance determinant (ermGT) from *Lactobacillus reuteri* 100-63. *Plasmid*, 31(1): 60–71.
- Taras, D., Vahjen, W., Macha, M. & Simon, O.** 2005. Response of performance characteristics and faecal consistency to long-lasting dietary supplementation with the probiotic strain *Bacillus cereus* var. *toyoii* to sows and piglets. *Archives of Animal Nutrition*, 59(6): 405–417.
- Taras, D., Vahjen, W., Macha, M. & Simon, O.** 2006. Performance, diarrhoea incidence, and occurrence of virulence genes during long-term administration of a probiotic strain to sows and piglets. *Journal of Animal Science*, 84(3): 608–617.
- Tellez, G., Pixley, C., Wolfenden, R.E., Layton, S.L. & Hargis, B.M.** 2012. Probiotics/direct fed microbials for Salmonella control in poultry. *Food Research International*, 45(2): 628–633.
- Teo, A.Y.-L. & Tan, H.-M.** 2005. Inhibition of *Clostridium perfringens* by a novel strain of *Bacillus subtilis* isolated from the gastro-intestinal tracts of healthy chickens. *Applied Environmental Microbiology*, 71(8): 4185–4190.
- Thrune, M., Bach, A., Ruiz-Moreno, M., Stern, M. & Linn, J.** 2009. Effects of *Saccharomyces cerevisiae* on ruminal pH and microbial fermentation in dairy cows: Yeast supplementation on rumen fermentation. *Livestock Science*, 124(1): 261–265.
- Thumu, S.C.R. & Halami, P.M.** 2012. Presence of erythromycin and tetracycline resistance genes in lactic acid bacteria from fermented foods of Indian origin. *Antonie Van Leeuwenhoek*, 102(4): 541–551.
- Timbermont, L., Haesebrouck, F., Ducatelle, R. & Van Immerseel, F.** 2011. Necrotic enteritis in broilers: an updated review on the pathogenesis. *Avian Pathology*, 40(4): 341–347.
- Timmer, J. & Kromkamp, J.** 1994. Efficiency of lactic acid production by *Lactobacillus helveticus* in a membrane cell recycle reactor. *FEMS Microbiology Reviews*, 14(1): 29–38.
- Tuomola, E.M. & Salminen, S.J.** 1998. Adhesion of some probiotic and dairy *Lactobacillus* strains to Caco-2 cell cultures. *International Journal of Food Microbiology*, 41(1): 45–51.
- Turner, J.R.** 2009. Intestinal mucosal barrier function in health and disease. *Nature Reviews in Immunology*, 9(11): 799–809.
- Underdahl, N., Torres-Medina, A. & Dosten, A.** 1982. Effect of *Streptococcus faecium* C-68 in control of *Escherichia coli*-induced diarrhea in gnotobiotic pigs. *American Journal of Veterinary Research*, 43(12): 2227–2232.
- US-FDA [United States Food and Drug Administration].** 2013. Micro-organisms & Microbial-Derived Ingredients Used in Food. <http://www.fda.gov/Food/IngredientsPackagingLabeling/GRAS/Micro-organismsMicrobialDerivedIngredients/default.htm> Accessed 21 November 2014.

- US-FDA.** 2015. CPG Sec. 689.100 Direct-Fed Microbial Products. <http://www.fda.gov/ICECI/ComplianceManuals/CompliancePolicyGuidanceManual/ucm074707.htm> Accessed 27 March 2015.
- Vahjen, W., Jadamus, A. & Simon, O.** 2002. Influence of a probiotic *Enterococcus faecium* strain on selected bacterial groups in the small intestine of growing turkey pouls. *Archives of Animal Nutrition*, 56(6): 419–429.
- van den Bogaard, A.E. & Stobberingh, E.E.** 2000. Epidemiology of resistance to antibiotics: links between animals and humans. *International Journal of Antimicrobial Agents*, 14(4): 327–335.
- Van der Sluis, W.** 2000. Clostridial enteritis is an often underestimated problem. *World Poultry*, 16(7): 42–43.
- Van Heugten, E., Funderburke, D. & Dorton, K.** 2003. Growth performance, nutrient digestibility, and fecal microflora in weanling pigs fed live yeast. *Journal of Animal Science*, 81(4): 1004–1012.
- Van Hoek, A., Margolles, A., Domig, K., Korhonen, J., Zycka-Krzesinska, J., Bardowski, J., Danielsen, M., Huys, G., Morelli, L. & Aarts, H.** 2008. Molecular assessment of erythromycin and tetracycline resistance genes in lactic acid bacteria and bifidobacteria and their relation to the phenotypic resistance. *International Journal of Probiotics and Prebiotics*, 3: 271–280.
- van Reenen, C.A. & Dicks, L.M. 2011. Horizontal gene transfer amongst probiotic lactic acid bacteria and other intestinal microbiota: what are the possibilities? A review. *Archives of Microbiology*, 193(3): 157–168.
- Veizaj-Delia, E., Piu, T., Lekaj, P. & Tafaj, M.** 2010. Using combined probiotic to improve growth performance of weaned piglets on extensive farm conditions. *Livestock Science*, 134(1): 249–251.
- Wang, A., Yu, H., Gao, X., Li, X. & Qiao, S.** 2009. Influence of *Lactobacillus fermentum* I5007 on the intestinal and systemic immune responses of healthy and *E. coli* challenged piglets. *Antonie Van Leeuwenhoek*, 96(1): 89–98.
- Waters, C. M. & Bassler, B. L.** 2005. Quorum sensing: cell-to-cell communication in bacteria. *Annual Review of Cell and Developmental Biology*, 21: 319–346.
- Watkins, B.A., Miller, B.F. & Neil, D.H.** 1982. *In vivo* inhibitory effects of *Lactobacillus acidophilus* against pathogenic *Escherichia coli* in gnotobiotic chicks. *Poultry Science*, 61(7): 1298–1308.
- Weese, J.S.** 2002. Microbiologic evaluation of commercial probiotics. *Journal of the American Veterinary Medical Association*, 220(6): 794–797.
- Weese, J.S.** 2003. Evaluation of deficiencies in labeling of commercial probiotics. *Canadian Veterinary Journal*, 44(12): 982–983.
- Weese, J.S. & Martin, H.** 2011. Assessment of commercial probiotic bacterial contents and label accuracy. *Canadian Veterinary Journal*, 52(1): 43–46.
- Weinberg, Z.G., Muck, R.E., Weimer, P.J., Chen, Y. & Gamburg, M.** 2004. Lactic acid bacteria used in inoculants for silage as probiotics for ruminants. *Applied Biochemical Biotechnology*, 118(1-3): 1–9.
- Weiss, W., Wyatt, D. & McKelvey, T.** 2008. Effect of feeding propionibacteria on milk production by early lactation dairy cows. *Journal of Dairy Science*, 91(2): 646–652.
- Wen, K., Li, G., Bui, T., Liu, F., Li, Y., Kocher, J., Lin, L., Yang, X. & Yuan, L.** 2012. High dose and low dose *Lactobacillus acidophilus* exerted differential immune modulating effects

- on T cell immune responses induced by an oral human rotavirus vaccine in gnotobiotic pigs. *Vaccine*, 30(6): 1198–1207.
- Wideman, R., Hamal, K., Stark, J., Blankenship, J., Lester, H., Mitchell, K., Lorenzoni, G. & Pevzner, I.** 2012. A wire-flooring model for inducing lameness in broilers: Evaluation of probiotics as a prophylactic treatment. *Poultry Science*, 91(4): 870–883.
- Wiedemann, I., Breukink, E., van Kraaij, C., Kuipers, O.P., Bierbaum, G., de Kruijff, B. & Sahl, H.-G.** 2001. Specific binding of nisin to the peptidoglycan precursor lipid II combines pore formation and inhibition of cell wall biosynthesis for potent antibiotic activity. *Journal of Biological Chemistry*, 276(3): 1772–1779.
- Williams, R.** 1999. A compartmentalised model for the estimation of the cost of coccidiosis to the world's chicken production industry. *International Journal of Parasitology*, 29(8): 1209–1229.
- Willis, W. & Reid, L.** 2008. Investigating the effects of dietary probiotic feeding regimens on broiler chicken production and *Campylobacter jejuni* presence. *Poultry Science*, 87(4): 606–611.
- Wisener, L., Sargeant, J., O'Connor, A., Faires, M. & Glass-Kastra, S.** 2014. The use of direct-fed microbials to reduce shedding of *Escherichia coli* O157 in beef cattle: a systematic review and meta-analysis. *Zoonoses and Public Health*, 62: 7589.
- Wozniak, R.A. & Waldor, M.K.** 2010. Integrative and conjugative elements: mosaic mobile genetic elements enabling dynamic lateral gene flow. *Nature Reviews in Microbiology*, 8(8): 552–563.
- Xiaodong, W., Xuan, G. & Rakshit, S.** 1997. Direct fermentative production of lactic acid on cassava and other starch substrates. *Biotechnology Letters*, 19(9): 841–843.
- Xu, C.-L., Ji, C., Ma, Q., Hao, K., Jin, Z.-Y. & Li, K. 2006. Effects of a dried *Bacillus subtilis* culture on egg quality. *Poultry Science*, 85(2): 364–368.
- Yang, C., Cao, G., Ferket, P., Liu, T., Zhou, L., Zhang, L., Xiao, Y. & Chen, A.** 2012a. Effects of probiotic, *Clostridium butyricum*, on growth performance, immune function, and caecal microflora in broiler chickens. *Poultry Science*, 91(9): 21212129.
- Yang, H., Liu, Y., Xu, S., Li, Y. & Xu, Y.** 2012b. Influence of symbiotics on the bacterial community in the caecal contents of broilers analysed by PCR-DGGE. *Acta Agri. Zhejiang*, 24(1): 26–31.
- Yeoman, C.J. & White, B.A.** 2014. Gastro-intestinal tract microbiota and probiotics in production animals. *Annual Review of Animal Bioscience*, 2(1): 469–486.
- Yeoman, C.J., Chia, N., Jeraldo, P., Sipos, M., Goldenfeld, N.D. & White, B.A.** 2012. The microbiome of the chicken gastro-intestinal tract. *Animal Health Research Reviews*, 13(01): 89–99.
- Yildirim, Z. & Johnson, M.G.** 1998. Characterization and antimicrobial spectrum of bifidocin B, a bacteriocin produced by *Bifidobacterium bifidum* NCFB 1454. *Journal of Food Protection*, 61(1): 47–51.
- Yörük, M., Güll, M., Hayırılı, A. & Macit, M.** 2004. The effects of supplementation of humate and probiotic on egg production and quality parameters during the late laying period in hens. *Poultry Science*, 83(1): 84–88.
- Yousefi, M. & Karkoodi, K.** 2007. Effect of probiotic Thepax® and *Saccharomyces cerevisiae* supplementation on performance and egg quality of laying hens. *International Journal of Poultry Science*, 6(1): 52–54.

- Zeyner, A. & Boldt, E.** 2006. Effects of a probiotic *Enterococcus faecium* strain supplemented from birth to weaning on diarrhoea patterns and performance of piglets. *Journal of Animal Physiology and Animal Nutrition*, 90(1-2): 25–31.
- Zhang, Z. & Kim, I.** 2014. Effects of multistrain probiotics on growth performance, apparent ileal nutrient digestibility, blood characteristics, cecal microbial shedding, and excreta odor contents in broilers. *Poultry Science*, 93(2): 364–370.
- Zhang, A., Lee, B., Lee, S., Lee, K., An, G., Song, K. & Lee, C.** 2005. Effects of yeast (*Saccharomyces cerevisiae*) cell components on growth performance, meat quality, and ileal mucosa development of broiler chicks. *Poultry Science*, 84(7): 1015–1021.
- Zhang, B., Yang, X., Guo, Y. & Long, F.** 2011. Effects of dietary lipids and *Clostridium butyricum* on the performance and the digestive tract of broiler chickens. *Archives of Animal Nutrition*, 65(4): 329–339.
- Zhang, J., Xie, Q., Ji, J., Yang, W., Wu, Y., Li, C., Ma, J. & Bi, Y.** 2012. Different combinations of probiotics improve the production performance, egg quality, and immune response of layer hens. *Poultry Science*, 91(11): 2755–2760.
- Zhang, H.S., Wang, H.F., Shepherd, M., Wen, K., Li, G.H., Yang, X.D., Kocher, J., Giri-Rachman, E., Dickerman, A., Settlage, R. & Yuan, L.J.** 2014a. Probiotics and virulent human rotavirus modulate the transplanted human gut microbiota in gnotobiotic pigs. *Gut Pathogens*, 6: Art. No. 39.
- Zhang, J., Yang, C., Cao, G., Zeng, X. & Liu, J.** 2014b. *Bacillus amyloliquefaciens* and its application as a probiotic. *Chinese Journal of Animal Nutrition*, 26(4): 863–867.
- Zhao, X., Guo, Y., Guo, S. & Tan, J.** 2013. Effects of *Clostridium butyricum* and *Enterococcus faecium* on growth performance, lipid metabolism, and cecal microbiota of broiler chickens. *Applied Microbiology and Biotechnology*, 97(14): 6477–6488.
- Zhou, X., Wang, Y., Gu, Q. & Li, W.** 2010. Effect of dietary probiotic, *Bacillus coagulans*, on growth performance, chemical composition, and meat quality of Guangxi Yellow chicken. *Poultry Science*, 89(3): 588–593.